



UvA-DARE (Digital Academic Repository)

One-dimensional Bose gas on an atom chip

van Amerongen, A.H.

[Link to publication](#)

Citation for published version (APA):

van Amerongen, A. H. (2008). One-dimensional Bose gas on an atom chip Amsterdam

General rights

It is not permitted to download or to forward/distribute the text or part of it without the consent of the author(s) and/or copyright holder(s), other than for strictly personal, individual use, unless the work is under an open content license (like Creative Commons).

Disclaimer/Complaints regulations

If you believe that digital publication of certain material infringes any of your rights or (privacy) interests, please let the Library know, stating your reasons. In case of a legitimate complaint, the Library will make the material inaccessible and/or remove it from the website. Please Ask the Library: <http://uba.uva.nl/en/contact>, or a letter to: Library of the University of Amsterdam, Secretariat, Singel 425, 1012 WP Amsterdam, The Netherlands. You will be contacted as soon as possible.

References

- [1] S. Bose. *Plancks gesetz und lichtquantenhypothese*. Z. Phys. **26**, 178 (1924).
- [2] A. Einstein. *Quantentheorie des einatomigen idealen gases*. Sitz.ber., K. Preuss. Akad. Wiss. p. 261 (1924).
- [3] H. Kamerlingh-Onnes. *On the sudden change in the rate at which the resistance of mercury disappears*. Communications from the Physical Laboratory of the University of Leiden **124c** (1911).
- [4] H. Kamerlingh-Onnes. *The liquefaction of helium*. Communications from the Physical Laboratory at the University of Leiden **108** (1908).
- [5] P. Kapitza. *Viscosity of liquid helium below the λ point*. Nature **141**, 74 (1938).
- [6] J. Allen and A. Misener. *Flow of liquid helium II*. Nature **141**, 75 (1938).
- [7] F. London. *The λ -phenomenon of liquid helium and the Bose-Einstein degeneracy*. Nature **141**, 643 (1938).
- [8] L. Tisza. *Transport phenomena in helium II*. Nature **141**, 913 (1938).
- [9] S. Balibar. *The discovery of superfluidity*. J. Low Temp. Phys. **146**, 441 (2007).
- [10] H. F. Hess. *Evaporative cooling of magnetically trapped and compressed spin-polarized hydrogen*. Phys. Rev. B **34**, 3476–3479 (1986).
- [11] N. Masuhara *et al.* *Evaporative cooling of spin-polarized atomic hydrogen*. Phys. Rev. Lett. **61**, 935–938 (1988).
- [12] I. Silvera and J. Walraven. *Spin-polarized atomic hydrogen*. in: Progr. Low Temp Phys. **X**, 139–370 (1986).
- [13] T. Hänsch and A. Shawlow. *Cooling of gases by laser radiation*. Opt. Commun. **13**, 68 (1975).
- [14] W. D. Phillips and H. Metcalf. *Laser deceleration of an atomic beam*. Phys. Rev. Lett. **48**, 596–599 (1982).
- [15] S. Chu *et al.* *Three-dimensional viscous confinement and cooling of atoms by resonance radiation pressure*. Phys. Rev. Lett. **55**, 48–51 (1985).

- [16] C. Cohen-Tannoudji and W. Phillips. *Physics Today* **43**, 33 (1990).
- [17] M. H. Anderson *et al.* *Observation of Bose-Einstein condensation in a dilute atomic vapor.* *Science* **269**, 198–201 (1995).
- [18] K. B. Davis *et al.* *Bose-Einstein condensation in a gas of sodium atoms.* *Phys. Rev. Lett.* **75**, 3969–3973 (1995).
- [19] C. C. Bradley, C. A. Sackett, J. J. Tollett, and R. G. Hulet. *Evidence for Bose-Einstein condensation in an atomic gas with attractive interactions.* *Phys. Rev. Lett.* **75**, 1687–1690 (1995).
- [20] C. C. Bradley, C. A. Sackett, J. J. Tollett, and R. G. Hulet. *Evidence of bose-einstein condensation in an atomic gas with attractive interactions [phys. rev. lett. 75, 1687 (1995)].* *Phys. Rev. Lett.* **79**, 1170 (1997).
- [21] C. C. Bradley, C. A. Sackett, and R. G. Hulet. *Analysis of in situ images of bose-einstein condensates of lithium.* *Phys. Rev. A* **55**, 3951–3953 (1997).
- [22] C. C. Bradley, C. A. Sackett, and R. G. Hulet. *Bose-einstein condensation of lithium: Observation of limited condensate number.* *Phys. Rev. Lett.* **78**, 985–989 (1997).
- [23] F. London. *Superfluids.* John Wiley and Sons New York (1950).
- [24] V. L. Ginzburg and L. D. Landau. *Zh. Eksperim. i Teor. Fiz.* **20**, 1064 (1950).
- [25] O. Penrose and L. Onsager. *Bose-Einstein condensation and liquid helium.* *Phys. Rev.* **104**, 576–584 (1956).
- [26] C. N. Yang. *Concept of off-diagonal long-range order and the quantum phases of liquid He and of superconductors.* *Rev. Mod. Phys.* **34**, 694–704 (1962).
- [27] K. Huang. *Bose-Einstein Condensation* chapter 3. Cambridge University Press, Cambridge (1995).
- [28] N. D. Mermin and H. Wagner. *Absence of ferromagnetism or antiferromagnetism in one- or two-dimensional isotropic Heisenberg models.* *Phys. Rev. Lett.* **17**, 1133–1136 (1966).
- [29] P. C. Hohenberg. *Existence of long-range order in one and two dimensions.* *Phys. Rev.* **158**, 383–386 (1967).
- [30] J. M. Kosterlitz and D. J. Thouless. *Ordering, metastability and phase transitions in two-dimensional systems.* *Journal of Physics C: Solid State Physics* **6**, 1181–1203 (1973).
- [31] V. Bagnato, D. E. Pritchard, and D. Kleppner. *Bose-Einstein condensation in an external potential.* *Phys. Rev. A* **35**, 4354–4358 (1987).

-
- [32] W. Ketterle and N. J. van Druten. *Bose-Einstein condensation of a finite number of particles trapped in one or three dimensions*. Phys. Rev. A **54**, 656–660 (1996).
- [33] M. Olshanii. *Atomic scattering in the presence of an external confinement and a gas of impenetrable bosons*. Phys. Rev. Lett. **81**, 938 (1998).
- [34] D. S. Petrov, G. V. Shlyapnikov, and J. T. M. Walraven. *Regimes of quantum degeneracy in trapped 1D gases*. Phys. Rev. Lett. **85**, 3745–3749 (2000).
- [35] E. H. Lieb and W. Liniger. *Exact analysis of an interacting Bose gas. I. the general solution and the ground state*. Phys. Rev. **130**, 1605 (1963).
- [36] C. N. Yang and C. P. Yang. *Thermodynamics of a one-dimensional system of bosons with repulsive delta-function interaction*. J. Math. Phys. **10**, 1115 (1969).
- [37] V. E. Korepin, N. M. Bogoliubov, and A. G. Izergin. *Quantum Inverse Scattering Method and Correlation Functions*. Cambridge University Press, Cambridge, England (1993).
- [38] M. Takahashi. *Thermodynamics of One-Dimensional Solvable Models*. Cambridge University Press, Cambridge, England (1999).
- [39] A. Görlitz *et al.* *Realization of Bose-Einstein condensates in lower dimensions*. Phys. Rev. Lett. **87**, 130402 (2001).
- [40] F. Schreck *et al.* *Quasipure Bose-Einstein condensate immersed in a Fermi sea*. Phys. Rev. Lett. **87**, 080403 (2001).
- [41] M. Greiner *et al.* *Exploring phase coherence in a 2D lattice of Bose-Einstein condensates*. Phys. Rev. Lett. **87**, 160405 (2001).
- [42] B. Paredes *et al.* *Tonks-Girardeau gas of ultracold atoms in an optical lattice*. Nature **429**, 277–281 (2004).
- [43] T. Kinoshita, T. Wenger, and D. S. Weiss. *Observation of a one-dimensional Tonks-Girardeau gas*. Science **305**, 1125–1128 (2004).
- [44] W. Hänsel, P. Hommelhoff, T. W. Hänsch, and J. Reichel. *Bose-Einstein condensation on a microelectronic chip*. Nature **413**, 498–501 (2001).
- [45] H. Ott *et al.* *Bose-Einstein condensation in a surface microtrap*. Phys. Rev. Lett. **87**, 230401 (2001).
- [46] A. van Amerongen *et al.* *Yang-Yang thermodynamics on an atom chip*. Phys. Rev. Lett. **100**, 90402 (2008).
- [47] J. D. Weinstein and K. G. Libbrecht. *Microscopic magnetic traps for neutral atoms*. Phys. Rev. A **52**, 4004–4009 (1995).

- [48] J. Fortágh and C. Zimmermann. *Magnetic microtraps for ultracold atoms*. Rev. Mod. Phys. **79**, 235 (2007).
- [49] R. Gerritsma *et al.* *Atomchips*. Ned. tijdschr. v. Natuurk. **74**, 82 (2008).
- [50] T. Schumm *et al.* *Matter-wave interferometry in a double well on an atom chip*. Nature Phys. **1**, 57–62 (2005).
- [51] J. J. P. van Es *et al.* *Three-dimensional character of atom-chip-based rf-dressed potentials*. arXiv **cond-mat**, 0802.0362v1 (2008).
- [52] R. Gerritsma *et al.* *Lattice of microtraps for ultracold atoms based on patterned magnetic films*. Phys. Rev. A **76**, 033408 (2007).
- [53] M. D. Girardeau. *Relationship between systems of impenetrable bosons and fermions in one dimension*. J. Math. Phys. **1**, 516 (1960).
- [54] E. H. Lieb. *Exact analysis of an interacting Bose gas. II. the excitation spectrum*. Phys. Rev. **130**, 1616–1624 (1963).
- [55] H. Bethe. *Zur theory der metalle*. Zeitschrift für Physik **71**, 205 (1931).
- [56] B. Laburthe Tolra *et al.* *Observation of reduced three-body recombination in a correlated 1D degenerate Bose gas*. Phys. Rev. Lett. **92**, 190401 (2004).
- [57] T. Kinoshita, T. Wenger, and D. S. Weiss. *Local pair correlations in one-dimensional Bose gases*. Phys. Rev. Lett. **95**, 190406 (2005).
- [58] T. Kinoshita, T. Wenger, and D. S. Weiss. *A quantum newton’s cradle*. Nature **440**, 900–903 (2006).
- [59] K. V. Kheruntsyan, D. M. Gangardt, P. D. Drummond, and G. V. Shlyapnikov. *Pair correlations in a finite-temperature 1D Bose gas*. Phys. Rev. Lett. **91**, 040403 (2003).
- [60] J.-B. Trebbia, J. Estève, C. I. Westbrook, and I. Bouchoule. *Experimental evidence for the breakdown of a Hartree-Fock approach in a weakly interacting Bose gas*. Phys. Rev. Lett. **97**, 250403 (2006).
- [61] E. Arimondo, M. Inguscio, and P. Violino. *Experimental determinations of the hyperfine structure in the alkali atoms*. Rev. Mod. Phys. **49**, 31–75 (1977).
- [62] C. Pethick and H. Smith. *Bose-Einstein Condensation in Dilute Gases*. Cambridge University Press, Cambridge (2002).
- [63] D. Steck. *Rubidium 87 D line data*. Los Alamos National Laboratories Report No. LA-UR-03-8638 2003.
- [64] V. V. Vladimírski. Zh. Eksp. Teor. Fiz. **39**, 1062 [Sov. Phys. JETP **12**, 740 (1961)] (1960).

- [65] D. E. Pritchard. *Cooling neutral atoms in a magnetic trap for precision spectroscopy*. Phys. Rev. Lett. **51**, 1336–1339 (1983).
- [66] J. Luiten. *Lyman- α spectroscopy of magnetically trapped atomic hydrogen*. PhD thesis Universiteit van Amsterdam (1993).
- [67] K. Huang. *Statistical mechanics*. John Wiley & sons New York 2nd edition (1987).
- [68] S. R. de Groot, G. J. Hooyman, and C. A. ten Seldam. *On the Bose-Einstein condensation*. Proc. R. Soc. London Ser. A **203**, 266 (1950).
- [69] V. Bagnato and D. Kleppner. *Bose-Einstein condensation in low-dimensional traps*. Phys. Rev. A **44**, 7439–7441 (1991).
- [70] K. V. Kheruntsyan, D. M. Gangardt, P. D. Drummond, and G. V. Shlyapnikov. *Finite-temperature correlations and density profiles of an inhomogeneous interacting one-dimensional Bose gas*. Phys. Rev. A **71**, 053615 (2005).
- [71] N. Bogoliubov. J. Phys. **11**, 23 (1947). (Moscow).
- [72] E. G. M. van Kempen, S. J. J. M. F. Kokkelmans, D. J. Heinzen, and B. J. Verhaar. *Interisotope determination of ultracold rubidium interactions from three high-precision experiments*. Phys. Rev. Lett. **88**, 093201 (2002).
- [73] C. Menotti and S. Stringari. *Collective oscillations of a one-dimensional trapped Bose-Einstein gas*. Phys. Rev. A **66**, 043610 (2002).
- [74] F. Gerbier. *Quasi-1D Bose-Einstein condensates in the dimensional crossover regime*. Europhys. Lett. **66**, 771–777 (2004).
- [75] C. Menotti. numerical data available online from the following url: http://bec.science.unitn.it/data/data_3D_1D.txt.
- [76] D. S. Petrov, D. M. Gangardt, and G. V. Shlyapnikov. *Low-dimensional trapped gases*. J. Phys. IV (France) **116**, 5 (2004).
- [77] D. S. Petrov, G. V. Shlyapnikov, and J. T. M. Walraven. *Phase-fluctuating 3D Bose-Einstein condensates in elongated traps*. Phys. Rev. Lett. **87**, 050404 (2001).
- [78] P. de Gennes. *Superconductivity of Metals and Alloys*. Benjamin New York (1966).
- [79] V. N. Popov. Sov. Phys. JETP **20**, 1185 (1965).
- [80] V. N. Popov. *Functional Integrals in Quantum Field Theory and Statistical Physics*. Reidel Dordrecht, The Netherlands (1983).
- [81] A. Lenard. *Momentum distribution in the ground state of the one-dimensional system of impenetrable bosons*. J. Math. Phys. **5**, 930 (1964).

- [82] H. G. Vaidya and C. A. Tracy. *One-particle reduced density matrix of impenetrable bosons in one dimension at zero temperature*. Phys. Rev. Lett. **42**, 3–6 (1979).
- [83] H. G. Vaidya and C. A. Tracy. *One-particle reduced density matrix of impenetrable bosons in one dimension at zero temperature*. Phys. Rev. Lett. **43**, 1540 (1979).
- [84] J.-S. Caux and P. Calabrese. *Dynamical density-density correlations in the one-dimensional Bose gas*. Phys. Rev. A **74**, 031605 (2006).
- [85] I. Bouchoule, K. V. Kheruntsyan, and G. V. Shlyapnikov. *Interaction-induced crossover versus finite-size condensation in a weakly interacting trapped one-dimensional Bose gas*. Phys. Rev. A **75**, 031606 (2007).
- [86] M. Naraschewski and D. M. Stamper-Kurn. *Analytical description of a trapped semi-ideal Bose gas at finite temperature*. Phys. Rev. A **58**, 2423–2426 (1998).
- [87] V. V. Goldman, I. F. Silvera, and A. J. Leggett. *Atomic hydrogen in an inhomogeneous magnetic field: Density profile and Bose-Einstein condensation*. Phys. Rev. A **24**, 2870–2873 (1981).
- [88] P. Öhberg and S. Stenholm. *A Hartree Fock study of a Bose condensed gas*. J. Phys. B **30**, 2749 (1997).
- [89] F. Gerbier *et al.* *Experimental study of the thermodynamics of an interacting trapped Bose-Einstein condensed gas*. Phys. Rev. A **70**, 013607 (2004).
- [90] F. D. M. Haldane. *Effective harmonic-fluid approach to low-energy properties of one-dimensional quantum fluids*. Phys. Rev. Lett. **47**, 1840–1843 (1981).
- [91] F. Haldane. *Demonstration of the Luttinger liquid character of Bethe-ansatz-soluble models of 1-D quantum fluids*. Phys. Lett. A **81**, 153 (1981).
- [92] F. Haldane. *Luttinger liquid theory of one-dimensional quantum fluids: I. properties of the Luttinger model and their extension to the general 1D interacting spinless Fermi gas*. J. Phys. C: Solid State Phys. **14**, 2585 (1981).
- [93] F. D. M. Haldane. *Effective harmonic-fluid approach to low-energy properties of one-dimensional quantum fluids*. Phys. Rev. Lett. **47**, 1840–1843 (1981).
- [94] M. A. Cazalilla. *Bosonizing one-dimensional cold atomic gases*. Journal of Physics B: AMOP **37**, S1–S47 (2004).
- [95] A. A. Burkov, M. D. Lukin, and E. Demler. *Decoherence dynamics in low-dimensional cold atom interferometers*. Phys. Rev. Lett. **98**, 200404 (2007).
- [96] S. Hofferberth *et al.* *Non-equilibrium coherence dynamics in one-dimensional Bose gases*. Nature **449**, 324 (2007).

- [97] O. J. Luiten, M. W. Reynolds, and J. T. M. Walraven. *Kinetic theory of the evaporative cooling of a trapped gas*. Phys. Rev. A **53**, 381–389 (1996).
- [98] J. Walraven. *Atomic hydrogen in magnetostatic traps*. In G.-L. Oppo, S. Barnett, E. Riis, and M. Wilkinson, editors, *Quantum dynamics of symple systems* volume 44 of *SUSSP Proceedings* Bristol (1996). IOP.
- [99] W. Ketterle and N. J. van Druten. *Evaporative cooling of trapped atoms*. Advances in Atomic, Molecular and Optical Physics **37**, 181–236 (1996).
- [100] P. W. H. Pinkse *et al.* *One-dimensional evaporative cooling of magnetically trapped atomic hydrogen*. Phys. Rev. A **57**, 4747–4760 (1998).
- [101] J. Reichel. *Microchip traps and Bose-Einstein condensation*. Appl. Phys. B **75**, 469–487 (2002).
- [102] A. Kasper *et al.* *A Bose-Einstein condensate in a microtrap*. J. Opt. B **5**, S143–S149 (2003).
- [103] K. Dieckmann. *Bose-Einstein Condensation with High Atom Number in a Deep Magnetic Trap*. PhD thesis Universiteit van Amsterdam (2001).
- [104] M. A. Joffe, W. Ketterle, A. Martin, and D. E. Pritchard. *Transverse cooling and deflection of an atomic beam inside a Zeeman slower*. J. Opt. Soc. Am. B **10**, 2257 (1993).
- [105] Z. T. Lu *et al.* *Low-velocity intense source of atoms from a magneto-optical trap*. Phys. Rev. Lett. **77**, 3331–3334 (1996).
- [106] K. Dieckmann, R. J. C. Spreeuw, M. Weidemüller, and J. T. M. Walraven. *Two-dimensional magneto-optical trap as a source of slow atoms*. Phys. Rev. A **58**, 3891–3895 (1998).
- [107] M. Greiner, I. Bloch, T. W. Hänsch, and T. Esslinger. *Magnetic transport of trapped cold atoms over a large distance*. Phys. Rev. A **63**, 031401 (2001).
- [108] H. J. Lewandowski, D. M. Harber, D. L. Whitaker, and E. A. Cornell. *Simplified system for creating a Bose-Einstein condensate*. J. Low Temp. Phys. **132**, 309–367 (2003).
- [109] J. Fortágh, A. Grossmann, T. W. Hänsch, and C. Zimmermann. *Fast loading of a magneto-optical trap from a pulsed thermal source*. J. Appl. Phys **84**, 6499–6501 (1998).
- [110] B. P. Anderson and M. A. Kasevich. *Loading a vapor-cell magneto-optic trap using light-induced atom desorption*. Phys. Rev. A **63**, 023404 (2001).
- [111] J. Reichel, W. Hänsel, and T. W. Hänsch. *Atomic micromanipulation with magnetic surface traps*. Phys. Rev. Lett. **83**, 3398–3401 (1999).

- [112] H. J. Metcalf and P. van der Straten. *Laser Cooling and Trapping of Neutral Atoms*. Springer New York (1999).
- [113] E. Eliel. Huygens Laboratory, Leiden, The Netherlands.
- [114] S. Du *et al.* *Atom-chip Bose-Einstein condensation in a portable vacuum cell*. Phys. Rev. A **70**, 053606 (2004).
- [115] J. J. P. van Es. PhD thesis Universiteit van Amsterdam (2008).
- [116] J. Reichel, W. Hänsel, P. Hommelhoff, and T. W. Hänsch. *Applications of integrated magnetic microtraps*. Appl. Phys. B **72**, 81–89 (2001).
- [117] E. Hennes. *Thermal properties of the atom chip assembly*. Technical report University of Amsterdam (2006).
- [118] E. Kreyszig. *Advanced Engineering Mathematics*. John Wiley & Sons, Inc. New York (1993).
- [119] S. Groth *et al.* *Atom chips: Fabrication and thermal properties*. Appl. Phys. Lett. **85**, 2980–2982 (2004).
- [120] M. Succi, R. Canino, and B. Ferrario. *Atomic absorption evaporation flow rate measurements of alkali metal dispensers*. Vacuum **35**, 579 (1985).
- [121] C. Klempt *et al.* *Ultraviolet light-induced atom desorption for large rubidium and potassium magneto-optical traps*. Phys. Rev. A **73**, 013410 (2006).
- [122] Ralchenko *et al.* *NIST atomic spectra database (version 3.1.2)*. Online: <http://physics.nist.gov/asd3> 2007.
- [123] G. C. Bjorklund, M. D. Levenson, W. Lenth, and C. Ortiz. *Frequency modulation (FM) spectroscopy; theory of lineshapes and signal-to-noise analysis*. Appl. Phys. B **32**, 145 (1983).
- [124] A. E. Siegman. *Lasers*. University Science Books Mill Valley, California (1986).
- [125] W. Petrich, M. H. Anderson, J. R. Ensher, and E. A. Cornell. *Behavior of atoms in a compressed magneto-optical trap*. J. Opt. Soc. Am. B **11**, 1332–1335 (1994).
- [126] S. Wildermuth *et al.* *Optimized magneto-optical trap for experiments with ultracold atoms near surfaces*. Phys. Rev. A **69**, 030901 (2004).
- [127] I. Shvarchuck *et al.* *Bose-Einstein condensation into nonequilibrium states studied by condensate focusing*. Phys. Rev. Lett. **89**, 270404 (2002).
- [128] D.-W. Wang, M. D. Lukin, and E. Demler. *Disordered Bose-Einstein condensates in quasi one-dimensional magnetic microtraps*. Phys. Rev. Lett. **92**, 076802 (2004).

- [129] J. Estève *et al.* *The role of wire imperfections in micro magnetic traps for atoms.* Phys. Rev. A **70**, 043629 (2004).
- [130] P. Krueger *et al.* *Disorder potentials near lithographically fabricated atom chips.* arXiv:cond-mat/0504686 v1 (2005).
- [131] J.-B. Trebbia *et al.* *Roughness suppression via rapid current modulation on an atom chip.* Phys. Rev. Lett. **98**, 263201 (2007).
- [132] N. Ramsey. *Molecular beams.* Oxford university Press (1956).
- [133] H. Friedburg and W. Paul. Naturwissenschaften **38**, 159 (1951).
- [134] H. Friedburg. *Optische abbildung mit neutralen atomen.* Z. Phys. **130**, 493 (1951).
- [135] V. I. Balykin and V. S. Letokhov. *The possibility of deep laser focusing of an atomic beam into the A-region.* Opt. Commun. **64**, 151–156 (1987).
- [136] V. I. Balykin, V. S. Letokhov, Y. B. Ovchinnikov, and A. I. Sidorov. *Quantum-state-selective mirror reflection of atoms by laser light.* Phys. Rev. Lett. **60**, 2137–2140 (1988).
- [137] R. J. C. Spreeuw, D. Voigt, B. T. Wolschrijn, and H. B. van Linden van den Heuvell. *Creating a low-dimensional quantum gas using dark states in an inelastic evanescent-wave mirror.* Phys. Rev. A **61**, 053604 (2000).
- [138] B. T. Wolschrijn *et al.* *Stochastic rainbow caustic observed with cold atoms.* Phys. Rev. A **64**, 065403 (2001).
- [139] M.-O. Mewes *et al.* *Output coupler for Bose-Einstein condensed atoms.* Phys. Rev. Lett. **78**, 582–585 (1997).
- [140] B. P. Anderson and M. Kasevich. *Macroscopic quantum interference from atomic tunnel arrays.* Science **282**, 1686 (1998).
- [141] E. W. Hagley *et al.* *A well-collimated quasi-continuous atom laser.* Science **283**, 1706 (1999).
- [142] I. Bloch, T. W. Hänsch, and T. Esslinger. *Atom laser with a cw output coupler.* Phys. Rev. Lett. **82**, 3008–3011 (1999).
- [143] I. Bloch *et al.* *Optics with an atom laser beam.* Phys. Rev. Lett. **87**, 030401 (2001).
- [144] Y. Le Coq *et al.* *Atom laser divergence.* Phys. Rev. Lett. **87**, 170403 (2001).
- [145] F. Gerbier, P. Bouyer, and A. Aspect. *Quasicontinuous atom laser in the presence of gravity.* Phys. Rev. Lett. **86**, 4729–4732 (2001).

- [146] J. F. Riou *et al.* *Beam quality of a nonideal atom laser*. Phys. Rev. Lett. **96**, 070404 (2006).
- [147] W. Guerin *et al.* *Guided quasicontinuous atom laser*. Phys. Rev. Lett. **97**, 200402 (2006).
- [148] J.-F. Riou. *Étude des propriétés de propagation d'un laser à atomes*. PhD thesis Université Paris-sud XI (2006).
- [149] C. J. Bordé. *Fundamental Systems in Quantum Optics, Les Houches* chapter Session LIII, p. 287. Elsevier Science Publishers B. V. (1990).
- [150] C. Bordé. *Theoretical tools for atom optics and interferometry*. Comptes Rendus de l'Académie des Sciences - Series IV - Physics **2**, 509 (2001).
- [151] J. Clauser. *Ultra-high sensitivity accelerometers and gyroscopes using neutral atom matter-wave interferometry*. Physica B+C **1-2**, 265 (1988).
- [152] D. W. Keith, C. R. Ekstrom, Q. A. Turchette, and D. E. Pritchard. *An interferometer for atoms*. Phys. Rev. Lett. **66**, 2693–2696 (1991).
- [153] C. Buggle. *Collective and Collisional Properties of the Rubidium Quantum Gas*. PhD thesis University of Amsterdam (2005).
- [154] M. J. Bastiaans. *The Wigner distribution function applied to optical signals and systems*. Opt. Commun. **25**, 26 (1978).
- [155] M. Bastiaans. *Propagation laws for the 2nd-order moments of the Wigner distribution function in 1st-order optical-systems*. Optik **82**, 173–181 (1989).
- [156] Y. Castin and R. Dum. *Bose-Einstein condensates in time dependent traps*. Phys. Rev. Lett. **77**, 5315–5319 (1996).
- [157] Y. Kagan, E. L. Surkov, and G. V. Shlyapnikov. *Evolution of a Bose-condensed gas under variations of the confining potential*. Phys. Rev. A **54**, R1753–R1756 (1996).
- [158] Y. Kagan, E. L. Surkov, and G. V. Shlyapnikov. *Evolution of a Bose gas in anisotropic time-dependent traps*. Phys. Rev. A **55**, R18–R21 (1997).
- [159] A. Siegman. *Defining the effective radius of curvature for a nonideal optical beam*. IEEE J. Quant. Electron. **27**, 1146 (1991).
- [160] P. A. Bélanger. *Beam propagation and the ABCD ray matrices*. Opt. Lett. **16**, 196 (1991).
- [161] F. J. Pedrotti and L. S. Pedrotti. *Introduction to optics*. Prentice-Hall Englewood Cliffs, New Jersey second edition edition (1993).
- [162] G. Brooker. *Modern Classical Optics*. Oxford University Press Oxford (2003).

- [163] E. Wigner. *On the quantum correction for thermodynamic equilibrium*. Phys. Rev. **40**, 749–759 (1932).
- [164] K. Imre, E. Özizmir, M. Rosenbaum, and P. F. Zweifel. *Wigner method in quantum statistical mechanics*. J. Math. Phys. **8**, 1097 (1967).
- [165] L. Mandel and E. Wolf. *Optical coherence and quantum optics*. Cambridge university press (1995).
- [166] V. Namias. *The fractional order Fourier transform and its application to quantum mechanics*. IMA J. Appl. Math. **25**, 241 (1980).
- [167] D. Mendlovic and H. M. Ozaktas. *Fractional Fourier transforms and their optical implementation: I*. J. Opt. Soc. Am. **10**, 1875 (1993).
- [168] A. W. Lohmann. *Image rotation, Wigner rotation, and the fractional Fourier transform*. J. Opt. Soc. Am. **10**, 2181 (1993).
- [169] F. Gerbier *et al.* *Momentum distribution and correlation function of quasicondensates in elongated traps*. Phys. Rev. A **67**, 051602(R) (2003).
- [170] L. Pitaevskii. *Bose-Einstein condensation in magnetic traps. Introduction to the theory*. Phys. Usp. **41**, 569 (1998).
- [171] S. Dettmer *et al.* *Observation of phase fluctuations in elongated Bose-Einstein condensates*. Phys. Rev. Lett. **87**, 160406 (2001).
- [172] S. Richard *et al.* *Momentum spectroscopy of 1D phase fluctuations in Bose-Einstein condensates*. Phys. Rev. Lett. **91**, 010405 (2003).
- [173] M. Hugbart *et al.* *Coherence length of an elongated condensate*. Eur. Phys. J. D **35**, 155 (2005).
- [174] M. J. Bastiaans and K. B. Wolf. *Phase reconstruction from intensity measurements in linear systems*. J. Opt. Soc. Am. A **20**, 1046 (2003).
- [175] K. A. Nugent and D. Paganin. *Matter-wave phase measurement: A noninterferometric approach*. Phys. Rev. A **61**, 063614 (2000).
- [176] C. Paré and P. A. Bélanger. *Beam propagation in a linear or nonlinear lens-like medium using ABCD ray matrices: the method of moments*. Opt. & Quant. Electr. **24**, S1051 (1992).
- [177] F. Impens and C. J. Bordé. *Generalized ABCD propagation for interacting atomic clouds*. arXiv:0709.3381v2 [cond-mat.other] (2007).
- [178] H. Moritz, T. Stöferle, M. Köhl, and T. Esslinger. *Exiting collective oscillations in a trapped 1D gas*. Phys. Rev. Lett. **91**, 250402 (2003).
- [179] J. O. Andersen, U. Al Khawaja, and H. T. C. Stoof. *Phase fluctuations in atomic Bose gases*. Phys. Rev. Lett. **88**, 070407 (2002).

- [180] G. E. Astrakharchik and S. Giorgini. *Quantum Monte Carlo study of the three-to one-dimensional crossover for a trapped Bose gas*. Phys. Rev. A **66**, 053614 (2002).
- [181] M. A. Cazalilla. *One-dimensional optical lattices and impenetrable bosons*. Phys. Rev. A **67**, 053606 (2003).