



UvA-DARE (Digital Academic Repository)

Characterisation of polymeric network structures

Peters, R.

Publication date

2009

Document Version

Final published version

[Link to publication](#)

Citation for published version (APA):

Peters, R. (2009). *Characterisation of polymeric network structures*. [Thesis, externally prepared, Universiteit van Amsterdam]. Universitaire Pers Maastricht.

General rights

It is not permitted to download or to forward/distribute the text or part of it without the consent of the author(s) and/or copyright holder(s), other than for strictly personal, individual use, unless the work is under an open content license (like Creative Commons).

Disclaimer/Complaints regulations

If you believe that digital publication of certain material infringes any of your rights or (privacy) interests, please let the Library know, stating your reasons. In case of a legitimate complaint, the Library will make the material inaccessible and/or remove it from the website. Please Ask the Library: <https://uba.uva.nl/en/contact>, or a letter to: Library of the University of Amsterdam, Secretariat, Singel 425, 1012 WP Amsterdam, The Netherlands. You will be contacted as soon as possible.

Content

| | | |
|-----------|--|----|
| 1. | <i>Introduction to polymeric networks and their analysis</i> | |
| 1.1. | Introduction to polymers | 2 |
| 1.2. | Polymeric networks | 4 |
| 1.2.1. | Chemically vs. physically cross-linked networks | 4 |
| 1.2.2. | Types of chemically cross-linked networks | 4 |
| 1.2.3. | Network imperfections | 8 |
| 1.3. | Analysis of polymeric networks | 10 |
| 1.3.1. | Direct approach | 11 |
| 1.3.1.1. | Physical/mechanical measurements | 11 |
| 1.3.1.2. | Spectroscopic approaches | 13 |
| 1.3.1.3. | Analysis of the starting materials | 16 |
| 1.3.2. | Indirect approach | 17 |
| 1.3.2.1. | Pyrolysis | 18 |
| 1.3.2.2. | Chemical degradation | 20 |
| 1.3.2.3. | Model compounds | 22 |
| 1.4. | Scope of the thesis | 22 |
| 2. | <i>Characterisation of UV-cured acrylate networks by means of hydrolysis followed by aqueous size-exclusion combined with reversed-phase chromatography</i> | |
| 2.1. | Introduction | 32 |
| 2.2. | Experimental | 36 |
| 2.3. | Results and discussion | 39 |
| 2.3.1. | Analytical results | 39 |
| 2.3.1.1. | Analysis of the purity of the starting materials | 39 |
| 2.3.1.2. | Determination of k_{cl} and XL_c by SEC-LC | 41 |
| 2.3.1.3. | Analysis of extractables | 46 |
| 2.3.2. | Chemical network structure | 47 |
| 2.3.3. | Network parameters | 51 |
| 2.3.4. | Comparison of cross-link densities with s-NMR and DMA data | 53 |
| 2.4. | Conclusion | 56 |
| 3. | <i>Integrated approach to characterise the styrene/di-methacrylate network structure</i> | |
| | <i>Influence of styrene and radical-transfer agent</i> | |
| 3.1. | Introduction | 60 |
| 3.2. | Experimental | 64 |

| | |
|---|-----|
| 3.3. Results and discussion | 66 |
| 3.3.1. Characterisation of the starting materials by LC-UV-MS and MALDI-TOF-MS | 66 |
| 3.3.2. Curing of the network | 69 |
| 3.3.3. Glass transition and degradation temperature of network | 72 |
| 3.3.4. Analysis of the polymeric backbone | 73 |
| 3.4. Chemical network structure | 80 |
| 3.5. Conclusion | 85 |
| | |
| 4. <i>Hydrolytic degradation of poly(D,L-lactide-co-glycolide 50/50)-di- acrylate network as studied by liquid chromatography–mass spectrometry</i> | |
| 4.1. Introduction | 90 |
| 4.2. Experimental | 93 |
| 4.3. Results | 96 |
| 4.3.1. Chemical composition of poly-(D,L-lactide-co- glycolide 50/50)-di-acrylate | 96 |
| 4.3.2. Weight loss and pH change during the degradation | 97 |
| 4.3.3. Liquid chromatography – mass spectrometry analysis of the sol fraction | 97 |
| 4.3.3.1 Analysis of oligomers and residual photo- initiator released | 98 |
| 4.3.3.2 Analysis of polyacrylate chains released | 103 |
| 4.4. Discussion | 107 |
| 4.5. Conclusion | 111 |
| | |
| 5. <i>Low-molecular-weight model study of peroxide cross-linking of EP(D)M rubber using gas chromatography- mass spectrometry Combination reactions of alkanes</i> | |
| 5.1. Introduction | 116 |
| 5.2. Experimental | 120 |
| 5.3. Results | 122 |
| 5.3.1. Qualitative analysis of alkane/peroxide reaction products | 122 |
| 5.3.1.1. Identification of DCP decomposition products | 122 |
| 5.3.1.2. Identification of alkane reaction products by GC–MS and GC×GC–MS | 123 |
| 5.3.1.3. Identification of alkane reaction products by QSPR | 129 |

| | |
|--|-----|
| 5.3.2. Quantitative analysis of alkane reaction products by GC-FID | 134 |
| 5.4. Conclusion | 136 |
| 6. <i>Low-molecular-weight model study of peroxide cross-linking of EPDM rubber using gas chromatography- mass spectrometry</i> | |
| <i>Addition and combination</i> | |
| 6.1. Introduction | 142 |
| 6.2. Experimental | 145 |
| 6.3. Results | 147 |
| 6.3.1. Qualitative analysis of alkane/alkene/DCP reaction products | 147 |
| 6.3.2. Quantitative analysis of alkane/alkene/DCP reaction products | 155 |
| 6.3.3. Cross-linking mechanism of EPDM | 159 |
| 6.4. Conclusion | 161 |
| 7. <i>Characterisation of UV-cured acrylate networks as studied by thermal degradation methods</i> | |
| 7.1. Introduction | 164 |
| 7.2. Experimental | 169 |
| 7.3. Results | 174 |
| 7.3.1. DSC and TGA of cross-linked acrylates | 174 |
| 7.3.2. Pyrolysis-MS of cross-linked acrylates | 176 |
| 7.3.3. MALDI-TOF-MS of cross-linked acrylates | 183 |
| 7.3.4. Pyr-LC-MS of cross-linked acrylates | 187 |
| 7.3.4.1. Off-line Pyr-LC-MS | 187 |
| 7.3.4.2. On-line Pyr-LC-MS | 190 |
| 7.4. Discussion and conclusion | 194 |
| <i>Summary</i> | 203 |
| <i>Samenvatting</i> | 207 |
| <i>Dankwoord</i> | 211 |
| <i>Bibliography</i> | 213 |