



UvA-DARE (Digital Academic Repository)

Logic programming for knowledge-intensive interactive applications

Wielemaker, J.

Publication date
2009

[Link to publication](#)

Citation for published version (APA):

Wielemaker, J. (2009). *Logic programming for knowledge-intensive interactive applications*. [Thesis, fully internal, Universiteit van Amsterdam].

General rights

It is not permitted to download or to forward/distribute the text or part of it without the consent of the author(s) and/or copyright holder(s), other than for strictly personal, individual use, unless the work is under an open content license (like Creative Commons).

Disclaimer/Complaints regulations

If you believe that digital publication of certain material infringes any of your rights or (privacy) interests, please let the Library know, stating your reasons. In case of a legitimate complaint, the Library will make the material inaccessible and/or remove it from the website. Please Ask the Library: <https://uba.uva.nl/en/contact>, or a letter to: Library of the University of Amsterdam, Secretariat, P.O. Box 19185, 1000 GD Amsterdam, The Netherlands. You will be contacted as soon as possible.

References

- Adida, B. and M. Birbeck (2007, October). RDFa primer: Embedding structured data in web pages. <http://www.w3.org/TR/xhtml1-rdfa-primer/>. W3C Working Draft 26.
- Aleman-Meza, B., C. Halaschek, A. Sheth, I. Arpinar, and G. Sannapareddy (2004). SWETO: Large-scale semantic web test-bed. In *16th International Conference on Software Engineering and Knowledge Engineering (SEKE2004): Workshop on Ontology in Action*, Banff, Alberta, Canada.
- Anjewierden, A. and L. Efimova (2006). Understanding weblog communities through digital traces: A framework, a tool and an example. In R. Meersman, Z. Tari, and P. Herrero (Eds.), *OTM Workshops (1)*, Volume 4277 of *Lecture Notes in Computer Science*, pp. 279–289. Springer.
- Anjewierden, A., J. Wielemaker, and C. Toussaint (1990). Shelley — computer aided knowledge engineering. In B. Wielinga, B. G. John Boose, M. V. Someren, and G. Schreiber (Eds.), *Current Trends in Knowledge Acquisition*, *Frontiers in Artificial Intelligence and Applications*, pp. 41–59. Amsterdam: IOS Press. ISBN: 9051990367.
- Anjewierden, A., B. Wielinga, and R. de Hoog (2004). Task and domain ontologies for knowledge mapping in operational processes. Metis Deliverable 4.2/2003, University of Amsterdam. tOKo home: <http://www.toko-sigmund.org/>.
- Appleby, K., M. Carlsson, S. Haridi, and D. Sahlin (1988). Garbage collection for Prolog based on WAM. *Communications of the ACM* 31(6), 719–741.
- Baader, F., D. Calvanese, D. L. McGuinness, D. Nardi, and P. F. Patel-Schneider (Eds.) (2003). *The Description Logic Handbook: Theory, Implementation, and Applications*. Cambridge University Press.
- Bagnara, R. and M. Carro (2002, May). Foreign language interfaces for Prolog: A terse survey. *ALP newsletter* 15.

- Bast, H. and I. Weber (2007). The CompleteSearch Engine: Interactive, Efficient, and towards IR&DB Integration. In *CIDR 2007, Third Biennial Conference on Innovative Data Systems Research*, Asilomar, CA, USA, pp. 88–95.
- Bechhofer, S., R. Möller, and P. Crowther (2003). The dig description logic interface. In D. Calvanese, G. D. Giacomo, and E. Franconi (Eds.), *Description Logics*, Volume 81 of *CEUR Workshop Proceedings*. CEUR-WS.org.
- Beckett, D. (2002). The design and implementation of the redland rdf application framework. *Computer Networks* 39(5), 577–588.
- Beckett, D. and B. McBride (2004, 10 February). Rdf/xml syntax specification (revised). Technical report, W3C Consortium. See: <http://www.w3.org/TR/2004/REC-rdf-syntax-grammar-20040210/>.
- Berners-Lee, T. (1999). *Weaving the Web*. London: Orion Business.
- Berners-Lee, T., J. Hendler, and O. Lassila (2001, May). The semantic Web. *Scientific American* 284(5), 34–43.
- Brachman, R. J. and J. G. Schmolze (1985). An overview of the KL-ONE knowledge representation system. *Cognitive Science* 9(2), 171–216.
- Brickley, D. and R. V. Guha (2000, 27 March). Resource description framework (RDF) schema specification 1.0. Candidate recommendation, W3C Consortium. See: <http://www.w3.org>.
- Broekstra, J., A. Kampman, and F. van Harmelen (2002, July). Sesame: A generic architecture for storing and querying rdf and rdf schema. In I. Horrocks and J. Hendler (Eds.), *Proceedings ISWC'02*, Number 2342 in LNCS, pp. 54–68. Springer Verlag.
- Butenhof, D. R. (1997). *Programming with POSIX threads*. Reading, MA, USA: Addison-Wesley.
- Carriero, N. and D. Gelernter (1989, April). Linda in context. *Communications of the ACM* 32(4), 444–458.
- Carro, M. and M. V. Hermenegildo (1999). Concurrency in Prolog using threads and a shared database. In *International Conference on Logic Programming*, pp. 320–334.
- Chassell, R. J. and R. M. Stallman (1999). *Texinfo: The GNU Documentation Format*. Reuters.com.
- Clark, K. G., L. Feigenbaum, and E. Torres (2007, June). Serializing sparql query results in json. W3C Working Group Note 18 June 2007.
- Colmerauer, A. and P. Roussel (1996). *History of programming languages—II*, Chapter The birth of Prolog, pp. 331–367. New York, NY, USA: ACM.
- de Boer, V., M. van Someren, and B. J. Wielinga (2007). A redundancy-based method for the extraction of relation instances from the web. *International Journal of Human-Computer Studies* 65(9), 816–831.

- de Bosschere, K. and J.-M. Jacquet (1993). Multi-Prolog: Definition, operational semantics and implementation. In D. S. Warren (Ed.), *Proceedings of the Tenth International Conference on Logic Programming*, Budapest, Hungary, pp. 299–313. The MIT Press.
- Dean, M., A. T. Schreiber, S. Bechofer, F. van Harmelen, J. Hendler, I. Horrocks, D. MacGuinness, P. Patel-Schneider, and L. A. Stein (2004, 10 February). OWL web ontology language reference. W3C recommendation, World Wide Web Consortium. Latest version: <http://www.w3.org/TR/owl-ref/>.
- Demoen, B. (2002, oct). Dynamic attributes, their hProlog implementation, and a first evaluation. Report CW 350, Department of Computer Science, K.U.Leuven, Leuven, Belgium. <http://www.cs.kuleuven.ac.be/publicaties/rapporten/cw/CW350.abs.html>.
- Deransart, P., A. Ed-Dbali, and L. Cervoni (1996). *Prolog: The Standard*. New York: Springer-Verlag.
- Ding, L., T. Finin, A. Joshi, R. Pan, R. S. Cost, Y. Peng, P. Reddivari, V. C. Doshi, , and J. Sachs (2004). Swoogle: A Search and Metadata Engine for the Semantic Web. In *Proceedings of the Thirteenth ACM Conference on Information and Knowledge Management*, Washington, D.C., USA, pp. 652–659.
- Draxler, C. (1991). Accessing relational and NF^2 databases through database set predicates. In G. A. Wiggins, C. Mellish, and T. Duncan (Eds.), *ALPUK91: Proceedings of the 3rd UK Annual Conference on Logic Programming, Edinburgh 1991*, Workshops in Computing, pp. 156–173. Springer-Verlag.
- Dublin Core Metadata Initiative (1999, July). *Dublin Core Metadata Element Set Version 1.1: Reference Description*.
- Escalante, C. (1993). A simple model of prolog’s performance: extensional predicates. In *CASCON ’93: Proceedings of the 1993 conference of the Centre for Advanced Studies on Collaborative research*, pp. 1119–1132. IBM Press.
- Eskilson, J. and M. Carlsson (1998). SICStus MT—a multithreaded execution environment for SICStus Prolog. In C. Palamidessi, H. Glaser, and K. Meinke (Eds.), *Programming Languages: Implementations, Logics, and Programs*, Volume 1490 of *Lecture Notes in Computer Science*, pp. 36–53. Springer-Verlag.
- Fensel, D., I. Horrocks, F. van Harmelen, S. Decker, M. Erdmann, and M. Klein (2000). OIL in a nutshell. In *Knowledge Engineering and Knowledge Management: 12th International Conference EKAW2000, Juan-les-Pins*, Volume 1937 of *Lecture Notes in Artificial Intelligence*, Berlin/Heidelberg, pp. 1–16. Springer-Verlag.
- Freire, J., D. S. Warren, K. Sagonas, P. Rao, and T. Swift (1997, jan). XSB: A system for efficiently computing well-founded semantics. In *Proceedings of LPNMR 97*, Berlin, Germany, pp. 430–440. Springer Verlag. LNCS 1265.

- Fridman Noy, N., R. W. Fergerson, and M. A. Musen (2000). The knowledge model of Protégé-2000: combining interoperability and flexibility. In *Knowledge Engineering and Knowledge Management: 12th International Conference EKAW2000, Juan-les-Pins*, Volume 1937 of *Lecture Notes in Artificial Intelligence*, Berlin/Heidelberg, pp. 17–32. Springer-Verlag. Also as: Technical Report Stanford University, School of Medicine, SMI-2000-0830.
- Frühwirth, T. (1998, October). Theory and Practice of Constraint Handling Rules. In P. Stuckey and K. Marriot (Eds.), *Special Issue on Constraint Logic Programming* (1–3 ed.), Volume 37.
- Getty (2000). ULAN: Union List of Artist Names. <http://www.getty.edu/research/tools/vocabulary/ulan/>.
- Gidenstam, A. and M. Papatriantafilou (2007). Lfthreads: A lock-free thread library. In E. Tovar, P. Tsigas, and H. Fouchal (Eds.), *OPODIS*, Volume 4878 of *Lecture Notes in Computer Science*, pp. 217–231. Springer.
- Gil, Y., E. Motta, V. R. Benjamins, and M. A. Musen (Eds.) (2005). *The Semantic Web - ISWC 2005, 4th International Semantic Web Conference, ISWC 2005, Galway, Ireland, November 6-10, 2005, Proceedings*, Volume 3729 of *Lecture Notes in Computer Science*. Springer.
- Googley, M. M. and B. W. WAH (1989). Efficient reordering of PROLOG programs. *IEEE Transactions on Knowledge and Data Engineering*, 470–482.
- Graham, S. L., P. B. Kessler, and M. K. McKusick (1982). gprof: a call graph execution profiler. In *SIGPLAN Symposium on Compiler Construction*, pp. 120–126.
- Gras, D. C. and M. V. Hermenegildo (2001). Distributed WWW programming using (Ciao-)Prolog and the PiLLoW library. *TPLP* 1(3), 251–282.
- Grosso, W. E., H. Eriksson, R. W. Fergerson, J. H. Gennari, S. W. Tu, and M. A. Musen (1999). Knowledge modeling at the millennium: The design and evolution of Protégé-2000. In *12th Banff Workshop on Knowledge Acquisition, Modeling, and Management. Banff, Alberta*. URL: <http://smi.stanford.edu/projects/protege> (access date: 18 December 2000).
- Guo, H.-F. and G. Gupta (2001). A simple scheme for implementing tabled logic programming systems based on dynamic reordering of alternatives. In *Proceedings of the 17th International Conference on Logic Programming*, London, UK, pp. 181–196. Springer-Verlag.
- Guo, Y., Z. Pan, and J. Heflin (2004). An evaluation of knowledge base systems for large owl datasets. See McIlraith, Plexousakis, and van Harmelen (2004), pp. 274–288.
- Haarslev, V. and R. Möller (2001, August). Description of the racer system and its applications. In *Proceedings of the International Workshop on Description Logics (DL-2001)*, pp. 132–141. Stanford, USA.

- Haase, P., J. Broekstra, A. Eberhart, and R. Volz (2004). A comparison of rdf query languages. See McIlraith, Plexousakis, and van Harmelen (2004), pp. 502–517.
- Hassan Ait-Kaci (1991). *Warrens Abstract Machine*. MIT Press. Out of print; available from <http://www.isg.sfu.ca/~hak/documents/wam.html>.
- Hearst, M., J. English, R. Sinha, K. Swearingen, and K. Yee (2002, September). Finding the flow in web site search. *Communications of the ACM* 45(9), 42–49.
- Hermenegildo, M. V. (2000). A documentation generator for (C)LP systems. In J. W. Lloyd, V. Dahl, U. Furbach, M. Kerber, K.-K. Lau, C. Palamidessi, L. M. Pereira, Y. Sagiv, and P. J. Stuckey (Eds.), *Computational Logic*, Volume 1861 of *Lecture Notes in Computer Science*, pp. 1345–1361. Springer.
- Holzbaur, C. (1990). Realization of forward checking in logic programming through extended unification. Report TR-90-11, Oesterreichisches Forschungsinstitut fuer Artificial Intelligence, Wien, Austria.
- Horrocks, I. (1999). Fact and ifact. In P. Lambrix, A. Borgida, M. Lenzerini, R. Möller, and P. F. Patel-Schneider (Eds.), *Description Logics*, Volume 22 of *CEUR Workshop Proceedings*. CEUR-WS.org.
- Horrocks, I., P. F. Patel-Schneider, and F. van Harmelen (2003). From SHIQ and RDF to OWL: The Making of a Web Ontology Language . *Journal of Web Semantics* 1(1).
- Huang, Z. and H. Stuckenschmidt (2005). Reasoning with multi-version ontologies: A temporal logic approach. See Gil, Motta, Benjamins, and Musen (2005), pp. 398–412.
- Huang, Z., F. van Harmelen, and A. ten Teije (2005, august). Reasoning with inconsistent ontologies. In L. P. Kaelbling and A. Saffiotti (Eds.), *IJCAI*, Edinburgh, Scotland, pp. 454–459. Professional Book Center.
- Huang, Z. and C. Visser (2004). Extended DIG description logic interface support for PROLOG. Deliverable D3.4.1.2, SEKT.
- Huynh, D., D. Karger, and R. Miller (2007). Exhibit: Lightweight structured data publishing. In *16th International World Wide Web Conference*, Banff, Alberta, Canada. ACM.
- Hyvönen, E., M. Junnila, S. Kettula, E. Mäkelä, S. Saarela, M. Salminen, A. Syreeni, A. Valo, and K. Viljanen (2005, October). MuseumFinland — Finnish museums on the semantic web. *Journal of Web Semantics* 3(2-3), 224–241.
- Janik, M. and K. Kochut (2005). Brahms: A workbench rdf store and high performance memory system for semantic association discovery. See Gil, Motta, Benjamins, and Musen (2005), pp. 431–445.
- Jarke, M., J. Clifford, and Y. Vassiliou (1984). An optimizing prolog front-end to a relational query system. In *SIGMOD '84: Proceedings of the 1984 ACM SIGMOD*

- international conference on Management of data*, New York, NY, USA, pp. 296–306. ACM.
- Jeffery, D., F. Henderson, and Z. Somogyi (2000). Type classes in mercury. In *ACSC*, pp. 128–135. IEEE Computer Society.
- Kim, T. (1993). *XWIP Reference Manual, Version 0.6*. UCLA Computer Science Department. Technical Report CSD-880079.
- King, R. and A. Srinivasan (1996). Prediction of rodent carcinogenicity bioassays from molecular structure using inductive logic programming. *Environmental Health Perspectives* 104(5), 1031–1040.
- Kiryakov, A., D. Ognyanov, and D. Manov (2005). Owlim - a pragmatic semantic repository for owl. In M. Dean, Y. Guo, W. Jun, R. Kaschek, S. Krishnaswamy, Z. Pan, and Q. Z. Sheng (Eds.), *WISE Workshops*, Volume 3807 of *Lecture Notes in Computer Science*, pp. 182–192. Springer.
- Knuth, D. E. (1984). Literate programming. *Comput. J.* 27(2), 97–111.
- Krasner, G. E. and S. T. Pope (1988). A cookbook for using the model-view controller user interface paradigm in smalltalk-80. *J. Object Oriented Program.* 1(3), 26–49.
- Lafon, Y. and B. Bos (2000, 28 September). Describing and retrieving photographs using RDF and HTTP. Note, W3C Consortium. URL: <http://www.w3.org/TR/2000/NOTE-photo-rdf-20000928>.
- Lassila, O. and R. R. Swick (1999, 22 February). Resource description framework (RDF) model and specification. Recommendation, W3C Consortium. URL: <http://www.w3.org/TR/1999/REC-rdf-syntax-19990222>.
- Leth, L., P. Bonnet, S. Bressan, and B. Thomsen (1996). Towards ECLiPSe agents on the internet. In *Proceedings of the 1st Workshop on Logic Programming Tools for INTERNET Applications, Bonn, Germany*.
- Leuf, B. and W. Cunningham (2001). *The Wiki Way: Collaboration and Sharing on the Internet*. Addison-Wesley.
- Mäkelä, E., E. Hyvönen, S. Saarela, and K. Viljanen (2004). Ontoviews - a tool for creating semantic web portals. See McIlraith, Plexousakis, and van Harmelen (2004), pp. 797–811.
- McBride, B. (2001). Jena: Implementing the rdf model and syntax specification. In *SemWeb*.
- McCarthy, J. (1969). The advice taker. In M. L. Minsky (Ed.), *Semantic Information Processing*. The MIT Press.
- McGuinness, D. L., R. Fikes, J. Rice, and S. Wilder (2000, April 12-15). An environment for merging and testing large ontologies. In *Proc. Seventh International Conference on Principles of Knowledge Representation and Reasoning (KR2000)*, Breckenridge, Colorado.

- McIlraith, S. A., D. Plexousakis, and F. van Harmelen (Eds.) (2004). *The Semantic Web - ISWC 2004: Third International Semantic Web Conference, Hiroshima, Japan, November 7-11, 2004. Proceedings*, Volume 3298 of *Lecture Notes in Computer Science*. Springer.
- Merritt, D. (1995, May/June). Objects and logic. *PC AI magazine* 9(3), 16–22.
- Miklos, Z., G. Neumann, U. Zdun, and M. Sintek (2005). Querying semantic web resources using triple views. In Y. Kalfoglou, M. Schorlemmer, A. Sheth, S. Staab, and M. Uschold (Eds.), *Semantic Interoperability and Integration*, Number 04391 in Dagstuhl Seminar Proceedings. Internationales Begegnungs- und Forschungszentrum (IBFI), Schloss Dagstuhl, Germany. <http://drops.dagstuhl.de/opus/volltexte/2005/47>.
- Miles, A. and S. Bechofer (2008, 25 January). SKOS simple knowledge organization system reference. W3C working draft, World-Wide Web Consortium. Latest version: <http://www.w3.org/TR/skos-reference>.
- Miles, A. J. (2001). Owl ontology for thesaurus data. Deliverable, SWAD-Europe.
- Miller, G. (1995, November). WordNet: A lexical database for english. *Comm. ACM* 38(11), 39–41.
- Moura, P. (2003, September). *Logtalk - Design of an Object-Oriented Logic Programming Language*. Ph. D. thesis, Department of Informatics, University of Beira Interior, Portugal.
- Moura, P. (2008). Resources in object-oriented logic programming. <http://www.ci.uc.pt/oolpr/oolpr.html>.
- Moura, P., J. Wielemaker, M. Carro, P. Nunes, P. Robinson, R. Marques, T. Swift, U. Neumerkel, and V. S. Costa (2008). Prolog multi-threading support. ISO/IEC DTR 132115:2007.
- Muggleton, S. (1995). Inverse entailment and Progol. *New Generation Computing, Special issue on Inductive Logic Programming* 13(3-4), 245–286.
- Muggleton, S. and L. D. Raedt (1994). Inductive Logic Programming: Theory and Method. *Journal of Logic Programming* 19-20, 629–679.
- Musen, M. A., R. W. Ferguson, W. E. Grosso, N. F. Noy, M. Crubézy, and J. H. Gennari (2000). Componentbased support for building knowledge-acquisition systems. In *Conference on Intelligent Information Processing (IIP 2000)*, Beijing, China. http://smi-web.stanford.edu/pubs/SML_Abstracts/SMI-2000-0838.html.
- Noy, N. F., M. Sintek, S. Decker, M. Crubezy, R. W. Ferguson, and M. A. Musen (2001). Creating Semantic Web contents with protege-2000. *IEEE Intelligent Systems* 16(2), 60–71.
- Parsia, B. (2001). RDF applications with Prolog. O'Reilly XML.com, <http://www.xml.com/pub/a/2001/07/25/prologrdf.html>.

- Patel, K. and G. Gupta (2003). Semantic processing of the semantic web. In D. Fensel, K. P. Sycara, and J. Mylopoulos (Eds.), *International Semantic Web Conference*, Volume 2870 of *Lecture Notes in Computer Science*, pp. 80–95. Springer.
- Paulson, L. D. (2005). Building Rich Web Applications with Ajax. *IEEE Computer* 38(10), 14–17.
- Peterson, T. (1994). *Introduction to the Art and Architecture Thesaurus*. Oxford University Press. See also: <http://www.getty.edu/research/tools/vocabulary/aat/>.
- Philips, L. (2000, june). The double metaphone search algorithm. *j-CCCUJ* 18(6), 38–43.
- Pieterse, V., D. G. Kourie, and A. Boake (2004). A case for contemporary literate programming. In *SAICSIT '04: Proceedings of the 2004 annual research conference of the South African institute of computer scientists and information technologists on IT research in developing countries*, Republic of South Africa, pp. 2–9. South African Institute for Computer Scientists and Information Technologists.
- Prud'hommeaux, E. and A. Seaborne (2008, January). Sparql query language for rdf. W3C Recommendation 15 January 2008.
- Ramakrishnan, I. V., P. Rao, K. Sagonas, T. Swift, and D. S. Warren (1995, June 13–18). Efficient tabling mechanisms for logic programs. In L. Sterling (Ed.), *Proceedings of the 12th International Conference on Logic Programming*, Cambridge, pp. 697–714. MIT Press.
- Ramesh, R. and W. Chen (1997). Implementation of tabled evaluation with delaying in prolog. *IEEE Trans. Knowl. Data Eng.* 9(4), 559–574.
- Ramsey, N. and C. Marceau (1991). Literate programming on a team project. *Software - Practice and Experience* 21(7), 677–683.
- RDFCore WG (2003, February). RDF/XML Syntax Specification (Revised)a. W3C Working Draft, World Wide Web Consortium. <http://www.w3.org/TR/rdf-syntax-grammar/>.
- Rocha, C., D. Schwabe, and M. de Aragao (2004). A hybrid approach for searching in the semantic web. In *Proceedings of the 13th International World Wide Web Conference*, New York, NY, USA, pp. 374–383.
- Rocha, R., F. M. A. Silva, and V. S. Costa (2001). On a tabling engine that can exploit or-parallelism. In *Proceedings of the 17th International Conference on Logic Programming*, London, UK, pp. 43–58. Springer-Verlag.
- Schlobach, S. and Z. Huang (2005). Inconsistent ontology diagnosis: Framework and prototype. Deliverable D3.6.1, SEKT. URL = <http://www.cs.vu.nl/~huang/sekt/sekt361.pdf>.
- Schmidt, D. C. and I. Pyrali (2008, July). Strategies for implementing posix condition variables on win32. <http://www.cs.wustl.edu/~schmidt/win32-cv-1.html>.

- Schreiber, G., B. Dubbeldam, J. Wielemaker, and B. Wielinga (2001, may/june). Ontology-based photo annotation. *IEEE Intelligent Systems* 16, 66–74.
- Schrijvers, T. and B. Demoen (2004). The K.U. Leuven CHR system: implementation and application. In T. Frühwirth and M. Meister (Eds.), *First Workshop on Constraint Handling Rules: Selected Contributions*, pp. 430–440. ISSN 0939-5091.
- Shen, K., J. Schimpf, S. Novello, and J. Singer (2002). A high-level generic interface to external programming language for ECLiPSe. In *Practical Aspects of Declarative Languages*, Berlin, Germany. Springer Verlag. LNCS 2257.
- Shum, A. and C. Cook (1993). AOPS: an abstraction-oriented programming system for literate programming. *Software Engineering Journal* 8(3), 113–120.
- Shum, S. and C. Cook (1994). Using literate programming to teach good programming practices. In *SIGCSE '94: Proceedings of the twenty-fifth SIGCSE symposium on Computer science education*, New York, NY, USA, pp. 66–70. ACM Press.
- SICS (1997). *Quintus Prolog, User Guide and Reference Manual*. SICS.
- SICS (1998). *Quintus ProXT Manual*. SICS. <http://www.sics.se/isl/quintus/proxt/frame.html>.
- Sintek, M. and S. Decker (2002). *TRIPLE* — A query, inference, and transformation language for the Semantic Web. *Lecture Notes in Computer Science* 2342, 364–.
- Srinivasan, A. (2003). *The Aleph Manual*.
- Stallman, R. M. (1981). Emacs the extensible, customizable self-documenting display editor. *SIGPLAN Not.* 16(6), 147–156.
- Struyf, J. and H. Blockeel (2003). Query optimization in inductive logic programming by reordering literals. In T. Horváth and A. Yamamoto (Eds.), *Proceedings of the 13th International Conference on Inductive Logic Programming*, Volume 2835 of *Lecture Notes in Artificial Intelligence*, pp. 329–346. Springer-Verlag.
- Szeredi, P., K. Molnár, and R. Scott (1996, September). Serving Multiple HTML Clients from a Prolog Application. In *Proceedings of the 1st Workshop on Logic Programming Tools for INTERNET Applications*, JICSLP'96, Bonn. Available from <http://clement.info.umoncton.ca/~lpnet/lpnet9.html>.
- Tam, A. M. and C. H. C. Leung (2001). Structured natural-language descriptions for semantic content retrieval of visual materials. *JASIST* 52(11), 930–937.
- Tordai, A., B. Omelayenko, and G. Schreiber (2007). Semantic excavation of the city of books. In *Proc. Semantic Authoring, Annotation and Knowledge Markup Workshop (SAAKM2007)*, Volume 314, pp. 39–46. CEUR-WS. <http://ceur-ws.org/Vol-314>.
- Tummarello, G., C. Morbidoni, and M. Nucci (2006). Enabling Semantic Web communities with DBin: an overview. In *Proceedings of the Fifth International Semantic Web Conference ISWC 2006*, Athens, GA, USA.

- Tummarello, G., E. Oren, and R. Delbru (2007, November). Sindice.com: Weaving the open linked data. In *Proceedings of the 6th International Semantic Web Conference and 2nd Asian Semantic Web Conference (ISWC/ASWC2007), Busan, South Korea*, Berlin, Heidelberg, pp. 547–560.
- van den Berg, J. (1995). Subject retrieval in pictorial information systems. In *Electronic Filing, Registration, and Communication of Visual Historical Data. Abstracts for Round Table no 34 of the 18th International Congress of Historical Sciences. Copenhagen*, pp. 21–28. See also <http://www.iconclass.nl>.
- van der Waal, H. (1985). IconClass: An iconographic classification system. Technical report, Royal Dutch Academy of Sciences (KNAW).
- van Gendt, M., A. Isaac, L. van der Meij, and S. Schlobach (2006). Semantic web techniques for multiple views on heterogeneous collections: A case study. In J. Gonzalo, C. Thanos, M. F. Verdejo, and R. C. Carrasco (Eds.), *ECDL*, Volume 4172 of *Lecture Notes in Computer Science*, pp. 426–437. Springer.
- van Heesch, D. (2007). *Doxygen, a documentation system for C++*. <http://www.stack.nl/~dimitri/doxygen/>.
- Visual Resources Association Standards Committee (2000, July). VRA Core Categories, Version 3.0. Technical report, Visual Resources Association. URL: <http://www.vraweb.org/vracore3.htm>.
- Železný, F., A. Srinivasan, and D. Page (2003). Lattice-search runtime distributions may be heavy-tailed. In S. Matwin and C. Sammut (Eds.), *Proceedings of the 12th International Conference on Inductive Logic Programming*, Volume 2583 of *Lecture Notes in Artificial Intelligence*, pp. 333–345. Springer-Verlag.
- W3C Web Ontology Working Group (2001). <http://www.w3.org/2001/sw/WebOnt/>.
- Wiederhold, G. (1992, March). Mediators in the architecture of future information systems. *IEEE Computer* 25(3), 38–49.
- Wielemaker, J. (1997-2008). SWI-Prolog 5.6: Reference manual. <http://www.swi-prolog.org/documentation.html>.
- Wielemaker, J. (2003a, december). Native preemptive threads in SWI-Prolog. In C. Palamidessi (Ed.), *Practical Aspects of Declarative Languages*, Berlin, Germany, pp. 331–345. Springer Verlag. LNCS 2916.
- Wielemaker, J. (2003b). An overview of the swi-prolog programming environment. In F. Mesnard and A. Serebrenik (Eds.), *WLPE*, Volume CW371 of *Report*, pp. 1–16. Katholieke Universiteit Leuven, Department of Computer Science, Celestijnenlaan 200A, B-3001 Heverlee (Belgium).
- Wielemaker, J. (2005, October). An optimised semantic web query language implementation in prolog. In M. Baggielli and G. Gupta (Eds.), *ICLP 2005*, Berlin, Germany, pp. 128–142. Springer Verlag. LNCS 3668.

- Wielemaker, J. and A. Anjewierden (1989, November). Separating User Interface and Functionality Using a Frame Based Data Model. In *Proceedings Second Annual Symposium on User Interface Software and Technology*, Williamsburg, Virginia, pp. 25–33. ACM Press.
- Wielemaker, J. and A. Anjewierden (1992). *Programming in XPCE/Prolog*. Roetersstraat 15, 1018 WB Amsterdam, The Netherlands: SWI, University of Amsterdam. E-mail: jan@swi.psy.uva.nl.
- Wielemaker, J. and A. Anjewierden (2002). An architecture for making object-oriented systems available from prolog. In *WLPE*, pp. 97–110.
- Wielemaker, J. and A. Anjewierden (2007). PIDoc: Wiki style literate programming for Prolog. In P. Hill and W. Vanhoof (Eds.), *Proceedings of the 17th Workshop on Logic-Based methods in Programming Environments*, pp. 16–30.
- Wielemaker, J., M. Hildebrand, and J. van Ossenbruggen (2007). Using Prolog as the fundament for applications on the semantic web. In S. Heymans et al (Ed.), *Proceedings of ALPSWS2007*, pp. 84–98.
- Wielemaker, J., M. Hildebrand, J. van Ossenbruggen, and G. Schreiber (2008). Thesaurus-based search in large heterogeneous collections. In A. P. Sheth, S. Staab, M. Dean, M. Paolucci, D. Maynard, T. W. Finin, and K. Thirunarayan (Eds.), *International Semantic Web Conference*, Volume 5318 of *Lecture Notes in Computer Science*, pp. 695–708. Springer.
- Wielemaker, J., Z. Huang, and L. van der Meij (2008). SWI-Prolog and the web. *Theory and Practice of Logic Programming* 8(3), 363–392.
- Wielemaker, J., A. T. Schreiber, and B. J. Wielinga (2003a). Supporting semantic image annotation and search. In S. Handschuh and S. Staab (Eds.), *Annotation for the Semantic Web*, Volume 96 of *Frontiers in Artificial Intelligence and Applications*, pp. 147–155. Amsterdam: IOS Press. ISBN: 1 58603 345 X.
- Wielemaker, J., G. Schreiber, and B. Wielinga (2003b, october). Prolog-based infrastructure for RDF: performance and scalability. In D. Fensel, K. Sycara, and J. Mylopoulos (Eds.), *The Semantic Web - Proceedings ISWC'03, Sanibel Island, Florida*, Berlin, Germany, pp. 644–658. Springer Verlag. LNCS 2870.
- Wielemaker, J., G. Schreiber, and B. Wielinga (2005, November). Using triples for implementation: the Triple20 ontology-manipulation tool. In *ISWC 2005*, Berlin, Germany, pp. 773–785. Springer Verlag. LNCS 3729.
- Wielinga, B. J., A. T. Schreiber, and J. A. Breuker (1992). Kads: a modelling approach to knowledge engineering. *Knowl. Acquis.* 4(1), 5–53.
- Wielinga, B. J., A. T. Schreiber, J. Wielemaker, and J. A. C. Sandberg (2001, 21-23 October). From thesaurus to ontology. In Y. Gil, M. Musen, and J. Shavlik (Eds.), *Proceedings 1st International Conference on Knowledge Capture, Victoria, Canada*, New York, pp. 194–201. ACM Press.

- Zhou, N.-F., Y.-D. Shen, L.-Y. Yuan, and J.-H. You (2000). Implementation of a linear tabling mechanism. In *PADL '00: Proceedings of the Second International Workshop on Practical Aspects of Declarative Languages*, London, UK, pp. 109–123. Springer-Verlag.