



UvA-DARE (Digital Academic Repository)

The spectra of supersymmetric states in string theory

Cheng, M.C.N.

Publication date
2008

[Link to publication](#)

Citation for published version (APA):

Cheng, M. C. N. (2008). *The spectra of supersymmetric states in string theory*. [Thesis, fully internal, Universiteit van Amsterdam].

General rights

It is not permitted to download or to forward/distribute the text or part of it without the consent of the author(s) and/or copyright holder(s), other than for strictly personal, individual use, unless the work is under an open content license (like Creative Commons).

Disclaimer/Complaints regulations

If you believe that digital publication of certain material infringes any of your rights or (privacy) interests, please let the Library know, stating your reasons. In case of a legitimate complaint, the Library will make the material inaccessible and/or remove it from the website. Please Ask the Library: <https://uba.uva.nl/en/contact>, or a letter to: Library of the University of Amsterdam, Secretariat, Singel 425, 1012 WP Amsterdam, The Netherlands. You will be contacted as soon as possible.

Part IV

A Farey Tail for Attractor Black Holes

This part of the thesis is based on the result reported in publication [108]. Other publications in the same period on closely related topics are [109, 110, 30]. An important follow-up publication which refines our results is [111].

The goal of the present part of the thesis is to gain a better understanding of the microstates of D4-D2-D0 black holes in IIA string theory compactified on a Calabi-Yau manifold. These microstates are counted by a (generalized) elliptic genus of a (0,4) conformal field theory. By exploiting a spectral flow that relates states with different charges, and using a generalised Rademacher formula, we find that the elliptic genus has an exact asymptotic expansion in terms of semi-classical saddle-points of the dual supergravity theory. This generalizes the known "Black Hole Farey Tail" of [112] to the case of $\mathcal{N} = 2$, $d = 4$ black holes in string theory.

