



**UvA-DARE (Digital Academic Repository)**

**The spectra of supersymmetric states in string theory**

Cheng, C.N.

[Link to publication](#)

*Citation for published version (APA):*

Cheng, M. C. N. (2008). The spectra of supersymmetric states in string theory Amsterdam

**General rights**

It is not permitted to download or to forward/distribute the text or part of it without the consent of the author(s) and/or copyright holder(s), other than for strictly personal, individual use, unless the work is under an open content license (like Creative Commons).

**Disclaimer/Complaints regulations**

If you believe that digital publication of certain material infringes any of your rights or (privacy) interests, please let the Library know, stating your reasons. In case of a legitimate complaint, the Library will make the material inaccessible and/or remove it from the website. Please Ask the Library: <http://uba.uva.nl/en/contact>, or a letter to: Library of the University of Amsterdam, Secretariat, Singel 425, 1012 WP Amsterdam, The Netherlands. You will be contacted as soon as possible.

# Bibliography

- [1] J. Polchinski, *String Theory, Vol. I, II*. Cambridge University Press, 1998.
- [2] M. Green, J. Schwarz, and E. Witten, *Superstring Theory, Vol. I, II*. Cambridge University Press, 1987.
- [3] P. H. Ginsparg, “Applied conformal field theory,” [hep-th/9108028](#).
- [4] G. 't Hooft, *Introduction to String Theory*. unpublished, available on author’s homepage, 2004.
- [5] E. Witten, “On flux quantization in M-theory and the effective action,” *J. Geom. Phys.* **22** (1997) 1–13, [arXiv:hep-th/9609122](#).
- [6] T. Eguchi, P. B. Gilkey, and A. J. Hanson, “Gravitation, Gauge Theories and Differential Geometry,” *Phys. Rept.* **66** (1980) 213.
- [7] G. W. Gibbons and P. J. Ruback, “The Hidden Symmetries of Multicenter Metrics,” *Commun. Math. Phys.* **115** (1988) 267.
- [8] G. W. Gibbons and S. W. Hawking, “Gravitational Multi - Instantons,” *Phys. Lett.* **B78** (1978) 430.
- [9] G. W. Gibbons and S. W. Hawking, “Classification of Gravitational Instanton Symmetries,” *Commun. Math. Phys.* **66** (1979) 291–310.
- [10] R. Minasian and G. W. Moore, “K-theory and Ramond-Ramond charge,” *JHEP* **11** (1997) 002, [hep-th/9710230](#).
- [11] E. Witten, “D-branes and K-theory,” *JHEP* **12** (1998) 019, [hep-th/9810188](#).
- [12] P. S. Aspinwall, “D-branes on Calabi-Yau manifolds,” [hep-th/0403166](#).
- [13] M. B. Green, J. A. Harvey, and G. W. Moore, “I-brane inflow and anomalous couplings on D-branes,” *Class. Quant. Grav.* **14** (1997) 47–52, [hep-th/9605033](#).
- [14] R. C. Myers, “Dielectric-branes,” *JHEP* **12** (1999) 022, [hep-th/9910053](#).
- [15] A. A. Tseytlin, “Born-Infeld action, supersymmetry and string theory,” [hep-th/9908105](#).
- [16] O. Aharony, S. S. Gubser, J. M. Maldacena, H. Ooguri, and Y. Oz, “Large N field theories, string theory and gravity,” *Phys. Rept.* **323** (2000) 183–386, [hep-th/9905111](#).
- [17] I. R. Klebanov, “TASI lectures: Introduction to the AdS/CFT correspondence,” [hep-th/0009139](#).
- [18] E. D’Hoker and D. Z. Freedman, “Supersymmetric gauge theories and the AdS/CFT correspondence,” [hep-th/0201253](#).
- [19] K. Skenderis, “Lecture notes on holographic renormalization,” *Class. Quant. Grav.* **19** (2002) 5849–5876, [hep-th/0209067](#).

- [20] G. 't Hooft, “Dimensional reduction in quantum gravity,” [gr-qc/9310026](#).
- [21] L. Susskind, “The World as a hologram,” *J. Math. Phys.* **36** (1995) 6377–6396, [hep-th/9409089](#).
- [22] S. Cecotti and C. Vafa, “Topological antitopological fusion,” *Nucl. Phys.* **B367** (1991) 359–461.
- [23] W. Lerche, C. Vafa, and N. P. Warner, “Chiral Rings in N=2 Superconformal Theories,” *Nucl. Phys.* **B324** (1989) 427.
- [24] M. Bershadsky, S. Cecotti, H. Ooguri, and C. Vafa, “Kodaira-Spencer theory of gravity and exact results for quantum string amplitudes,” *Commun. Math. Phys.* **165** (1994) 311–428, [hep-th/9309140](#).
- [25] A. Neitzke and C. Vafa, “Topological strings and their physical applications,” [hep-th/0410178](#).
- [26] M. Vonk, “A mini-course on topological strings,” [hep-th/0504147](#).
- [27] E. Witten, “Topological Sigma Models,” *Commun. Math. Phys.* **118** (1988) 411.
- [28] E. Witten, “Chern-Simons gauge theory as a string theory,” *Prog. Math.* **133** (1995) 637–678, [hep-th/9207094](#).
- [29] B. Pioline, “Lectures on black holes, topological strings and quantum attractors,” *Class. Quant. Grav.* **23** (2006) S981, [hep-th/0607227](#).
- [30] F. Denef and G. W. Moore, “Split states, entropy enigmas, holes and halos,” [hep-th/0702146](#).
- [31] R. Gopakumar and C. Vafa, “M-theory and topological strings. I,” [hep-th/9809187](#).
- [32] R. Gopakumar and C. Vafa, “M-theory and topological strings. II,” [hep-th/9812127](#).
- [33] A. Klemm, M. Kreuzer, E. Riegler, and E. Scheidegger, “Topological string amplitudes, complete intersection Calabi-Yau spaces and threshold corrections,” *JHEP* **05** (2005) 023, [arXiv:hep-th/0410018](#).
- [34] R. Dijkgraaf, C. Vafa, and E. Verlinde, “M-theory and a topological string duality,” [hep-th/0602087](#).
- [35] D. Maulik, N. Nekrasov, A. Okounkov, and P. Pandharipande, “Gromov-Witten Theory and Donaldson-Thomas Theory,” [math.AG/0312059](#).
- [36] D. Maulik, N. Nekrasov, A. Okounkov, and P. Pandharipande, “Gromov-Witten Theory and Donaldson-Thomas Theory II,” [math.AG/0406092](#).
- [37] A. Iqbal, N. Nekrasov, A. Okounkov, and C. Vafa, “Quantum foam and topological strings,” [hep-th/0312022](#).
- [38] E. Witten, “On the Landau-Ginzburg description of N=2 minimal models,” *Int. J. Mod. Phys.* **A9** (1994) 4783–4800, [hep-th/9304026](#).
- [39] T. Kawai, Y. Yamada, and S.-K. Yang, “Elliptic genera and N=2 superconformal field theory,” *Nucl. Phys.* **B414** (1994) 191–212, [hep-th/9306096](#).
- [40] M. Eichler and D. Zagier, *The Theory of Jacobi Forms*. Birkhäuser, 1985.
- [41] A. Feingold and I. Frenkel, “A hyperbolic Kac-Moody Algebra and the theory of Siegel modular forms of genus 2,” *Math. Ann.* **263** (1983) 87.
- [42] V. Gritsenko, “Elliptic Genus of Calabi-Yau Manifolds and Jacobi and Siegel

- Modular Forms,” [math.AG/9906190](https://arxiv.org/abs/math/9906190).
- [43] R. Dijkgraaf, G. W. Moore, E. P. Verlinde, and H. L. Verlinde, “Elliptic genera of symmetric products and second quantized strings,” *Commun. Math. Phys.* **185** (1997) 197–209, [hep-th/9608096](https://arxiv.org/abs/hep-th/9608096).
- [44] R. Borcherds, “Automorphic forms with singularities on Grassmannian,” *Invent. Math.* ”**132**”, (1998) 491–562.
- [45] B. Craps, F. Roose, W. Troost, and A. Van Proeyen, “What is special Kaehler geometry?,” *Nucl. Phys.* **B503** (1997) 565–613, [hep-th/9703082](https://arxiv.org/abs/hep-th/9703082).
- [46] P. Candelas, X. C. De La Ossa, P. S. Green, and L. Parkes, “A pair of Calabi-Yau manifolds as an exactly soluble superconformal theory,” *Nucl. Phys.* **B359** (1991) 21–74.
- [47] A. Strominger, “SPECIAL GEOMETRY,” *Commun. Math. Phys.* **133** (1990) 163–180.
- [48] B. de Wit and A. Van Proeyen, “Potentials and Symmetries of General Gauged N=2 Supergravity: Yang-Mills Models,” *Nucl. Phys.* **B245** (1984) 89.
- [49] T. Mohaupt, “Black hole entropy, special geometry and strings,” *Fortsch. Phys.* **49** (2001) 3–161, [hep-th/0007195](https://arxiv.org/abs/hep-th/0007195).
- [50] M. Guica and A. Strominger, “Cargese lectures on string theory with eight supercharges,” *Nucl. Phys. Proc. Suppl.* **171** (2007) 39–68, [arXiv:0704.3295](https://arxiv.org/abs/0704.3295) [[hep-th](https://arxiv.org/abs/hep-th)].
- [51] B. de Wit, “BPS Black Holes,” *Nucl. Phys. Proc. Suppl.* **171** (2007) 16–38, [arXiv:0704.1452](https://arxiv.org/abs/0704.1452) [[hep-th](https://arxiv.org/abs/hep-th)].
- [52] E. Bergshoeff, M. de Roo, and B. de Wit, “Extended Conformal Supergravity,” *Nucl. Phys.* **B182** (1981) 173.
- [53] S. Ferrara and S. Sabharwal, “DIMENSIONAL REDUCTION OF TYPE II SUPERSTRINGS,” *Class. Quant. Grav.* **6** (1989) L77.
- [54] F. Denef, “Supergravity flows and D-brane stability,” *JHEP* **08** (2000) 050, [hep-th/0005049](https://arxiv.org/abs/hep-th/0005049).
- [55] A. C. Cadavid, A. Ceresole, R. D’Auria, and S. Ferrara, “Eleven-dimensional supergravity compactified on Calabi-Yau threefolds,” *Phys. Lett.* **B357** (1995) 76–80, [hep-th/9506144](https://arxiv.org/abs/hep-th/9506144).
- [56] M. Gunaydin, G. Sierra, and P. K. Townsend, “Gauging the  $d = 5$  Maxwell-Einstein Supergravity Theories: More on Jordan Algebras,” *Nucl. Phys.* **B253** (1985) 573.
- [57] D. Gaiotto, A. Strominger, and X. Yin, “5D black rings and 4D black holes,” *JHEP* **02** (2006) 023, [hep-th/0504126](https://arxiv.org/abs/hep-th/0504126).
- [58] D. Gaiotto, A. Strominger, and X. Yin, “New connections between 4D and 5D black holes,” *JHEP* **02** (2006) 024, [hep-th/0503217](https://arxiv.org/abs/hep-th/0503217).
- [59] I. Bena and P. Kraus, “Microscopic description of black rings in AdS/CFT,” *JHEP* **12** (2004) 070, [hep-th/0408186](https://arxiv.org/abs/hep-th/0408186).
- [60] I. Bena and P. Kraus, “Microstates of the D1-D5-KK system,” *Phys. Rev.* **D72** (2005) 025007, [hep-th/0503053](https://arxiv.org/abs/hep-th/0503053).
- [61] G. Lopes Cardoso, B. de Wit, and T. Mohaupt, “Corrections to macroscopic supersymmetric black-hole entropy,” *Phys. Lett.* **B451** (1999) 309–316, [arXiv:hep-th/9812082](https://arxiv.org/abs/hep-th/9812082).
- [62] G. Lopes Cardoso, B. de Wit, and T. Mohaupt, “Deviations from the area law

- for supersymmetric black holes,” *Fortsch. Phys.* **48** (2000) 49–64, [hep-th/9904005](#).
- [63] G. Lopes Cardoso, B. de Wit, and T. Mohaupt, “Macroscopic entropy formulae and non-holomorphic corrections for supersymmetric black holes,” *Nucl. Phys.* **B567** (2000) 87–110, [hep-th/9906094](#).
- [64] I. Antoniadis, E. Gava, K. S. Narain, and T. R. Taylor, “Topological amplitudes in string theory,” *Nucl. Phys.* **B413** (1994) 162–184, [hep-th/9307158](#).
- [65] H. Ooguri, A. Strominger, and C. Vafa, “Black hole attractors and the topological string,” *Phys. Rev.* **D70** (2004) 106007, [hep-th/0405146](#).
- [66] A. Sevrin, W. Troost, and A. Van Proeyen, “Superconformal Algebras in Two-Dimensions with  $N=4$ ,” *Phys. Lett.* **B208** (1988) 447.
- [67] T. Eguchi, H. Ooguri, A. Taormina, and S.-K. Yang, “Superconformal Algebras and String Compactification on Manifolds with  $SU(N)$  Holonomy,” *Nucl. Phys.* **B315** (1989) 193.
- [68] T. Eguchi and A. Taormina, “CHARACTER FORMULAS FOR THE  $N=4$  SUPERCONFORMAL ALGEBRA,” *Phys. Lett.* **B200** (1988) 315.
- [69] P. S. Aspinwall and D. R. Morrison, “String theory on K3 surfaces,” [hep-th/9404151](#).
- [70] P. S. Aspinwall, “K3 surfaces and string duality,” [hep-th/9611137](#).
- [71] W. Nahm and K. Wendland, “A hiker’s guide to K3: Aspects of  $N = (4,4)$  superconformal field theory with central charge  $c = 6$ ,” *Commun. Math. Phys.* **216** (2001) 85–138, [hep-th/9912067](#).
- [72] M. de Roo, “Matter Coupling in  $N=4$  Supergravity,” *Nucl. Phys.* **B255** (1985) 515.
- [73] C. M. Hull and P. K. Townsend, “Unity of superstring dualities,” *Nucl. Phys.* **B438** (1995) 109–137, [hep-th/9410167](#).
- [74] E. Witten, “String theory dynamics in various dimensions,” *Nucl. Phys.* **B443** (1995) 85–126, [hep-th/9503124](#).
- [75] M. C. N. Cheng, “More bubbling solutions,” *JHEP* **03** (2007) 070, [hep-th/0611156](#).
- [76] A. Van Proeyen and B. Vercnocke, “Effective action for the field equations of charged black holes,” *Class. Quant. Grav.* **25** (2008) 035010, [arXiv:0708.2829 \[hep-th\]](#).
- [77] G. Lopes Cardoso, B. de Wit, J. Kappeli, and T. Mohaupt, “Stationary BPS solutions in  $N = 2$  supergravity with  $R^{*2}$  interactions,” *JHEP* **12** (2000) 019, [hep-th/0009234](#).
- [78] M. C.-N. Cheng, “The Thermodynamics of Reissner-Nordström Black Holes and the Extremal Limit,” *Master Thesis, Utrecht University*.
- [79] S. Ferrara, R. Kallosh, and A. Strominger, “ $N=2$  extremal black holes,” *Phys. Rev.* **D52** (1995) 5412–5416, [hep-th/9508072](#).
- [80] B. Bates and F. Denef, “Exact solutions for supersymmetric stationary black hole composites,” [hep-th/0304094](#).
- [81] M. Shmakova, “Calabi-Yau black holes,” *Phys. Rev.* **D56** (1997) 540–544, [hep-th/9612076](#).
- [82] K. Behrndt, D. Lust, and W. A. Sabra, “Stationary solutions of  $N = 2$

- supergravity,” *Nucl. Phys.* **B510** (1998) 264–288, [hep-th/9705169](#).
- [83] F. Denef, B. R. Greene, and M. Raugas, “Split attractor flows and the spectrum of BPS D-branes on the quintic,” *JHEP* **05** (2001) 012, [hep-th/0101135](#).
- [84] K. Behrndt, G. Lopes Cardoso, and S. Mahapatra, “Exploring the relation between 4D and 5D BPS solutions,” *Nucl. Phys.* **B732** (2006) 200–223, [hep-th/0506251](#).
- [85] I. Bena, P. Kraus, and N. P. Warner, “Black rings in Taub-NUT,” *Phys. Rev.* **D72** (2005) 084019, [hep-th/0504142](#).
- [86] H. Elvang, R. Emparan, D. Mateos, and H. S. Reall, “Supersymmetric 4D rotating black holes from 5D black rings,” *JHEP* **08** (2005) 042, [hep-th/0504125](#).
- [87] O. Lunin and S. D. Mathur, “AdS/CFT duality and the black hole information paradox,” *Nucl. Phys.* **B623** (2002) 342–394, [hep-th/0109154](#).
- [88] S. D. Mathur, “The fuzzball proposal for black holes: An elementary review,” *Fortsch. Phys.* **53** (2005) 793–827, [hep-th/0502050](#).
- [89] P. Berglund, E. G. Gimon, and T. S. Levi, “Supergravity microstates for BPS black holes and black rings,” *JHEP* **06** (2006) 007, [hep-th/0505167](#).
- [90] I. Bena and N. P. Warner, “Bubbling supertubes and foaming black holes,” *Phys. Rev.* **D74** (2006) 066001, [hep-th/0505166](#).
- [91] I. Bena, C.-W. Wang, and N. P. Warner, “The foaming three-charge black hole,” *Phys. Rev.* **D75** (2007) 124026, [hep-th/0604110](#).
- [92] V. Balasubramanian, E. G. Gimon, and T. S. Levi, “Four Dimensional Black Hole Microstates: From D-branes to Spacetime Foam,” *JHEP* **01** (2008) 056, [hep-th/0606118](#).
- [93] A. Saxena, G. Potvin, S. Giusto, and A. W. Peet, “Smooth geometries with four charges in four dimensions,” *JHEP* **04** (2006) 010, [hep-th/0509214](#).
- [94] I. Bena, C.-W. Wang, and N. P. Warner, “Mergers and typical black hole microstates,” *JHEP* **11** (2006) 042, [hep-th/0608217](#).
- [95] J. M. Maldacena, A. Strominger, and E. Witten, “Black hole entropy in M-theory,” *JHEP* **12** (1997) 002, [hep-th/9711053](#).
- [96] C. Vafa, “Black holes and Calabi-Yau threefolds,” *Adv. Theor. Math. Phys.* **2** (1998) 207–218, [hep-th/9711067](#).
- [97] F. Denef, “Quantum quivers and Hall/hole halos,” *JHEP* **10** (2002) 023, [hep-th/0206072](#).
- [98] E. Witten, “BPS bound states of D0-D6 and D0-D8 systems in a B- field,” *JHEP* **04** (2002) 012, [hep-th/0012054](#).
- [99] M. R. Douglas, “Branes within branes,” [hep-th/9512077](#).
- [100] M. Li, “Boundary States of D-Branes and Dy-Strings,” *Nucl. Phys.* **B460** (1996) 351–361, [hep-th/9510161](#).
- [101] F. Denef, “On the correspondence between D-branes and stationary supergravity solutions of type II Calabi-Yau compactifications,” [hep-th/0010222](#).
- [102] N. Alonso-Alberca, E. Lozano-Tellechea, and T. Ortin, “The near-horizon limit of the extreme rotating  $d = 5$  black hole as a homogeneous spacetime,” *Class. Quant. Grav.* **20** (2003) 423–430, [hep-th/0209069](#).

- [103] R. Kallosh, A. Rajaraman, and W. K. Wong, “Supersymmetric rotating black holes and attractors,” *Phys. Rev.* **D55** (1997) 3246–3249, [hep-th/9611094](#).
- [104] R. Dijkgraaf, R. Gopakumar, H. Ooguri, and C. Vafa, “Baby universes in string theory,” *Phys. Rev.* **D73** (2006) 066002, [hep-th/0504221](#).
- [105] J. M. Maldacena, J. Michelson, and A. Strominger, “Anti-de Sitter fragmentation,” *JHEP* **02** (1999) 011, [hep-th/9812073](#).
- [106] H. Elvang, R. Emparan, D. Mateos, and H. S. Reall, “Supersymmetric black rings and three-charge supertubes,” *Phys. Rev.* **D71** (2005) 024033, [hep-th/0408120](#).
- [107] K. Skenderis and M. Taylor, “Fuzzball solutions and D1-D5 microstates,” *Phys. Rev. Lett.* **98** (2007) 071601, [hep-th/0609154](#).
- [108] J. de Boer, M. C. N. Cheng, R. Dijkgraaf, J. Manschot, and E. Verlinde, “A farey tail for attractor black holes,” *JHEP* **11** (2006) 024, [hep-th/0608059](#).
- [109] P. Kraus and F. Larsen, “Partition functions and elliptic genera from supergravity,” *JHEP* **01** (2007) 002, [arXiv:hep-th/0607138](#).
- [110] D. Gaiotto, A. Strominger, and X. Yin, “The M5-brane elliptic genus: Modularity and BPS states,” *JHEP* **08** (2007) 070, [arXiv:hep-th/0607010](#).
- [111] J. Manschot and G. W. Moore, “A Modern Farey Tail,” [arXiv:0712.0573 \[hep-th\]](#).
- [112] R. Dijkgraaf, J. M. Maldacena, G. W. Moore, and E. P. Verlinde, “A black hole farey tail,” [hep-th/0005003](#).
- [113] A. Strominger and C. Vafa, “Microscopic Origin of the Bekenstein-Hawking Entropy,” *Phys. Lett.* **B379** (1996) 99–104, [hep-th/9601029](#).
- [114] D. Gaiotto, A. Strominger, and X. Yin, “From AdS(3)/CFT(2) to black holes / topological strings,” *JHEP* **09** (2007) 050, [arXiv:hep-th/0602046](#).
- [115] J. de Boer, F. Denef, S. El-Showk, I. Messamah, and D. Van den Bleeken, “Black hole bound states in  $AdS_3 \times S^2$ ,” [arXiv:0802.2257 \[hep-th\]](#).
- [116] D. S. Freed and E. Witten, “Anomalies in string theory with D-branes,” [arXiv:hep-th/9907189](#).
- [117] J. Callan, Curtis G., J. A. Harvey, and A. Strominger, “Worldbrane actions for string solitons,” *Nucl. Phys.* **B367** (1991) 60–82.
- [118] R. Minasian, G. W. Moore, and D. Tsimpis, “Calabi-Yau black holes and (0,4) sigma models,” *Commun. Math. Phys.* **209** (2000) 325–352, [arXiv:hep-th/9904217](#).
- [119] P. Griffiths and J. Harris, *Principles of Algebraic Geometry*. Wiley-Interscience, 1978.
- [120] J. M. Maldacena, G. W. Moore, and A. Strominger, “Counting BPS black holes in toroidal type II string theory,” [hep-th/9903163](#).
- [121] Z. Hasiewicz, K. Thielemans, and W. Troost, “Superconformal Algebras and Clifford Algebras,” *J. Math. Phys.* **31** (1990) 744.
- [122] D. Belov and G. W. Moore, “Holographic action for the self-dual field,” [arXiv:hep-th/0605038](#).
- [123] M. Henningson and K. Skenderis, “Holography and the Weyl anomaly,” *Fortsch. Phys.* **48** (2000) 125–128, [arXiv:hep-th/9812032](#).
- [124] J. M. Maldacena and A. Strominger, “AdS(3) black holes and a stringy exclusion principle,” *JHEP* **12** (1998) 005, [arXiv:hep-th/9804085](#).

- [125] E. J. Martinec, “Conformal field theory, geometry, and entropy,” [arXiv:hep-th/9809021](#).
- [126] S. Gukov, E. Martinec, G. W. Moore, and A. Strominger, “Chern-Simons gauge theory and the AdS(3)/CFT(2) correspondence,” [arXiv:hep-th/0403225](#).
- [127] P. Kraus, “Lectures on black holes and the AdS(3)/CFT(2) correspondence,” [arXiv:hep-th/0609074](#).
- [128] M. C. N. Cheng and E. Verlinde, “Dying Dyons Don’t Count,” *JHEP* **09** (2007) 070, [arXiv:0706.2363 \[hep-th\]](#).
- [129] M. C. Cheng and E. Verlinde, “to appear,”.
- [130] S. Banerjee and A. Sen, “S-duality Action on Discrete T-duality Invariants,” [arXiv:0801.0149 \[hep-th\]](#).
- [131] S. Banerjee, A. Sen, and Y. K. Srivastava, “Generalities of Quarter BPS Dyon Partition Function and Dyons of Torsion Two,” [arXiv:0802.0544 \[hep-th\]](#).
- [132] S. Banerjee, A. Sen, and Y. K. Srivastava, “Partition Functions of Torsion  $>1$  Dyons in Heterotic String Theory on  $T^6$ ,” [arXiv:0802.1556 \[hep-th\]](#).
- [133] A. Dabholkar, J. Gomes, and S. Murthy, “Counting all dyons in  $N=4$  string theory,” [arXiv:0803.2692 \[hep-th\]](#).
- [134] A. Dabholkar and J. A. Harvey, “Nonrenormalization of the Superstring Tension,” *Phys. Rev. Lett.* **63** (1989) 478.
- [135] J. R. David and A. Sen, “CHL dyons and statistical entropy function from D1-D5 system,” *JHEP* **11** (2006) 072, [hep-th/0605210](#).
- [136] D. Shih, A. Strominger, and X. Yin, “Recounting dyons in  $N=4$  string theory,” *JHEP* **10** (2006) 087, [hep-th/0505094](#).
- [137] J. C. Breckenridge, R. C. Myers, A. W. Peet, and C. Vafa, “D-branes and spinning black holes,” *Phys. Lett.* **B391** (1997) 93–98, [hep-th/9602065](#).
- [138] C. Vafa, “Gas of D-Branes and Hagedorn Density of BPS States,” *Nucl. Phys.* **B463** (1996) 415–419, [hep-th/9511088](#).
- [139] R. Dijkgraaf, E. P. Verlinde, and H. L. Verlinde, “Counting dyons in  $n=4$  string theory,” *Nucl. Phys.* **B484** (1997) 543–561, [hep-th/9607026](#).
- [140] M. Cvetič and D. Youm, “Dyonic BPS saturated black holes of heterotic string on a six torus,” *Phys. Rev.* **D53** (1996) 584–588, [arXiv:hep-th/9507090](#).
- [141] M. Cvetič and A. A. Tseytlin, “Solitonic strings and BPS saturated dyonic black holes,” *Phys. Rev.* **D53** (1996) 5619–5633, [arXiv:hep-th/9512031](#).
- [142] J. A. Harvey and G. W. Moore, “Algebras, BPS States, and Strings,” *Nucl. Phys.* **B463** (1996) 315–368, [arXiv:hep-th/9510182](#).
- [143] V. Gritsenko and V. Nikulin, “Siegel Automorphic Form Correction of Some Lorentzian Kac-Moody Lie Algebras,” *Amer. J. Math.* **“119”**, .
- [144] U. Ray, *Automorphic Forms and Lie Superalgebra*. Springer, 2006.
- [145] A. Sen, “Walls of Marginal Stability and Dyon Spectrum in  $N=4$  Supersymmetric String Theories,” *JHEP* **05** (2007) 039, [arXiv:hep-th/0702141](#).
- [146] A. Dabholkar, D. Gaiotto, and S. Nampuri, “Comments on the spectrum of CHL dyons,” *JHEP* **01** (2008) 023, [arXiv:hep-th/0702150](#).
- [147] A. Sen, “Two Centered Black Holes and  $N=4$  Dyon Spectrum,” *JHEP* **09** (2007) 045, [arXiv:0705.3874 \[hep-th\]](#).



- [148] A. Sen, “Rare Decay Modes of Quarter BPS Dyons,” *JHEP* **10** (2007) 059, [arXiv:0707.1563 \[hep-th\]](#).
- [149] G. W. Moore, “Arithmetic and attractors,” [arXiv:hep-th/9807087](#).
- [150] S. Chaudhuri and J. Polchinski, “Moduli space of CHL strings,” *Phys. Rev. D* **52** (1995) 7168–7173, [arXiv:hep-th/9506048](#).
- [151] S. Chaudhuri, G. Hockney, and J. D. Lykken, “Maximally supersymmetric string theories in  $D < 10$ ,” *Phys. Rev. Lett.* **75** (1995) 2264–2267, [arXiv:hep-th/9505054](#).
- [152] A. Dabholkar and D. Gaiotto, “Spectrum of CHL dyons from genus-two partition function,” *JHEP* **12** (2007) 087, [arXiv:hep-th/0612011](#).
- [153] J. R. David, D. P. Jatkar, and A. Sen, “Dyon spectrum in generic  $N = 4$  supersymmetric  $Z(N)$  orbifolds,” *JHEP* **01** (2007) 016, [arXiv:hep-th/0609109](#).
- [154] J. R. David, D. P. Jatkar, and A. Sen, “Dyon spectrum in  $N = 4$  supersymmetric type II string theories,” *JHEP* **11** (2006) 073, [arXiv:hep-th/0607155](#).
- [155] A. Dabholkar and S. Nampuri, “Spectrum of Dyons and Black Holes in CHL orbifolds using Borchers Lift,” *JHEP* **11** (2007) 077, [arXiv:hep-th/0603066](#).
- [156] D. P. Jatkar and A. Sen, “Dyon spectrum in CHL models,” *JHEP* **04** (2006) 018, [arXiv:hep-th/0510147](#).
- [157] G. Lopes Cardoso, B. de Wit, J. Kappeli, and T. Mohaupt, “Black hole partition functions and duality,” *JHEP* **03** (2006) 074, [arXiv:hep-th/0601108](#).
- [158] G. W. Moore, “Attractors and arithmetic,” [arXiv:hep-th/9807056](#).
- [159] M. C. Cheng and A. Dabholkar, “work in progress,”.
- [160] J. E. Humphreys, *Reflection Groups and Coxeter Groups*. Cambridge University Press, 1990.
- [161] A. Björner and F. Brenti, *Combinatorics of Coxeter Groups*. Springer Verlag, 2004.
- [162] M. W. Davis, *The Geometry and Topology of Coxeter Groups*. Princeton University Press, 2008.
- [163] M. Henneaux, D. Persson, and P. Spindel, “Spacelike Singularities and Hidden Symmetries of Gravity,” [arXiv:0710.1818 \[hep-th\]](#).
- [164] K. Becker, M. Becker, and S. J., *String Theory and M-Theory - A Modern Introduction*. Cambridge University Press, 2007.
- [165] B. R. Greene, “String theory on calabi-yau manifolds,” [hep-th/9702155](#).
- [166] P. Candelas, “LECTURES ON COMPLEX MANIFOLDS,” in \*TRIESTE 1987, PROCEEDINGS, SUPERSTRINGS '87\* 1-88.
- [167] K. Hori *et al.*, “Mirror symmetry,”. Providence, USA: AMS (2003) 929 p.