



**UvA-DARE (Digital Academic Repository)**

**New Galactic Center X-ray Transient Outburst Detected by Swift: SWIFT J174448.4-290729**

Reynolds, M.; Degenaar, N.; Wijnands, R.; Miller, J.; Kennea, J.

*Published in:*  
The astronomer's telegram

[Link to publication](#)

*Creative Commons License (see <https://creativecommons.org/use-remix/cc-licenses/>):*  
**Unspecified**

*Citation for published version (APA):*  
Reynolds, M., Degenaar, N., Wijnands, R., Miller, J., & Kennea, J. (2019). New Galactic Center X-ray Transient Outburst Detected by Swift: SWIFT J174448.4-290729. *The astronomer's telegram*, 12927.  
<http://www.astronomerstelegram.org/?read=12927>

**General rights**

It is not permitted to download or to forward/distribute the text or part of it without the consent of the author(s) and/or copyright holder(s), other than for strictly personal, individual use, unless the work is under an open content license (like Creative Commons).

**Disclaimer/Complaints regulations**

If you believe that digital publication of certain material infringes any of your rights or (privacy) interests, please let the Library know, stating your reasons. In case of a legitimate complaint, the Library will make the material inaccessible and/or remove it from the website. Please Ask the Library: <https://uba.uva.nl/en/contact>, or a letter to: Library of the University of Amsterdam, Secretariat, Singel 425, 1012 WP Amsterdam, The Netherlands. You will be contacted as soon as possible.

# The Astronomer's Telegram

Post | Search | Policies  
Credential | Feeds | Email

13 Mar 2020; 10:45 UT

## Outside

GCN  
IAUCs

## Other

ATel on [Twitter](#) and [Facebook](#)  
[ATELstream](#)  
[ATel Community Site](#)

This space for free for your conference.



Growing Black Holes:  
Accretion & Mergers

[ [Previous](#) | [Next](#) | [ADS](#) ]

## New Galactic Center X-ray Transient Outburst Detected by Swift: SWIFT J174448.4-290729

ATel #12927; *Mark Reynolds (Michigan), Nathalie Degenaar (Amsterdam), Rudy Wijnands (Amsterdam), Jon Miller (Michigan), Jamie Kennea (Penn State) on behalf of a larger collaboration.*

on 12 Jul 2019; 00:30 UT

Distributed as an Instant Email Notice Transients

Credential Certification: Mark Reynolds ([markrey@umich.edu](mailto:markrey@umich.edu))

Subjects: Radio, Infra-Red, X-ray, Black Hole, Cataclysmic Variable, Neutron Star, Transient, Pulsar

Referred to by ATel #: [12932](#)

We report on our ongoing Swift monitoring observations of the Galactic center (Degenaar et al. 2015). In the latest Swift observation (obsid: 00095329087), a transient X-ray source is detected in a  $\sim 0.8$  ks observation on MJD 58675.19653 ( $t_{\text{start}}$ : 190711 @04:42UT) at a position of

RA (J2000): 17h 44m 48.4s (266.20167)  
Dec (J2000):  $-29^{\circ} 07' 28.8''$  (-29.124663)  
90% Error radius: 2.2??

This source lies approximately 13.4' southwest of Sgr A\*. Extracting a spectrum from a circular region ( $r=18''$ ) centered on this source and background from an annular region 28"-37" from the source position, we measure a net count rate of  $0.19 \pm 0.05$  ct/s. Counts from the source are detected in the 0.3 - 4 keV band. In order to characterize this source, spectral fits were carried out in xspec, utilizing the c-statistic. All quoted uncertainties are at the 90% confidence level.

Assuming a  $\gamma=1.8$  powerlaw continuum, we measure

### Related

- 12960 Unambiguous radio detection of the tidal disruption event AT2019dsg with e-MERLIN
- 12932 New Galactic Center Transient is a nearby late-type dwarf star flare
- 12927 New Galactic Center X-ray Transient Outburst Detected by Swift: SWIFT J174448.4-290729
- 12843 Swift Bulge Survey: X-ray activity of bursters KS 1741-293, IGR J17445-2747, SAX J1750.8-2900, and symbiotic X-ray binary XMMU J174445.5-295044
- 12751 Swift Bulge Survey detections of the X-ray transients SAX J1750.8-2900 and IGR J17445-2747
- 12048 INTEGRAL detects a new outburst from the NS LMXB SAX J1750.8-2900
- 10428 Chandra follow-up
- 10422 Radio Non-Detection of the New Swift Bulge Survey Transient, Swift J175233.9-290952
- 10419 Variability from 1SXPS J1742150-291453: a very nearby X-ray source?
- 10395 Chandra Localization of IGR J17445-2447
- 10355 Discovery of a new X-ray transient, Swift J175233.9-290952, in the Swift Bulge Survey
- 10305 NIR follow-up observations of the IGR J17445-2747 field
- 10284 Confirmation of IGR J17445-

$N_H = (0.25 - 0.23 + 0.38)e^{22} \text{ cm}^{-2}$   
 $\Gamma = 1.8$   
 $\text{Norm} = (2.5 - 1.1 + 1.8)e^{-4}$   
 $\text{Flux} = (1.2 \pm 0.7)e^{-12} \text{ erg/s/cm}^2 \text{ (0.3-10.0 keV)} - L_x \sim 1e^{34} \text{ erg/s @8kpc}$   
 $\text{cstat/dof} = 10.6/14$

Assuming a 0.5 keV blackbody continuum, we measure

$N_H < 0.4e^{22} \text{ cm}^{-2}$   
 $kT_{\text{bbrad}} = 0.5 \text{ keV}$   
 $\text{Norm} = 1.0 - 0.38 + 0.75$   
 $\text{Flux} = (6.7 - 3.9 + 2.2)e^{-13} \text{ erg/s/cm}^2 \text{ (0.3-10.0 keV)} - L_x \sim 5e^{33} \text{ erg/s @8kpc}$   
 $\text{cstat/dof} = 11.2/14$

At a distance of 8 kpc, the inferred luminosity ( $L_x \sim 1e^{34} \text{ erg/s}$ ) is similar to that of the population of very-faint X-ray transients in the Galactic center. The measured absorption column density appears to be a factor  $\sim 10$  lower than for these objects (e.g. Degenaar & Wijnands 2009, 2010). This could suggest that the object is more proximate than 8 kpc (and hence less luminous).

We note that the source position is consistent with that of the known catalogued sources 2XMMi J174448.0-290731 and CXO J174448.1-290732, where it was previously detected at fluxes of  $F_{x\_xmm} = (2.5 \pm 0.6)e^{-14} \text{ erg/s/cm}^2 \text{ (0.2-12.0 keV)}$  and  $F_{x\_cxo} = (1.3 \pm 0.3)e^{-14} \text{ erg/s/cm}^2 \text{ (0.5-7.0 keV)}$  respectively. If the association is correct, this would imply an increase in flux of almost 2 orders of magnitude. The measured hardness ratios during the XMM-Newton detection are consistent with those observed from CVs and rotation/accretion powered pulsars (e.g., Lin et al. 2012 and Fig. 2 therein). It is possible that we have caught the source on the rise of a larger outburst. Daily monitoring observations of the Galactic center will continue with Swift, and further significant evolution will be reported in subsequent telegrams.

At the current time, we cannot firmly associate this source with the above catalogued source and as such it is possible that the detected source is a previously unknown active Galactic center transient, which we designate SWIFT J174448.4-290729. Follow-up observations are encouraged to determine the nature of this source.

The Swift/XRT Monitoring Campaign website can be found at: <http://www.swift-sgra.com>

#### References:

Degenaar & Wijnands 2009, A&A 495, 547  
 Degenaar & Wijnands 2010, A&A 524, 69  
 Degenaar et al., 2015, JHEAp, 7, 137  
 Lin et al., 2012, ApJ, 756, 27

	2747 infrared counterpart
10273	IGR J17445-2747: Updated Swift position
10272	Discovery of SWIFT J174429.9-274557 - a soft X-ray counterpart of the X-ray burster IGR J17445-2747
10265	Activity of IGR J17445-2747 and SAX J1747.0-2853 in the Swift Bulge Survey
10256	First detection of a thermonuclear X-ray burst from IGR J17445-2747 (with INTEGRAL/JEM-X)
9387	Activity from SAX J1747.0-2853 and KS 1741-293 detected by INTEGRAL Galactic Bulge Monitoring
9115	Chandra detection of increased X-ray activity from SAX J1747.0-2853
1490	Chandra Positions for the Neutron Star X-ray Transients XTE J1810-189 and SAX J1750.8-2900
1273	Swift/XRT observations of INTEGRAL sources

R. E. Rutledge, Editor-in-Chief

Derek Fox, Editor

Mansi M. Kasliwal, Co-Editor

`rrutledge@astronomerstelegam.org`

`dfox@astronomerstelegam.org`

`mansi@astronomerstelegam.org`