



## UvA-DARE (Digital Academic Repository)

### ATCA radio detection of the new X-ray transient MAXI J1631-478

Russell, T.D.; van den Eijnden, J.; Degenaar, N.

**Publication date**

2019

**Document Version**

Final published version

**Published in**

The astronomer's telegram

**License**

Unspecified

[Link to publication](#)

**Citation for published version (APA):**

Russell, T. D., van den Eijnden, J., & Degenaar, N. (2019). ATCA radio detection of the new X-ray transient MAXI J1631-478. *The astronomer's telegram*, 12396. <http://www.astronomerstelegam.org/?read=12396>

**General rights**

It is not permitted to download or to forward/distribute the text or part of it without the consent of the author(s) and/or copyright holder(s), other than for strictly personal, individual use, unless the work is under an open content license (like Creative Commons).

**Disclaimer/Complaints regulations**

If you believe that digital publication of certain material infringes any of your rights or (privacy) interests, please let the Library know, stating your reasons. In case of a legitimate complaint, the Library will make the material inaccessible and/or remove it from the website. Please Ask the Library: <https://uba.uva.nl/en/contact>, or a letter to: Library of the University of Amsterdam, Secretariat, Singel 425, 1012 WP Amsterdam, The Netherlands. You will be contacted as soon as possible.

3 Apr 2020; 13:40 UT

This space for free for your conference.



## Outside

GCN  
IAUCs

## Other

ATel on [Twitter](#) and [Facebook](#)  
ATELstream  
ATel Community Site[ [Previous](#) | [Next](#) | [ADS](#) ]

## ATCA radio detection of the new X-ray transient MAXI J1631-478

ATel #12396; *T. D. Russell, J. van den Eijnden & N. Degenaar (UvA)*  
on 16 Jan 2019; 09:33 UT

Credential Certification: *Thomas Russell (t.d.russell@uva.nl)*

Subjects: Radio, Black Hole, Neutron Star, Transient

Referred to by ATel #: [12418](#), [12421](#), [12438](#), [12504](#)

We conducted DDT radio observations of the new X-ray transient MAXI J1631-479 (ATels #[12320](#), #[12340](#)), using the Australia Telescope Compact Array (ATCA). Our observations occurred on 2019 January 13 between 17:21 and 20:48 UT (MJD 58496.79 +/- 0.07), with the telescope in a 1.5 km configuration (1.5D). Our observations were taken simultaneously at central frequencies of 5.5 and 9 GHz, with a bandwidth of 2 GHz at each frequency. We used PKS 1934-638 and 1646-50 for flux and phase calibration, respectively. The data were edited, calibrated and imaged following standard routines within CASA (version 4.7.2; McMullin et al. 2007). We imaged using a Briggs robust parameter of 0 to balance sensitivity and resolution, as well as minimise the effects from some minor diffuse emission, particularly at 5.5 GHz. These parameters provided angular resolutions of 4.4"x1.3" at 5.5 GHz and 3.2"x0.9" at 9 GHz, with position angles of 131 and 133 degrees North of East, respectively.

The radio counterpart to MAXI J1631-478 was significantly detected, consistent with the reported NuSTAR position (ATel #[12340](#)). Fitting for a point source in the image plane, we measure a (9 GHz) position of:

RA (J2000): 16:31:14.22 +/- 0.06,

Dec (J2000): -47:48:23.44 +/- 0.06,

where the 1-sigma errors are the uncertainties on the fitted position.

We measure flux densities of 630 +/- 50 uJy at 5.5 GHz and 610 +/- 20 uJy at 9 GHz, implying a radio spectral index of  $\alpha = -0.07 \pm 0.20$ , where  $S_\nu \propto \nu^\alpha$ . Given this spectral index, the radio emission converts to a 5-GHz luminosity of  $(9.5 \pm 0.8)E28 \cdot (d/5 \text{ kpc})^2 \text{ erg/s}$ . While our measured radio spectral index is consistent with a flat spectrum from a compact jet, it may also be a steeper spectrum originating from an optically-thin radio flare.

## Related

- [12504](#) **Optical follow-up and archival X-ray/optical observations of the new X-ray transient MAXI J1631-479**
- [12440](#) **NICER Observes Transition to the Intermediate State in MAXI J1631-479**
- [12438](#) **Optical observations of MAXI J1631-479**
- [12421](#) **MAXI/GSC detection of a soft-to-hard state transition of MAXI J1631-479**
- [12418](#) **INTEGRAL detection of the new transient MAXI J1631-479**
- [12396](#) **ATCA radio detection of the new X-ray transient MAXI J1631-478**
- [12340](#) **MAXI J1631-479 is a new X-ray transient**
- [12320](#) **MAXI/GSC detection of a bright hard X-ray outburst probably from AX J1631.9-4752**

As MAXI J1631-478 was in Sun constraint for Swift and NICER, we used MAXI monitoring to estimate the X-ray flux and place the source on the radio/X-ray diagram. On 2019 January 13 (MJD 58496), the daily MAXI count rate (2-20 keV) equaled  $3.37 \pm 0.04$  cts/s or approximately 1.05 Crab units. Assuming a Crab spectrum, this corresponds to a 2-10 keV flux of  $\sim 2.5E-8$  erg/s/cm<sup>2</sup> and a luminosity of  $\sim 7.5E37$  (d/5 kpc)<sup>2</sup> erg/s.

Combining the ATCA radio and MAXI X-ray luminosities, MAXI J1631-478 appears most consistent with a hard state neutron star LMXB for distances closer than 5 kpc. For larger distances, it is not consistent with known accreting neutron stars or black holes (Gallo et al. 2018). However, the radio/X-ray correlation would not apply if we are, in fact, detecting an optically-thin radio flare, in which case a soft-state black hole LMXB would also be plausible. Therefore, at present, our radio observations do not conclusively discriminate between a neutron star or black hole LMXB.

Further ATCA radio monitoring is planned, which may give more insight into the nature of the compact accretor. Multi-wavelength monitoring is encouraged.

We thank Jamie Stevens and ATNF staff for scheduling the radio observations.

---

---

[ **Telegram Index** ]

R. E. Rutledge, Editor-in-Chief

[rrutledge@astronomerstelegam.org](mailto:rrutledge@astronomerstelegam.org)

Derek Fox, Editor

[dfox@astronomerstelegam.org](mailto:dfox@astronomerstelegam.org)

Mansi M. Kasliwal, Co-Editor

[mansi@astronomerstelegam.org](mailto:mansi@astronomerstelegam.org)