



## UvA-DARE (Digital Academic Repository)

### Plant wax n-alkane biomarkers in the tropical Andes (Ecuador)

Teunissen van Manen, M.L.

**Publication date**

2020

**Document Version**

Other version

**License**

Other

[Link to publication](#)

**Citation for published version (APA):**

Teunissen van Manen, M. L. (2020). *Plant wax n-alkane biomarkers in the tropical Andes (Ecuador)*. [Thesis, fully internal, Universiteit van Amsterdam].

**General rights**

It is not permitted to download or to forward/distribute the text or part of it without the consent of the author(s) and/or copyright holder(s), other than for strictly personal, individual use, unless the work is under an open content license (like Creative Commons).

**Disclaimer/Complaints regulations**

If you believe that digital publication of certain material infringes any of your rights or (privacy) interests, please let the Library know, stating your reasons. In case of a legitimate complaint, the Library will make the material inaccessible and/or remove it from the website. Please Ask the Library: <https://uba.uva.nl/en/contact>, or a letter to: Library of the University of Amsterdam, Secretariat, P.O. Box 19185, 1000 GD Amsterdam, The Netherlands. You will be contacted as soon as possible.



# 7

## Bibliography



- Aebig, C.H.F., Curtin, L., Hageman, K.J., Moy, C.M., Beltran, C., 2017. Quantification of low molecular weight *n*-alkanes in lake sediment cores for paleoclimate studies. *Org. Geochem.* 107, 46–53. <https://doi.org/10.1016/j.orggeochem.2017.02.009>
- Ardenghi, N., Mulch, A., Pross, J., Maria Niedermeyer, E., 2017. Leaf wax *n*-alkane extraction: An optimised procedure. *Org. Geochem.* 113, 283–292. <https://doi.org/10.1016/j.orggeochem.2017.08.012>
- Bai, Y., Fang, X., Nie, J., Wang, Y., Wu, F., 2009. A preliminary reconstruction of the paleoecological and paleoclimatic history of the Chinese Loess Plateau from the application of biomarkers. *Palaeogeogr. Palaeoclimatol. Palaeoecol.* 271, 161–169. <https://doi.org/10.1016/j.palaeo.2008.10.006>
- Becker, A., Körner, C., Brun, J.-J., Guisan, A., Tappeiner, U., 2007. Ecological and land use studies along elevational gradients. *Mt. Res. Dev.* 27, 58–65. [https://doi.org/10.1659/0276-4741\(2007\)27\[58:ealusa\]2.0.co;2](https://doi.org/10.1659/0276-4741(2007)27[58:ealusa]2.0.co;2)
- Birks, H.J.B., 2019. Contributions of Quaternary botany to modern ecology and biogeography. *Plant Ecol. Divers.* 12, 189–385. <https://doi.org/10.1080/17550874.2019.1646831>
- Bliedtner, M., Schäfer, I.K., Zech, R., Von Suchodoletz, H., 2018. Leaf wax *n*-alkanes in modern plants and topsoils from eastern Georgia (Caucasus) - Implications for reconstructing regional paleovegetation. *Biogeosciences* 15, 3927–3936. <https://doi.org/10.5194/bg-15-3927-2018>
- Bray, E.E., Evans, E.D., 1961. Distribution of *n*-paraffins as a clue to recognition of source beds. *Geochim. Cosmochim. Acta* 22, 2–15. [https://doi.org/10.1016/0016-7037\(61\)90069-2](https://doi.org/10.1016/0016-7037(61)90069-2)
- Brittingham, A., Hren, M.T., Hartman, G., 2017. Microbial alteration of the hydrogen and carbon isotopic composition of *n*-alkanes in sediments. *Org. Geochem.* 107, 1–8. <https://doi.org/10.1016/j.orggeochem.2017.01.010>
- Buggle, B., Wiesenberg, G.L.B.B., Glaser, B., 2010. Is there a possibility to correct fossil *n*-alkane data for postsedimentary alteration effects? *Appl. Geochemistry* 25, 947–957. <https://doi.org/10.1016/j.apgeochem.2010.04.003>
- Burney, D.A., Robinson, G.S., Burney, L.P., 2003. Sporormiella and the late Holocene extinctions in Madagascar. *Proc. Natl. Acad. Sci. U. S. A.* 100, 10800–10805. <https://doi.org/10.1073/pnas.1534700100>
- Bush, M.B., Restrepo, A., Collins, A.F., 2014. Galápagos history, restoration, and a shifted baseline. *Restor. Ecol.* 22, 296–298. <https://doi.org/10.1111/rec.12080>
- Bush, M.B., Silman, M.R., McMichael, C., Saatchi, S., 2008. Fire, climate change and biodiversity in Amazonia: A Late-Holocene perspective. *Philos. Trans. R. Soc. B Biol. Sci.* 363, 1795–1802. <https://doi.org/10.1098/rstb.2007.0014>
- Bush, R.T., McInerney, F.A., 2015. Influence of temperature and C4 abundance on *n*-alkane chain length distributions across the central USA. *Org. Geochem.* 79, 65–73. <https://doi.org/10.1016/j.orggeochem.2014.12.003>
- Bush, R.T., McInerney, F.A., 2013. Leaf wax *n*-alkane distributions in and across modern plants: Implications for paleoecology and chemotaxonomy. *Geochim. Cosmochim. Acta* 117, 161–179. <https://doi.org/10.1016/j.gca.2013.04.016>
- Calderón-Loor, M., Cuesta, F., Pinto, E., Gosling, W., n.d. Carbon sequestration rates indicate ecosystem recovery following human disturbance in the tropical Andes. *PLoSOne*.
- Cárdenas, M.L., Gosling, W.D., Pennington, R.T., Poole, I., Sherlock, S.C., Mothes, P., 2014. Forests of the tropical eastern Andean flank during the middle Pleistocene. *Palaeogeogr. Palaeoclimatol. Palaeoecol.* 393, 76–89. <https://doi.org/10.1016/j.palaeo.2013.10.009>
- Cárdenas, M.L., Gosling, W.D., Sherlock, S.C., Poole, I., Pennington, R.T., Mothes, P., 2011a. The response of vegetation on the Andean flank in Western Amazonia to Pleistocene climate change. *Science (80-. )*. 331, 1055–1059. <https://doi.org/10.1126/science.1197947>

- Cárdenas, M.L., Gosling, W.D., Sherlock, S.C., Poole, I., Pennington, R.T., Mothes, P., 2011b. Response to comment on "The response of vegetation on the Andean flank in Western Amazonia to Pleistocene climate change." *Science* (80- ). 333, 30–32. <https://doi.org/10.1126/science.1207888>
- Carr, A.S., Boom, A., Grimes, H.L., Chase, B.M., Meadows, M.E., Harris, A., 2014. Leaf wax *n*-alkane distributions in arid zone South African flora: Environmental controls, chemotaxonomy and palaeoecological implications. *Org. Geochem.* 67, 72–84. <https://doi.org/10.1016/j.orggeochem.2013.12.004>
- Coffey, E.E.D., Froyd, C.A., Willis, K.J., 2011. When is an invasive not an invasive? Macrofossil evidence of doubtful native plant species in the Galápagos Islands. *Ecology* 92, 805–812. <https://doi.org/10.1890/10-1290.1>
- Crausbay, S., Genderjahn, S., Hotchkiss, S., Sachse, D., Kahmen, A., Arndt, S.K., 2014. Vegetation dynamics at the upper reaches of a tropical montane forest are driven by disturbance over the past 7300 years. *Arctic, Antarct. Alp. Res.* 46, 787–799. <https://doi.org/10.1657/1938-4246-46.4.787>
- Cuesta, F., Peralvo, M., Valarezo, N., 2009. Los bosques montanos de los Andes tropicales. Una evaluación regional de su estado de conservación y de su vulnerabilidad a efectos del cambio climático. Serie Investigación y Sistematización #5. Programa Regional ECOBONA – INTERCOOPERATION, Quito.
- Cuesta, F., Tovar, C., Llambí, L.D., Gosling, W.D., Halloy, S., Carilla, J., Muriel, P., Meneses, R.I., Beck, S., Ulloa-Ulloa, C., Yager, K., Aguirre, N., Viñas, P., Jácome, J., Suárez-Duque, D., Buytaert, W., Pauli, H., 2019. Thermal niche traits of high alpine plant species and communities across the tropical Andes and their vulnerability to global warming. *J. Biogeogr.* <https://doi.org/10.1111/jbi.13759>
- Davis, M.B., 1981. Quaternary History and the Stability of Forest Communities. For. Succession Concepts Appl. 132–153. [https://doi.org/10.1007/978-1-4612-5950-3\\_10](https://doi.org/10.1007/978-1-4612-5950-3_10)
- Diefendorf, A.F., Freeman, K.H., Wing, S.L., Graham, H. V., 2011. Production of *n*-alkyl lipids in living plants and implications for the geologic past. *Geochim. Cosmochim. Acta* 75, 7472–7485. <https://doi.org/10.1016/j.gca.2011.09.028>
- Diefendorf, A.F., Freimuth, E.J., 2017. Extracting the most from terrestrial plant-derived *n*-alkyl lipids and their carbon isotopes from the sedimentary record: A review. *Org. Geochem.* 103, 1–21. <https://doi.org/10.1016/j.orggeochem.2016.10.016>
- Diefendorf, A.F., Leslie, A.B., Wing, S.L., 2015. Leaf wax composition and carbon isotopes vary among major conifer groups. *Geochim. Cosmochim. Acta* 170, 145–156. <https://doi.org/10.1016/j.gca.2015.08.018>
- Dove, H., Mayes, R.W., 2005. Using *n*-alkanes and other plant wax components to estimate intake, digestibility and diet composition of grazing/browsing sheep and goats. *Small Rumin. Res.* 59, 123–139. <https://doi.org/10.1016/j.smallrumres.2005.05.016>
- Dove, H., Mayes, R.W., 1996. Plant wax components: a new approach to estimating intake and diet composition in herbivores. *J. Nutr.* 13–26.
- Eglinton, G., Hamilton, R.J., 1967. Leaf Epicuticular Waxes. *Science* (80- ). 156, 1322–1335. <https://doi.org/10.1126/science.156.3780.1322>
- Eglinton, T.I., Eglinton, G., 2008. Molecular proxies for paleoclimatology. *Earth Planet. Sci. Lett.* 275, 1–16. <https://doi.org/10.1016/j.epsl.2008.07.012>
- Feakins, S.J., Peters, T., Wu, M.S., Shenkin, A., Salinas, N., Girardin, C.A.J., Bentley, L.P., Blonder, B., Enquist, B.J., Martin, R.E., Asner, G.P., Malhi, Y., 2016. Production of leaf wax *n*-alkanes across a tropical forest elevation transect. *Org. Geochem.* 100, 89–100. <https://doi.org/10.1016/j.orggeochem.2016.07.004>
- Feakins, S.J., Wu, M.S., Ponton, C., Galy, V., West, A.J., 2018. Dual isotope evidence for sedimentary integration of plant wax biomarkers across an Andes-Amazon elevation transect. *Geochim. Cosmochim. Acta* 242, 64–81. <https://doi.org/10.1016/j.gca.2018.09.007>

- Feakins, S.J., Wu, M.S., Ponton, C., Tierney, J.E., 2019. Biomarkers reveal abrupt switches in hydroclimate during the last glacial in southern California. *Earth Planet. Sci. Lett.* 515, 164–172. <https://doi.org/10.1016/j.epsl.2019.03.024>
- Fehse, J., Hofstede, R., Aguirre, N., Paladines, C., Kooijman, A., Sevink, J., 2002. High altitude tropical secondary forests: A competitive carbon sink? *For. Ecol. Manage.* 163, 9–25. [https://doi.org/10.1016/S0378-1127\(01\)00535-7](https://doi.org/10.1016/S0378-1127(01)00535-7)
- Fick, S.E., Hijmans, R.J., 2017. WorldClim 2: new 1-km spatial resolution climate surfaces for global land areas. *Int. J. Climatol.* 37, 4302–4315. <https://doi.org/10.1002/joc.5086>
- Ficken, K.J., Li, B., Swain, D.L., Eglinton, G., 2000. An *n*-alkane proxy for the sedimentary input of submerged/floating freshwater aquatic macrophytes. *Org. Geochem.* 31, 745–749. [https://doi.org/10.1016/S0146-6380\(00\)00081-4](https://doi.org/10.1016/S0146-6380(00)00081-4)
- Gao, L., Guimond, J., Thomas, E., Huang, Y., 2015. Major trends in leaf wax abundance,  $\delta^2\text{H}$  and  $\delta^{13}\text{C}$  values along leaf venation in five species of C3 plants: Physiological and geochemical implications. *Org. Geochem.* 78, 144–152. <https://doi.org/10.1016/j.orggeochem.2014.11.005>
- Godwin, H., 1956. *The History of the British Flora: A Factual Basis for Phyto-Geography*. Cambridge University Press, Cambridge, UK. <https://doi.org/10.1017/S001675680007028X>
- Guo, N., Gao, J., He, Y., Zhang, Z., Guo, Y., 2014. Variations in leaf epicuticular *n*-alkanes in some *Broussonetia*, *Ficus* and *Humulus* species. *Biochem. Syst. Ecol.* 54, 150–156. <https://doi.org/10.1016/j.bse.2014.02.005>
- Guo, Y., Guo, N., He, Y., Gao, J., 2015. Cuticular waxes in alpine meadow plants: Climate effect inferred from latitude gradient in Qinghai-Tibetan Plateau. *Ecol. Evol.* 5, 3954–3968. <https://doi.org/10.1002/ece3.1677>
- Häggi, C., Sawakuchi, A.O., Chiessi, C.M., Mulitza, S., Mollenhauer, G., Sawakuchi, H.O., Baker, P.A., Zabel, M., Schefuß, E., 2016. Origin, transport and deposition of leaf-wax biomarkers in the Amazon Basin and the adjacent Atlantic. *Geochim. Cosmochim. Acta* 192, 149–165. <https://doi.org/10.1016/j.gca.2016.07.002>
- Häggi, C., Zech, R., McIntyre, C., Zech, M., Eglinton, T.I., 2014. On the stratigraphic integrity of leaf-wax biomarkers in loess paleosols. *Biogeosciences* 11, 2455–2463. <https://doi.org/10.5194/bg-11-2455-2014>
- Hoffmann, B., Kahmen, A., Cernusak, L.A., Arndt, S.K., Sachse, D., 2013. Abundance and distribution of leaf wax *n*-alkanes in leaves of acacia and eucalyptus trees along a strong humidity gradient in Northern Australia. *Org. Geochem.* 62, 62–67. <https://doi.org/10.1016/j.orggeochem.2013.07.003>
- Howard, S., McInerney, F.A., Caddy-Retalic, S., Hall, P.A., Andrae, J.W., 2018. Modelling leaf wax *n*-alkane inputs to soils along a latitudinal transect across Australia. *Org. Geochem.* 121, 126–137. <https://doi.org/10.1016/j.orggeochem.2018.03.013>
- Huang, X., Zhao, B., Wang, K., Hu, Y., Meyers, P.A., 2018. Seasonal variations of leaf wax *n*-alkane molecular composition and  $\delta\text{D}$  values in two subtropical deciduous tree species: Results from a three-year monitoring program in central China. *Org. Geochem.* 118, 15–26. <https://doi.org/10.1016/j.orggeochem.2018.01.009>
- Jansen, B., de Boer, E.J., Cleef, A.M., Hooghiemstra, H., Moscol-Olivera, M., Tonneijck, F.H., Verstraten, J.M., 2013. Reconstruction of late Holocene forest dynamics in northern Ecuador from biomarkers and pollen in soil cores. *Palaeogeogr. Palaeoclimatol. Palaeoecol.* 386, 607–619. <https://doi.org/10.1016/j.palaeo.2013.06.027>
- Jansen, B., Haussmann, N.S., Tonneijck, F.H., Verstraten, J.M., Voogt, P. De, 2008. Characteristic straight-chain lipid ratios as a quick method to assess past forest – páramo transitions in the Ecuadorian Andes. *Palaeogeogr. Palaeoclimatol. Palaeoecol.* 262, 129–139. <https://doi.org/10.1016/j.palaeo.2008.02.007>

- Jansen, B., Hooghiemstra, H., de Goede, S.P.C., van Mourik, J.M., 2019. Biomarker analysis of soil archives, in: van Mourik, J.M., van der Meer, J.J.M. (Eds.), *Developments in Quaternary Science*. Elsevier, Amsterdam, Netherlands, pp. 163–222. <https://doi.org/10.1017/CBO9781107415324.004>
- Jansen, B., Nierop, K.G.J., 2009. Methyl ketones in high altitude Ecuadorian Andosols confirm excellent conservation of plant-specific *n*-alkane patterns. *Org. Geochem.* 40, 61–69. <https://doi.org/10.1016/j.orggeochem.2008.09.006>
- Jansen, B., Nierop, K.G.J., Hageman, J.A., Cleef, A.M., Verstraten, J.M., 2006a. The straight-chain lipid biomarker composition of plant species responsible for the dominant biomass production along two altitudinal transects in the Ecuadorian Andes. *Org. Geochem.* 37, 1514–1536. <https://doi.org/10.1016/j.orggeochem.2006.06.018>
- Jansen, B., Nierop, K.G.J., Kotte, M.C., de Voogt, P., Verstraten, J.M., 2006b. The applicability of accelerated solvent extraction (ASE) to extract lipid biomarkers from soils. *Appl. Geochemistry* 21, 1006–1015. <https://doi.org/10.1016/j.apgeochem.2006.02.021>
- Jansen, B., van Loon, E.E., Hooghiemstra, H., Verstraten, J.M., 2010. Improved reconstruction of palaeo-environments through unravelling of preserved vegetation biomarker patterns. *Palaeogeogr. Palaeoclimatol. Palaeoecol.* 285, 119–130. <https://doi.org/10.1016/j.palaeo.2009.10.029>
- Jansen, B., Wiesenberg, G.L.B., 2017. Opportunities and limitations related to the application of plant-derived lipid molecular proxies in soil science. *SOIL* 3, 211–234. <https://doi.org/10.5194/soil-3-211-2017>
- Jetter, R., Schäffer, S., 2001. Chemical composition of the *Prunus laurocerasus* leaf surface. Dynamic changes of the epicuticular wax film during leaf development. *Plant Physiol.* 126, 1725–1737. <https://doi.org/10.1104/pp.126.4.1725>
- Jørgensen, P.M., León-Yáñez, S., 1999. *Catalogue of the vascular plants of Ecuador*. Missouri Botanical Garden Press, St. Louis, Missouri, USA.
- Josse, C., Cuesta, F., Navarro, G., Barrena, V., Becerra, M.T., Cabrera, E., Chacón-Moreno, E., Ferreira, W., Peralvo, M., Saito, J., Tovar, A., Naranjo, L.G., 2011. Physical Geography and Ecosystems in the Tropical Andes, in: Herzog, S., Martínez, R., Jørgensen, P., Tiessen, H. (Eds.), *Climate Change and Biodiversity in the Tropical Andes*. Inter-American Institute for Global Change Research (IAI) and Scientific Committee on Problems of the Environment (SCOPE), p. 348. <https://doi.org/10.13140/2.1.3718.4969>
- Josse, C., Cuesta, F., Navarro, G., Barrena, V., Cabrera, E., Chacón-Moreno, E., Ferreira, W., Peralvo, M., Saito, J., Tovar, A., 2009. *Ecosistemas de los Andes del Norte y Centro*. Lima, Peru.
- Karger, D.N., Conrad, O., Böhrner, J., Kawohl, T., Kreft, H., Soria-Auza, R.W., Zimmermann, N.E., Linder, H.P., Kessler, M., 2017. Climatologies at high resolution for the earth's land surface areas. *Sci. Data* 4, 1–20. <https://doi.org/10.1038/sdata.2017.122>
- Kirkels, F.M.S.A., Jansen, B., Kalbitz, K., 2013. Consistency of plant-specific *n*-alkane patterns in plaggen ecosystems: A review. *Holocene* 23, 1355–1368. <https://doi.org/10.1177/0959683613486943>
- Koch, K., Ensikat, H.J., 2008. The hydrophobic coatings of plant surfaces: Epicuticular wax crystals and their morphologies, crystallinity and molecular self-assembly. *Micron* 39, 759–772. <https://doi.org/10.1016/j.micron.2007.11.010>
- Koch, K., Hartmann, K.D., Schreiber, L., Barthlott, W., Neinhuis, C., 2006. Influences of air humidity during the cultivation of plants on wax chemical composition, morphology and leaf surface wettability. *Environ. Exp. Bot.* 56, 1–9. <https://doi.org/10.1016/j.envexpbot.2004.09.013>
- Ladygina, N., Dedyukhina, E.G., Vainshtein, M.B., 2006. A review on microbial synthesis of hydrocarbons. *Process Biochem.* 41, 1001–1014. <https://doi.org/10.1016/j.procbio.2005.12.007>
- Li, G., Li, L., Tarozo, R., Longo, W.M., Wang, K.J., Dong, H., Huang, Y., 2018. Microbial production of long-chain *n*-alkanes: Implication for interpreting sedimentary leaf wax signals. *Org. Geochem.* 115, 24–31. <https://doi.org/10.1016/j.orggeochem.2017.10.005>

- Luo, P., Peng, P.A., Lü, H.Y., Zheng, Z., Wang, X., 2012. Latitudinal variations of CPI values of long-chain *n*-alkanes in surface soils: Evidence for CPI as a proxy of aridity. *Sci. China Earth Sci.* 55, 1134–1146. <https://doi.org/10.1007/s11430-012-4401-8>
- Maezumi, S.Y., Alves, D., Robinson, M., de Souza, J.G., Levis, C., Barnett, R.L., Almeida de Oliveira, E., Urrego, D., Schaan, D., Iriarte, J., 2018. The legacy of 4,500 years of polyculture agroforestry in the eastern Amazon. *Nat. Plants* 4, 540–547. <https://doi.org/10.1038/s41477-018-0205-y>
- Maffei, M., 1996a. Chemotaxonomic significance of leaf wax *n*-alkanes in the Umbelliferae, Cruciferae and Leguminosae (subf. Papilionoideae). *Biochem. Syst. Ecol.* 24, 531–545. [https://doi.org/10.1016/0305-1978\(96\)00037-3](https://doi.org/10.1016/0305-1978(96)00037-3)
- Maffei, M., 1996b. Chemotaxonomic significance of leaf wax alkanes in the Gramineae. *Biochem. Syst. Ecol.* 24, 53–64. [https://doi.org/10.1016/0305-1978\(96\)00037-3](https://doi.org/10.1016/0305-1978(96)00037-3)
- Maffei, M., 1994. Discriminant analysis of leaf wax alkanes in the Lamiaceae and four other plant families. *Biochem. Syst. Ecol.* 22, 711–728. [https://doi.org/10.1016/0305-1978\(94\)90057-4](https://doi.org/10.1016/0305-1978(94)90057-4)
- Maffei, M., Badino, S., Bossi, S., 2004. Chemotaxonomic significance of leaf wax *n*-alkanes in the Pinales (Coniferales). *J. Biol. Res.* 1, 3–19.
- Maffei, M., Mucciarelli, M., Scannerini, S., 1993. Environmental factors affecting the lipid metabolism in *Rosmarinus officinalis* L. *Biochem. Syst. Ecol.* 21, 765–784. [https://doi.org/10.1016/0305-1978\(93\)90089-A](https://doi.org/10.1016/0305-1978(93)90089-A)
- Malhi, Y., Gardner, T.a., Goldsmith, G.R., Silman, M.R., Zelazowski, P., 2014. Tropical Forests in the Anthropocene. *Annu. Rev. Environ. Resour.* 39, 125–159. <https://doi.org/10.1146/annurev-environ-030713-155141>
- Malhi, Y., Silman, M., Salinas, N., Bush, M., Meir, P., Saatchi, S., 2010. Introduction: Elevation gradients in the tropics: Laboratories for ecosystem ecology and global change research. *Glob. Chang. Biol.* 16, 3171–3175. <https://doi.org/10.1111/j.1365-2486.2010.02323.x>
- Marzi, R., Torkelson, B.E., Olson, R.K., 1993. A revised carbon preference index. *Org. Geochem.* 20, 1303–1306. [https://doi.org/10.1016/0146-6380\(93\)90016-5](https://doi.org/10.1016/0146-6380(93)90016-5)
- Meyers, P.A., Ishiwatari, R., 1993. Lacustrine organic geochemistry—an overview of indicators of organic matter sources and diagenesis in lake sediments. *Org. Geochem.* 20, 867–900. [https://doi.org/10.1016/0146-6380\(93\)90100-P](https://doi.org/10.1016/0146-6380(93)90100-P)
- Mimura, M.R.M., Salatino, M.L.F., Salatino, A., Baumgratz, J.F.A., 1998. Alkanes from foliar epicuticular waxes of *Huberia* species: Taxonomic implications. *Biochem. Syst. Ecol.* 26, 581–588. [https://doi.org/10.1016/S0305-1978\(97\)00131-2](https://doi.org/10.1016/S0305-1978(97)00131-2)
- Myers, N., Mittermeier, R.A., Mittermeier, C.G., da Fonseca, G.A.B., Kent, J., 2000. Biodiversity hotspots for conservation priorities. *Nature* 403, 853–858. <https://doi.org/10.1038/35002501>
- Nierop, K.G.J., Jansen, B., 2009. Extensive transformation of organic matter and excellent lipid preservation at the upper, superhumid Guandera páramo. *Geoderma* 151, 357–369. <https://doi.org/10.1016/j.geoderma.2009.05.002>
- Nottingham, A.T., Whitaker, J., Turner, B.L., Salinas, N., Zimmermann, M., Malhi, Y., Meir, P., 2015. Climate warming and soil carbon in tropical forests: insights from an elevation gradient in the Peruvian Andes. *Bioscience* 65, 906–921. <https://doi.org/10.1093/biosci/biv109>
- Peng, T., Li, J., Song, C., Zhao, Z., Zhang, J., Hui, Z., King, J.W., 2012. Biomarkers challenge early Miocene loess and inferred Asian desertification. *Geophys. Res. Lett.* 39, 1–5. <https://doi.org/10.1029/2012GL050934>
- Pinto, E., Pérez, Á.J., Ulloa Ulloa, C., Cuesta, F., 2018. Árboles representativos de los bosques montanos del noroccidente de Pichincha, Ecuador. CONDESAN, Quito, Ecuador.
- Quénéa, K., Derenne, S., Largeau, C., Rumpel, C., Mariotti, A., Quénéa, K., Derenne, S., Largeau, C., Rumpel, C., Mariotti, A., 2004. Variation in lipid relative abundance and composition among different

particle size fractions of a forest soil. *Org. Geochem.* 35, 1355–1370. <https://doi.org/10.1016/j.orggeochem.2004.03.010>

- Quénéa, K., Mathieu, J., Derenne, S., 2012. Soil lipids from accelerated solvent extraction: Influence of temperature and solvent on extract composition. *Org. Geochem.* 44, 45–52. <https://doi.org/10.1016/j.orggeochem.2011.11.009>
- Rao, Z., Zhu, Z., Wang, S., Jia, G., Qiang, M., Wu, Y., 2009. CPI values of terrestrial higher plant-derived long-chain *n*-alkanes: A potential paleoclimatic proxy. *Front. Earth Sci. China* 3, 266–272. <https://doi.org/10.1007/s11707-009-0037-1>
- Rivas-Martínez, S., Penas, E.A., Díaz, E. TE, Fernández, E.F., Alcaraz, F., Amigo, E.J., De, S.C., del Arco, E.M., Laguna, L., Asensi, E.A., Barbero, E.M., Barbour, F.M., C Bascónes, U.J., Benabid, E.A., Biondi, M.E., Blasi, I.C., de Bolòs, I.O., Fernández, J.A., M Géhu, E.J., Izco, F.J., Compostela, S., Ladero, E.M., Loidi, E.J., Lousa, E.M., Llorens, P.L., de Mallorca, P., Molero, E.J., Navarro, E.G., Cruz, S., Pedrotti, B.F., Peinado, I.M., Henares, A., Pérez de Paz, E.P., Pott, E.R., Quézel, D.P., Roig, F.F., Sánchez, A.P., Sánchez-Mata, E.D., Theurillat, E.J., Herrero, L., Puente, E.E., García, E.M., del Río, E.S., 1999. North American boreal and western temperate forest vegetation. *Itinera Geobot.* 12, 5–316.
- Rivas-Martínez, S., Rivas-Sáenz, S., Penas-Merino, A., 2011. Worldwide bioclimatic classification system. *Glob. Geobot.* 1, 1–638. <https://doi.org/10.5616/gg110001>
- Sachse, D., Radke, J., Gleixner, G., 2006.  $\delta D$  values of individual *n*-alkanes from terrestrial plants along a climatic gradient - Implications for the sedimentary biomarker record. *Org. Geochem.* 37, 469–483. <https://doi.org/10.1016/j.orggeochem.2005.12.003>
- Salasoo, I., 1983. Alkane distribution in epicuticular wax of epacridaceae. *Phytochemistry* 22, 937–942. [https://doi.org/10.1016/0031-9422\(83\)85025-0](https://doi.org/10.1016/0031-9422(83)85025-0)
- Salatino, A., Faria Salatino, M.L., De Mello-Silva, R., Duerholt-Oliveira, I., 1991. An appraisal of the plasticity of alkane profiles of some species of velloziaceae. *Biochem. Syst. Ecol.* 19, 241–248. [https://doi.org/10.1016/0305-1978\(91\)90008-N](https://doi.org/10.1016/0305-1978(91)90008-N)
- Salatino, M.L.F., Salatino, A., De Menezes, N.L., De Mello-Silva, R., 1989. Alkanes of foliar epicuticular waxes of Velloziaceae. *Phytochemistry* 28, 1105–1114. [https://doi.org/10.1016/0031-9422\(89\)80193-1](https://doi.org/10.1016/0031-9422(89)80193-1)
- Scalan, E.S., Smith, J.E., 1970. An improved measure of the odd-even predominance in the normal alkanes of sediment extracts and petroleum. *Geochim. Cosmochim. Acta* 34, 611–620. [https://doi.org/10.1016/0016-7037\(70\)90019-0](https://doi.org/10.1016/0016-7037(70)90019-0)
- Shepherd, T., Griffiths, D.W., 2006. The effects of stress on plant cuticular waxes. *New Phytol.* 171, 469–499. <https://doi.org/10.1111/j.1469-8137.2006.01826.x>
- Smol, J.P., Birks, H.J.B., Last, W.M., 2001. Tracking Environmental Change Using Lake Sediments. Volume 3: Terrestrial, Algal, and Siliceous Indicators. Kluwer Academic Publishers, Dordrecht, The Netherlands. <https://doi.org/10.1007/0-306-47668-1>
- Sonibare, M.A., Jayeola, A.A., Egunyomi, A., 2005. Chemotaxonomic significance of leaf alkanes in species of *Ficus* (Moraceae). *Biochem. Syst. Ecol.* 33, 79–86. <https://doi.org/10.1016/j.bse.2004.05.010>
- Tipple, B.J., Pagani, M., 2013. Environmental control on eastern broadleaf forest species' leaf wax distributions and d/h ratios. *Geochim. Cosmochim. Acta* 111, 64–77. <https://doi.org/10.1016/j.gca.2012.10.042>
- van Geel, B., 2001. Non-pollen palynomorphs, in: Smol, J.P., Birks, H.J.B., Last, W.M. (Eds.), Tracking Environmental Change Using Lake Sediments. Volume 3: Terrestrial, Algal, and Siliceous Indicators. Kluwer Academic Publishers, Dordrecht, The Netherlands, pp. 99–119. [https://doi.org/10.1016/0034-6667\(76\)90029-4](https://doi.org/10.1016/0034-6667(76)90029-4)
- van Mourik, J.M., Wagner, T. V., Geert De Boer, J., Jansen, B., 2016. The added value of biomarker analysis to the genesis of Plaggic Anthrosols; The identification of stable fillings used for the production of Plaggic manure. *Soil* 2, 299–310. <https://doi.org/10.5194/soil-2-299-2016>

- Villota, A., León-Yáñez, S., Behling, H., 2012. Vegetation and environmental dynamics in the Páramo of Jimbura region in the southeastern Ecuadorian Andes during the late Quaternary. *J. South Am. Earth Sci.* 40, 85–93. <https://doi.org/10.1016/j.jsames.2012.09.010>
- Vioque, J., Pastor, J., Vioque, E., 1996. Leaf wax alkanes in the genus *Coincya*. *Phytochemistry* 42, 1047–1050. [https://doi.org/10.1016/0031-9422\(96\)00133-1](https://doi.org/10.1016/0031-9422(96)00133-1)
- von Humboldt, A., Bonpland, A., 1807. *Essai sur la géographie des plantes*. Chez Levrault, Schoell et compagnie, libraires, XIII, Paris. <https://doi.org/https://doi.org/10.5962/bhl.title.9309>
- von Post, L., 1916. Forest tree pollen in south Swedish peat bog deposits. *Pollen et Spore* 9, 375–401.
- Wang, J., Axia, E., Xu, Y., Wang, G., Zhou, L., Jia, Y., Chen, Z., Li, J., 2018a. Temperature effect on abundance and distribution of leaf wax *n*-alkanes across a temperature gradient along the 400 mm isohyet in China. *Org. Geochem.* 120, 31–41. <https://doi.org/10.1016/j.orggeochem.2018.03.009>
- Wang, J., Xu, Y., Zhou, L., Shi, M., Axia, E., Jia, Y., Chen, Z., Li, J., Wang, G., 2018b. Disentangling temperature effects on leaf wax *n*-alkane traits and carbon isotopic composition from phylogeny and precipitation. *Org. Geochem.* 126, 13–22. <https://doi.org/10.1016/j.orggeochem.2018.10.008>
- Wang, N., Zong, Y., Brodie, C.R., Zheng, Z., 2014. An examination of the fidelity of *n*-alkanes as a palaeoclimate proxy from sediments of Palaeolake Tianyang, South China. *Quat. Int.* 333, 100–109. <https://doi.org/10.1016/j.quaint.2014.01.044>
- Whitlock, C., Larsen, C., 2001. Charcoal as a fire proxy, in: Smol, J.P., Birks, H.J.B., Last, W.M. (Eds.), *Tracking Environmental Change Using Lake Sediments. Volume 3: Terrestrial, Algal, and Siliceous Indicators*. Kluwer Academic Publishers, Dordrecht, The Netherlands, pp. 75–97. [https://doi.org/10.1007/0-306-47668-1\\_5](https://doi.org/10.1007/0-306-47668-1_5)
- Wiesenberg, G.L.B., Schwarzbauer, J., Schmidt, M.W.I., Schwark, L., 2004. Source and turnover of organic matter in agricultural soils derived from *n*-alkane/*n*-carboxylic acid compositions and C-isotope signatures. *Org. Geochem.* 35, 1371–1393. <https://doi.org/10.1016/j.orggeochem.2004.03.009>
- Willis, K.J., Birks, H.J.B., 2006. What is natural? The need for a long-term perspective in biodiversity conservation. *Science* (80- ). 314, 1261–1265. <https://doi.org/10.1126/science.1122667>
- Wu, M.S., Feakins, S.J., Martin, R.E., Shenkin, A., Bentley, L.P., Blonder, B., Salinas, N., Asner, G.P., Malhi, Y., 2017. Altitude effect on leaf wax carbon isotopic composition in humid tropical forests. *Geochim. Cosmochim. Acta* 206, 1–17. <https://doi.org/10.1016/j.gca.2017.02.022>
- Wu, M.S., West, A.J., Feakins, S.J., 2019. Tropical soil profiles reveal the fate of plant wax biomarkers during soil storage. *Org. Geochem.* 128, 1–15. <https://doi.org/10.1016/j.orggeochem.2018.12.011>
- Zech, M., Buggle, B., Leiber, K., Marković, S., Glaser, B., Hambach, U., Huwe, B., Stevens, T., Sümegei, P., Wiesenberg, G., Zöller, L., 2009. Reconstructing Quaternary vegetation history in the Carpathian Basin, SE Europe, using *n*-alkane biomarkers as molecular fossils. *E&G* 58, 148–155. <https://doi.org/10.3285/eg.58.2.03>
- Zech, M., Krause, T., Meszner, S., Faust, D., 2013. Incorrect when uncorrected: Reconstructing vegetation history using *n*-alkane biomarkers in loess-paleosol sequences - A case study from the Saxonian loess region, Germany. *Quat. Int.* 296, 108–116. <https://doi.org/10.1016/j.quaint.2012.01.023>
- Zech, M., Pedentchouk, N., Buggle, B., Leiber, K., Kalbitz, K., Marković, S.B., Glaser, B., 2011. Effect of leaf litter degradation and seasonality on D/H isotope ratios of *n*-alkane biomarkers. *Geochim. Cosmochim. Acta* 75, 4917–4928. <https://doi.org/10.1016/j.gca.2011.06.006>
- Zhou, W., Xie, S., Meyers, P.A., Zheng, Y., 2005. Reconstruction of late glacial and Holocene climate evolution in southern China from geolipids and pollen in the Dingnan peat sequence. *Org. Geochem.* 36, 1272–1284. <https://doi.org/10.1016/j.orggeochem.2005.04.005>