



## UvA-DARE (Digital Academic Repository)

### Swift/XRT detects renewed activity of the Galactic center X-ray transient Swift J174535.5-285921

Degenaar, N.; Wijnands, R.; Reynolds, M.T.; Miller, J.M.; Kennea, J.A.

**Publication date**

2016

**Document Version**

Final published version

**Published in**

The astronomer's telegram

**License**

Unspecified

[Link to publication](#)

**Citation for published version (APA):**

Degenaar, N., Wijnands, R., Reynolds, M. T., Miller, J. M., & Kennea, J. A. (2016). Swift/XRT detects renewed activity of the Galactic center X-ray transient Swift J174535.5-285921. *The astronomer's telegram*, 9236. <http://www.astronomerstelegram.org/?read=9236>

**General rights**

It is not permitted to download or to forward/distribute the text or part of it without the consent of the author(s) and/or copyright holder(s), other than for strictly personal, individual use, unless the work is under an open content license (like Creative Commons).

**Disclaimer/Complaints regulations**

If you believe that digital publication of certain material infringes any of your rights or (privacy) interests, please let the Library know, stating your reasons. In case of a legitimate complaint, the Library will make the material inaccessible and/or remove it from the website. Please Ask the Library: <https://uba.uva.nl/en/contact>, or a letter to: Library of the University of Amsterdam, Secretariat, Singel 425, 1012 WP Amsterdam, The Netherlands. You will be contacted as soon as possible.

## Outside

GCN  
IAUCs

## Other

ATel on [Twitter](#) and [Facebook](#)  
ATELstream  
ATel Community Site[ [Previous](#) | [Next](#) | [ADS](#) ]

## Swift/XRT detects renewed activity of the Galactic center X-ray transient Swift J174535.5-285921

ATel #9236; *N. Degenaar (Cambridge), R. Wijnands (U. of Amsterdam), M. T. Reynolds (U. of Michigan), J. M. Miller (U. of Michigan), J. A. Kennea (PSU), on behalf of a larger collaboration*

on 11 Jul 2016; 19:53 UT

Credential Certification: [Nathalie Degenaar \(degenaar@ast.cam.ac.uk\)](mailto:degenaar@ast.cam.ac.uk)

Subjects: Radio, Infra-Red, X-ray, Binary, Black Hole, Neutron Star, Transient

Referred to by ATel #: [9551](#)

Our daily Swift/XRT monitoring observations of the Galactic center (Degenaar et al. 2015) have revealed activity of a transient X-ray source located  $\sim 1.4'$  to the north-east of Sgr A\*. An excess of photons was first seen during a 0.9-ks PC mode observation performed on 2016 July 7. The object remains to be detected in subsequent observations performed on July 8,9, and 10.

To obtain a position for the newly active X-ray source, we use the four PC-mode observations obtained between July 7 and 10 (amounting to 3.5 ks of exposure time) and utilize the online XRT data products tool (Evans et al. 2007, 2009). We obtain a "standard" position (J2000) of R.A. = 17:45:35.96 and Dec. = -28:59:27.2 with an uncertainty of 3.8" (90% confidence). When the UVOT is used to derive the astrometry (see Goad et al. 2007; Evans et al. 2009) an "enhanced" position (J2000) is obtained:

R.A. = 17:45:35.64  
Dec. = -28:59:27.5

with an uncertainty of 2.2" (90% confidence). The XRT coordinates are fully consistent with the Chandra localization of the X-ray transient Swift J174535.5-285921 (ATel #[3525](#)). The positional coincidence makes it likely that we have detected renewed activity from this source. Swift J174535.5-285921 was detected in outburst only once before during our Swift/XRT Galactic center monitoring campaign: It exhibited a  $\sim 1$ -2 week active period in 2011 that peaked at a 2-10 keV luminosity of  $\sim 1E35$  erg/s (Degenaar et al. 2015) for an assumed distance of 8 kpc. The source position is consistent with the dim X-ray source CXOUGC J174535.6-285928 (Muno et al. 2009), which has an estimated 2-10 keV luminosity of  $\sim 2E31$  erg/s and may represent the quiescent X-ray counterpart of this transient (ATels #[3472](#), #[3525](#)).

## Related

- [13683](#) Swift/XRT detects a new outburst of the Galactic Center transient GRS 1741.9-2853
- [13453](#) Swift/XRT detects (continued) activity of the Galactic center transient AX J1745.6-2901
- [13150](#) Swift/XRT detects a new outburst of the Galactic Center transient AX J1745.6-2901
- [11263](#) Swift resumes X-ray monitoring observations of the Galactic center in 2018
- [10900](#) Swift/XRT detects activity of a very-faint X-ray transient, likely the neutron star X-ray binary AX J1745.6-2901, near Sgr A\*
- [10859](#) Swift/XRT detects a new accretion outburst of the Galactic center neutron star transient GRS 1741-2853
- [10323](#) Swift/XRT detects renewed activity of the Galactic center transient AX J1745.6-2901
- [10089](#) Swift resumes X-ray monitoring observations of the Galactic center in 2017
- [9551](#) Swift/XRT detects renewed activity of the Galactic center transient XMM J174457-2850.3
- [9236](#) Swift/XRT detects renewed activity of the Galactic center X-ray transient Swift J174535.5-285921
- [9196](#) Continued Swift/XRT observations of the new Galactic center transients SWIFT J174540.2-290037 and SWIFT J174540.7-290015
- [9152](#) VVV near-infrared observations of the Swift J174540.2-290037 field
- [9109](#) Swift/XRT detection of another active X-ray transient close to Sgr A\*
- [9000](#) Hard X-ray activity from the

The source count rate is low and we therefore extracted an average spectrum from the four XRT/PC-mode observations of July 7-10. This can be described by an absorbed power-law model with a hydrogen column density of  $N_H=(1.5\pm 0.9)E23$  cm<sup>-2</sup>, and an index of  $1.9\pm 1.5$ . The inferred unabsorbed 2-10 keV flux is  $(8.8\pm 3.3)E-12$  erg/cm<sup>2</sup>/s, which translates into a luminosity of  $(6.7\pm 2.5)E34$  erg/s at a distance of 8 kpc. The count rate varied by a factor  $\sim 3$  over the four different observations. A spectrum extracted from the one with the highest count rate (July 9) can be described with a power-law index of  $2.8\pm 0.9$  for  $N_H=1.5E23$  cm<sup>-2</sup> fixed. This yields an unabsorbed 2-10 keV flux of  $(1.8\pm 0.5)E-11$  erg/cm<sup>2</sup>/s, or a luminosity of  $(1.4\pm 0.4)E35$  erg/s at 8 kpc.

Apart from Swift J174535.5-285921, we detect ongoing activity of two other X-ray transients: Swift J174540.7-290015 that is located  $\sim 16''$  to the north of Sgr A\* and has been seen active since February of this year (e.g., ATels #8649, #8689, #8746, #9109, #9196), and Swift J174540.2-290037 that is located  $\sim 10''$  to the south of Sgr A\* and became active in late May (ATel #9109, #9196). The 2-10 keV unabsorbed fluxes inferred from the XRT observations of July 7-10 are  $(4.0\pm 0.3)E-11$  erg/cm<sup>2</sup>/s for Swift J174540.7-290015, and  $(1.6\pm 0.5)E-11$  erg/cm<sup>2</sup>/s for Swift J174540.2-290037. The corresponding luminosity at a distance of 8 kpc is  $(3.1\pm 0.2)E35$  erg/s and  $(1.2\pm 0.4)E35$  erg/s, respectively.

Our daily Swift/XRT observations of the Galactic center are ongoing. The monitoring campaign webpage can be found at: <http://www.swift-sgra.com>

#### References:

- Degenaar et al. 2015, JHEA 7, 137
- Evans et al. 2007, A&A 469, 379
- Evans et al. 2009, MNRAS 397, 1177
- Goad et al. 2007, A&A 476, 1401
- Muno et al. 2009, ApJS, 181, 110

	direction to Sgr A* revealed by INTEGRAL
8881	Swift/XRT detects renewed activity of the Galactic center transient GRS 1741-2853
8793	A Search for a Radio Counterpart to Swift J174540.7-290015
8746	Chandra Position of Galactic Center X-ray Transient Swift J174540.7-290015
8737	VVV near-infrared observations of the Swift J174540.7-290015 field
8729	Search for pulsed radio emission from SWIFT J174540.7-290015
8689	Near-IR source content of the error region for SWIFT J174540.7-290015
8684	INTEGRAL observations of Swift J174540.7-290015
8649	New Galactic Center X-ray Transient Detected by Swift: SWIFT J174540.7-290015
7023	Swift resumes X-ray monitoring observations of the Galactic center
5847	Swift/XRT observations of the Galactic center have resumed
5332	Report on (non-)activity in the Galactic bulge region as seen by INTEGRAL
5246	Swift/XRT detects activity of the Galactic center transient GRS 1741-2853
5226	New Swift/XRT observations confirm that the active Galactic center transient is AX J1745.6-2901
5222	Swift/XRT monitoring observations detect an active X-ray transient near the Galactic center
5053	Detection by Sardinia Radio Telescope of radio pulses at 7 GHz from the Magnetar PSR J1745-2900 in the Galactic center region
5046	Spin-down Measurement of PSR J1745-2900: a New Magnetar
5037	Swift-BAT monitoring for additional bursts from SGR J1745-29 (Trigger 554491)
5032	Chandra localization of the soft gamma repeater in the Galactic Center region
5020	NuSTAR discovery of a 3.76 second pulsar in the Sgr A* region
5016	Continued Swift Monitoring of the Galactic Center Flare
5009	Swift/BAT detection of an SGR-like flare from near Sgr A*
5006	Large Flare from Sgr A* Detected by Swift
3529	IR counterpart candidates to the transient Swift J174535.5-285921 - UPDATE
3525	Chandra Localization of the Galactic Center X-ray Transient Swift J174535.5-285921
3508	The Galactic center transient Swift J174535.5-285921 has returned to quiescence
3481	IR counterpart candidates to the transient Swift J174535.5-285921
3476	Search for an IR counterpart to the newly discovered transient Swift J174535.5-285921
3472	Swift/XRT discovers a new X-ray transient near the Galactic center: Swift J174535.5-285921

**1513 Chandra detects Swift  
J174535.5-290135.6 in a  
relatively bright state**

---

---

[ **Telegram Index** ]

R. E. Rutledge, Editor-in-Chief

`rrutledge@astronomerstelegam.org`

Derek Fox, Editor

`dfox@astronomerstelegam.org`

Mansi M. Kasliwal, Co-Editor

`mansi@astronomerstelegam.org`