



## UvA-DARE (Digital Academic Repository)

### VLA detection of a likely radio counterpart of IGR J17494-3030

van den Eijnden, J.; Degenaar, N.; Wijnands, R.; Russell, T.D.; Stoop, M.; Armas Padilla, M.; Russell, D.M.; Maitra, D.; Heinke, C.O.; Sivakoff, G. R.; Shaw, A.W.; Maccarone, T.J.; Miller-Jones, J.C.A.; Bahramian, A.

**Publication date**

2020

**Document Version**

Final published version

**Published in**

The astronomer's telegram

**License**

Unspecified

[Link to publication](#)

**Citation for published version (APA):**

van den Eijnden, J., Degenaar, N., Wijnands, R., Russell, T. D., Stoop, M., Armas Padilla, M., Russell, D. M., Maitra, D., Heinke, C. O., Sivakoff, G. R., Shaw, A. W., Maccarone, T. J., Miller-Jones, J. C. A., & Bahramian, A. (2020). VLA detection of a likely radio counterpart of IGR J17494-3030. *The astronomer's telegram*, 14129. <http://www.astronomerstelegam.org/?read=14129>

**General rights**

It is not permitted to download or to forward/distribute the text or part of it without the consent of the author(s) and/or copyright holder(s), other than for strictly personal, individual use, unless the work is under an open content license (like Creative Commons).

**Disclaimer/Complaints regulations**

If you believe that digital publication of certain material infringes any of your rights or (privacy) interests, please let the Library know, stating your reasons. In case of a legitimate complaint, the Library will make the material inaccessible and/or remove it from the website. Please Ask the Library: <https://uba.uva.nl/en/contact>, or a letter to: Library of the University of Amsterdam, Secretariat, Singel 425, 1012 WP Amsterdam, The Netherlands. You will be contacted as soon as possible.

*UvA-DARE is a service provided by the library of the University of Amsterdam (<https://dare.uva.nl>)*

## Outside

GCN  
IAUCs

## Other

ATel on [Twitter](#) and [Facebook](#)  
ATELstream  
ATel Community Site[ [Previous](#) | [Next](#) | [ADS](#) ]

## VLA detection of a likely radio counterpart of IGR J17494-3030

ATel #14129; *J. van den Eijnden (Univ. of Oxford), N. Degenaar, R. Wijnands, T. D. Russell, M. Stoop (Univ. of Amsterdam), M. Armas Padilla (Instituto de Astrofísica de Canarias), D. M. Russell (NYU Abu Dhabi), D. Maitra (Wheaton College), C. O. Heinke, G. R. Sivakoff (Univ. of Alberta), A. W. Shaw (Univ. of Nevada, Reno), T. J. Maccarone (Texas Tech Univ.), J. C. A. Miller-Jones, A. Bahramian (ICRAR-Curtin)*

on 30 Oct 2020; 15:54 UT

Credential Certification: [Jakob Van den Eijnden \(a.j.vandeneijnden@uva.nl\)](mailto:Jakob.Van.den.Eijnden@uva.nl)

Subjects: Radio, Neutron Star, Transient, Pulsar

Referred to by ATel #: [14146](#)

IGR J17494-3030 is a transient X-ray binary that was recently reported to be in outburst by INTEGRAL (ATel #[14119](#)). Follow-up NICER observations have subsequently shown the presence of X-ray pulsations at 376 Hz (ATel #[14124](#)), confirming the neutron star nature of the compact object and identifying IGR J17494-3030 as an accreting millisecond X-ray pulsar (AMXP).

The VLA observed IGR J17494-3030 in the BnA configuration on 27 October 2020 from 21:40 to 22:40 UT. As primary and secondary calibrators, we used 3C 286 (1331+3030) and the nearby source 1751-253, respectively. We analysed the observation using the Common Astronomy Software Applications package (CASA) version 5.4.1 (McMullin et al. 2007, ASPC, 376, 127), imaging Stokes I using a Briggs weighting scheme and a robust parameter of 0. We observed with two sub-bands, centred at 4.5 and 7.5 GHz with 1 GHz of bandwidth each. While analysis at 7.5 GHz is still ongoing, we report our results at 4.5 GHz to ensure rapid distribution to the community.

At 4.5 GHz, a radio source is significantly detected at a best fit position of  
RA (J2000) = 17h 49m 23.61s +/- 0.01s  
Dec (J2000) = -30d 29' 59.1" +/- 0.1"

where the positional accuracy is limited by standard VLA systematics at 10% of the synthesized beam. This radio position is separated 2.2" from the Swift/XRT position of IGR J17494-3030 reported in ATel #[3989](#), which has a 2.2" 90%-confidence region (we note that the position of the

## Related

- [14146](#) Chandra Localization of IGR J17494-3030
- [14129](#) VLA detection of a likely radio counterpart of IGR J17494-3030
- [14126](#) Neil Gehrels Swift Observatory monitoring of the X-ray transient IGR 17494-3030
- [14124](#) NICER detection of 376 Hz X-ray pulsations from IGR J17494-3030
- [14119](#) INTEGRAL detection of hard X-ray emission from the very faint X-ray transient IGR J17494-3030
- [4886](#) 2012 Chandra Non-Detection of the Fading X-ray Transient IGR J17494-3030
- [4006](#) VVV near-infrared observations of the IGR J17494-3030 field
- [3989](#) Swift follow-up observation of IGR J17494-3030
- [3986](#) Possible quiescent Chandra counterpart to IGRJ17494-3030
- [3985](#) Erratum to ATel #3984: "A new hard X-ray transient discovered by INTEGRAL: IGR J17494-3030"
- [3984](#) A new hard X-ray transient discovered by INTEGRAL: IGR J17494-3030

possible quiescent Chandra counterpart reported in ATel #3986 is inconsistent with the Swift/XRT, and our VLA, positions, as it is separated by 2').

We used the CASA task imfit to measure the source flux by fitting a 2D elliptical Gaussian in the image plane, using the FWHM and angle of the synthesized beam (1.1" x 1.0", 66.12 degrees E of N). We measured a flux density of 115 +/- 17  $\mu$ Jy at 4.5 GHz, which corresponds to a radio luminosity of  $L_R = 4E+28 (D/8 \text{ kpc})^2 \text{ erg s}^{-1}$ . NICER X-ray observations on the same day measure an average unabsorbed flux between 0.5-10 keV of  $1.68E-10 \text{ erg cm}^{-2} \text{ s}^{-1}$  (ATel #14124), corresponding to a luminosity of  $L_X = 1.3E36 (D/8 \text{ kpc})^2 \text{ erg s}^{-1}$ . This combination of X-ray and radio luminosity is consistent with the range seen in other jet-launching AMXPs (e.g. Bahramian et al. 2018; [https://github.com/bersavosh/XRB-LrLx\\_pub](https://github.com/bersavosh/XRB-LrLx_pub)).

Based on the positional consistency and expected X-ray and radio luminosity, we deem it likely that we have detected the radio counterpart of IGR J17494-3030. With continued radio monitoring and analysis of the VLA data at 7.5 GHz we will reassess this conclusion.

We thank the VLA operators for allowing and then rapidly performing these observations. Further X-ray and radio monitoring is ongoing, and we encourage multi-wavelength follow-up observations.

---

[ [Telegram Index](#) ]

R. E. Rutledge, Editor-in-Chief

[rrutledge@astronomerstelegam.org](mailto:rrutledge@astronomerstelegam.org)

Derek Fox, Editor

[dfox@astronomerstelegam.org](mailto:dfox@astronomerstelegam.org)