



## UvA-DARE (Digital Academic Repository)

### VLA radio non-detection of IGR J17379-3747 as the X-ray flux drops

Gusinskaia, N.V.; Hessels, J.W.T.; Jaodand, A.D.; Miller-Jones, J.C.A.; Degenaar, N.; Deller, A.T.; Russell, T. D.; Bogdanov, S.

**Publication date**

2020

**Document Version**

Final published version

**Published in**

The astronomer's telegram

**License**

Unspecified

[Link to publication](#)

**Citation for published version (APA):**

Gusinskaia, N. V., Hessels, J. W. T., Jaodand, A. D., Miller-Jones, J. C. A., Degenaar, N., Deller, A. T., Russell, T. D., & Bogdanov, S. (2020). VLA radio non-detection of IGR J17379-3747 as the X-ray flux drops. *The astronomer's telegram*, 14061.  
<http://www.astronomerstelegam.org/?read=14061>

**General rights**

It is not permitted to download or to forward/distribute the text or part of it without the consent of the author(s) and/or copyright holder(s), other than for strictly personal, individual use, unless the work is under an open content license (like Creative Commons).

**Disclaimer/Complaints regulations**

If you believe that digital publication of certain material infringes any of your rights or (privacy) interests, please let the Library know, stating your reasons. In case of a legitimate complaint, the Library will make the material inaccessible and/or remove it from the website. Please Ask the Library: <https://uba.uva.nl/en/contact>, or a letter to: Library of the University of Amsterdam, Secretariat, Singel 425, 1012 WP Amsterdam, The Netherlands. You will be contacted as soon as possible.

## Outside

GCN  
IAUCs

## Other

ATel on [Twitter](#) and [Facebook](#)  
ATELstream  
ATel Community Site[ [Previous](#) | [Next](#) | [ADS](#) ]

## VLA radio non-detection of IGR J17379-3747 as the X-ray flux drops

ATel #14061; *N. V. Gusinskaia (University of Toronto), J. W.T. Hessels (ASTRON, University of Amsterdam), A. D. Jaodand (California Institute of Technology), J. C.A. Miller-Jones (Curtin University), N. Degenaar (University of Amsterdam), A. T. Deller (Swinburne University of Technology), T. D. Russell (University of Amsterdam), S. Bogdanov (Columbia University)*

on 3 Oct 2020; 12:45 UT

Credential Certification: *Jason W.T. Hessels (j.w.t.hessels@uva.nl)*

Subjects: Radio, X-ray, Neutron Star, Transient, Pulsar

IGR J17379-3747 is an accreting millisecond X-ray pulsar (AMXP). During its previous outburst in 2018, it revealed a few remarkable properties (Bult et al. 2019, ApJ, 877, 70B) that are similar to those of transitional millisecond pulsars (tMSPs) -- binary neutron stars that switch between being active as a radio millisecond pulsar and looking like an AMXP.

Following the SRG/ART-XC report of a new outburst from IGR J17379-3747 on September 29th, 2020 (ATel#14051), we triggered our joint Karl G. Jansky Very Large Array (VLA) and Neil Gehrels Swift Observatory X-ray telescope (Swift-XRT) radio and X-ray monitoring programs, in which we aim to observe known tMSPs and tMSP candidates during their outbursts.

We observed IGR J17379-3747 with VLA on September 30th, 2020 starting at 23:30 UTC. The observation was 1 hr long (with ~35 min on source); the data were recorded at X-band (8-12 GHz) and the VLA was in B-configuration (X-band beam size of ~0.6 arcsec). The data were reduced and imaged using CASA (v.5.4.1; McMullin et al. 2007, ASPC, 376, 127).

No radio emission was detected at the known position of IGR J17379-3747 (reported in ATel#11487). The extracted flux density (~0.2  $\mu$ Jy) at the source position is consistent with the RMS noise of the image (~5  $\mu$ Jy), thus we set a 3-sigma upper limit of the source 10-GHz flux density of 15.2  $\mu$ Jy, which translates into a (8-kpc, 5-GHz, assuming a flat spectrum) radio luminosity of  $L_R < 1.3 \times 10^{28}$  erg/s.

Additionally, two Swift-XRT observations were performed that bracket our VLA observation. The first observation (obsid: 00031270035) was performed on September 30th, 2020 at 12:10

## Related

- |       |  |
|-------|--|
| 14061 | VLA radio non-detection of IGR J17379-3747 as the X-ray flux drops                                     |
| 14056 | NICER detects pulsations from a new outburst of the accreting millisecond X-ray pulsar IGR J17379-3747 |
| 14051 | SRG/ART-XC detects an increased activity from IGR J17379-3747 - 468 Hz AMXP/burster                    |
| 11520 | X-ray re-brightening of the accreting millisecond X-ray pulsar IGR J17379-3747                         |
| 11507 | NICER discovers millisecond pulsations from the neutron star LMXB IGR J17379-3747                      |
| 11487 | VLA radio detection of the very-faint X-ray transient IGR J17379-3747                                  |
| 11447 | MAXI/GSC detection of renewed activity from the gamma-ray source IGR J17379-3747                       |
| 1714  | Swift/XRT determines a precise location for IGR J17379-3747  |
| 1711  | X-ray activity of IGR J17379-3747 confirmed with INTEGRAL  |
| 1709  | New and Old Outbursts of IGR J17379-3747 (= XTE J1737-376)   |

UTC with 500 s exposure time. The second observation (obsid: 00013746001) was performed on October 1st, 2020 at 18:40 UTC with ~1300s exposure time. We derived unabsorbed fluxes of  $1.8 \pm 0.3 \times 10^{-11}$  erg/s and  $3 \pm 1 \times 10^{-13}$  erg/s for the first and second observations, respectively (using the online XRT product tool, the spectral parameters reported in Bult. et al. 2019 and WebPIMMS). These fluxes correspond to 8-kpc, 1-10 keV X-ray luminosities of  $1.4 \pm 0.3 \times 10^{35}$  erg/s and  $2 \pm 0.7 \times 10^{33}$  erg/s.

Assuming a steady decay of flux between the two Swift-XRT observations, the X-ray luminosity at the time of our VLA observation can be interpolated to be  $4 \times 10^{34}$  erg/s. This puts our new VLA/Swift-XRT measurement in the radio/X-ray luminosity plane fainter in radio than black-hole low-mass X-ray binaries and consistent with radio measurements of other neutron star X-ray binaries.

Our Swift-XRT observations, combined with SRG/ART-XC (ATel#14051) and NICER (ATel#14056) measurements, show that the source has been fading for the last 2.5 days. During its 2018 outburst, IGR J17379-3747 experienced a few significant re-brightenings after fading from the peak of the outburst. Similarly, the most recent Swift-XRT observation (obsid: 00013746002) indicates that the source's flux is rising again. Thus, we will likely continue Swift-XRT and VLA monitoring of IGR J17379-3747. Further multiwavelength observations are encouraged.

We thank Tony Perrault, and the VLA and Swift-XRT staff, for making these VLA and Swift-XRT observations possible.

---

[ [Telegram Index](#) ]

R. E. Rutledge, Editor-in-Chief

[rrutledge@astronomerstelegam.org](mailto:rrutledge@astronomerstelegam.org)

Derek Fox, Editor

[dfox@astronomerstelegam.org](mailto:dfox@astronomerstelegam.org)