



UvA-DARE (Digital Academic Repository)

The role of central amygdala neuronal types in drug-related and appetitive behaviors

Bouhuis, A.L.

Publication date
2022

[Link to publication](#)

Citation for published version (APA):

Bouhuis, A. L. (2022). *The role of central amygdala neuronal types in drug-related and appetitive behaviors*. [Thesis, fully internal, Universiteit van Amsterdam].

General rights

It is not permitted to download or to forward/distribute the text or part of it without the consent of the author(s) and/or copyright holder(s), other than for strictly personal, individual use, unless the work is under an open content license (like Creative Commons).

Disclaimer/Complaints regulations

If you believe that digital publication of certain material infringes any of your rights or (privacy) interests, please let the Library know, stating your reasons. In case of a legitimate complaint, the Library will make the material inaccessible and/or remove it from the website. Please Ask the Library: <https://uba.uva.nl/en/contact>, or a letter to: Library of the University of Amsterdam, Secretariat, P.O. Box 19185, 1000 GD Amsterdam, The Netherlands. You will be contacted as soon as possible.

ACKNOWLEDGEMENTS

REFERENCES

1. Organization, W. H. Drugs (psychoactive). (2021). Available at: https://www.who.int/health-topics/drugs-psychoactive#tab=tab_1. (Accessed: 31st July 2021)
2. Organization, W. H. Obesity. (2021).
3. Volkow, N. D. & Wise, R. A. How can drug addiction help us understand obesity? *Nat. Neurosci.* **8**, 555–560 (2005).
4. Kenny, P. J. Common cellular and molecular mechanisms in obesity and drug addiction. *Nat. Rev. Neurosci.* **12**, 638–651 (2011).
5. Davis, M. & Whalen, P. J. The amygdala: vigilance and emotion. *Mol. Psychiatry* **6**, 13–34 (2001).
6. Wilensky, A. E., Schafe, G. E., Kristensen, M. P. & LeDoux, J. E. Rethinking the fear circuit: the central nucleus of the amygdala is required for the acquisition, consolidation, and expression of Pavlovian fear conditioning. *J Neurosci* **26**, 12387–12396 (2006).
7. Ciochi, S. *et al.* Encoding of conditioned fear in central amygdala inhibitory circuits. *Nature* **468**, 277–282 (2010).
8. Duvarci, S., Popa, D. & Pare, D. Central amygdala activity during fear conditioning. *J Neurosci* **31**, 289–294 (2011).
9. Li, H. *et al.* Experience-dependent modification of a central amygdala fear circuit. *Nat. Neurosci.* **16**, 332–9 (2013).
10. Fox, A. S. Neuroscience Letters The central extended amygdala in fear and anxiety : Closing the gap between mechanistic and neuroimaging research. *Neurosci. Lett.* **693**, 58–67 (2019).
11. Murray, J. E. *et al.* dependent cocaine-seeking habits. *Nat. Commun.* **6**, 1–9 (2015).
12. Everitt, B. J., Cardinal, R. N., Parkinson, J. A. & Robbins, T. W. Appetitive Behavior - Impact of Amygdala-Dependent Mechanisms of Emotional Learning. *Ann. N.Y. Acad. Sci.* **985**, 233–250 (2003).
13. Carter, M. E., Soden, M. E., Zweifel, L. S. & Palmiter, R. D. Genetic identification of a neural circuit that suppresses appetite. *Nature* **503**, 111–114 (2013).
14. Robinson, M. J. F., Warlow, S. M. & Berridge, K. C. Optogenetic Excitation of Central Amygdala Amplifies and Narrows Incentive Motivation to Pursue One Reward Above Another. *J. Neurosci.* **34**, 16567–16580 (2014).
15. Partin, A. C. *et al.* Amygdala nuclei critical for emotional learning exhibit unique gene expression patterns. *Neurobiol. Learn. Mem.* **104**, 110–121 (2013).
16. Haubensak, W. *et al.* Genetic dissection of an amygdala microcircuit that gates conditioned fear. *Nature* **468**, 270–276 (2010).
17. Kim, J., Zhang, X., Muralidhar, S., LeBlanc, S. A. & Tonegawa, S. Basolateral to Central Amygdala Neural Circuits for Appetitive Behaviors. *Neuron* **93**, 1464-1479.e5 (2017).
18. Mccullough, K. M., Morrison, F. G., Ressler, K. J., Hartmann, J. & Carlezon, W. A. Quantified Coexpression Analysis of Central Amygdala Subpopulations. **01**, 1–12 (2018).
19. Han, S., Soleiman, M., Soden, M., Zweifel, L. & Palmiter, R. D. Elucidating an Affective Pain Circuit that Creates a Threat Memory. *Cell* **162**, 363–374 (2015).
20. Fadok, J. P., Markovic, M., Tovote, P. & Lüthi, A. New perspectives on central amygdala function. *Curr. Opin. Neurobiol.* **49**, 141–147 (2018).
21. Tovote, P., Fadok, J. P. & Lüthi, A. Neuronal circuits for fear and anxiety. *Nat Rev Neurosci* **16**, 317–331 (2015).
22. Quirk, G. J., Repp, J. C. & LeDoux, J. E. Fear conditioning enhances short-latency auditory responses of lateral amygdala neurons: Parallel recordings in the freely behaving rat. *Neuron* **15**, 1029–1039 (1995).
23. Ledoux, J. E. & Ledoux, J. E. Ircuits in the. *New York* 155–184 (2000).
24. Maren, S. & Quirk, G. J. Neuronal signalling of fear memory. *Nat. Rev. Neurosci.* **5**, 844–852 (2004).

25. Goosens, K. A. & Maren, S. Pretraining NMDA receptor blockade in the basolateral complex, but not the central nucleus, of the amygdala prevents savings of conditional fear. *Behav. Neurosci.* **117**, 738–750 (2003).

26. Penzo, M. A. *et al.* The paraventricular thalamus controls a central amygdala fear circuit. *Nature* **519**, 455–9 (2015).

27. Penzo, M. A., Robert, V. & Li, B. Fear conditioning potentiates synaptic transmission onto long-range projection neurons in the lateral subdivision of central amygdala. *J Neurosci* **34**, 2432–2437 (2014).

28. Yu, K., da Silva, P. G., Albeanu, D. F. & Li, B. Central amygdala somatostatin neurons gate passive and active defensive behaviors. *J. Neurosci.* **36**, 6488–6496 (2016).

29. Fadok, J. P. *et al.* A competitive inhibitory circuit for selection of active and passive fear responses. *Nature* **542**, 96–99 (2017).

30. LeDoux, J. E. & Pine, D. S. Using neuroscience to help understand fear and anxiety: A two-system framework. *Am. J. Psychiatry* **173**, 1083–1093 (2016).

31. Liberzon, I. *et al.* Brain activation in PTSD in response to trauma-related stimuli. *Biol. Psychiatry* **45**, 817–826 (1999).

32. Pissioti, A., Örfjan, F., Fernandez, M., Fischer, H. & Fredrikson, M. Neurofunctional correlates of posttraumatic stress disorder: A PET symptom provocation study. *Neuroimage* **11**, 68–75 (2000).

33. Chung, Y. A. *et al.* Alterations in cerebral perfusion in posttraumatic stress disorder patients without re-exposure to accident-related stimuli. *Clin. Neurophysiol.* **117**, 637–642 (2006).

34. Nitschke, J. B. *et al.* Anticipatory Activation in the Amygdala and Anterior Cingulate in Generalized Anxiety Disorder and Prediction of Treatment Response. *Am J Psychiatry* **166**, 302–310 (2009).

35. Kalin, N. H., Shelton, S. E. & Davidson, R. J. The role of the central nucleus of the amygdala in mediating fear and anxiety in the primate. *J. Neurosci.* **24**, 5506–5515 (2004).

36. Ahrens, S. *et al.* A central extended amygdala circuit that modulates anxiety. *J. Neurosci.* **38**, 5567–5583 (2018).

37. Botta, P. *et al.* Regulating anxiety with extrasynaptic inhibition. *Nat. Neurosci.* **18**, 1493–1500 (2015).

38. Hikosaka, O., Bromberg-Martin, E., Hong, S. & Matsumoto, M. New insights on the subcortical representation of reward. *Curr. Opin. Neurobiol.* **18**, 203–208 (2008).

39. Berridge, K. C. & Robinson, T. E. Parsing reward. *Trends Neurosci.* **26**, 507–513 (2003).

40. Berridge, K. C. & Krangelbach, M. L. Pleasure Systems in the Brain. *Neuron* **86**, 646–664 (2015).

41. Seo, X. D. *et al.* A GABAergic Projection from the Centromedial Nuclei of the Amygdala to Ventromedial Prefrontal Cortex Modulates Reward Behavior. **36**, 10831–10842 (2016).

42. Mahler, S. V & Berridge, K. C. Which Cue to “ Want ?” Central Amygdala Opioid Activation Enhances and Focuses Incentive Salience on a Prepotent Reward Cue. **29**, 6500–6513 (2009).

43. Behaviors, A. *et al.* Basolateral to Central Amygdala Neural Circuits for Appetitive Behaviors. *Neuron* **93**, 1464-1479.e5 (2017).

44. Warlow, X. S. M., Robinson, X. M. J. F. & Berridge, X. K. C. Optogenetic Central Amygdala Stimulation Intensifies and Narrows Motivation for Cocaine. **37**, 8330–8348 (2017).

45. Steinberg, E. E. *et al.* Amygdala-Midbrain Connections Modulate Appetitive and Aversive Learning. *Neuron* **106**, 1026-1043.e9 (2020).

46. Torruella-sua, X. M. L. *et al.* Manipulations of Central Amygdala Neurotensin Neurons Alter the Consumption of Ethanol and Sweet Fluids in Mice. **40**, 632–647 (2020).

47. Tom, R. L., Ahuja, A., Maniates, H., Freeland, C. M. & Robinson, M. J. F. Optogenetic activation of the central amygdala generates addiction-like preference for reward. *Eur. J. Neurosci.* **50**, 2086–2100 (2019).

48. Hardaway, J. A. *et al.* Central Amygdala Prepronociceptin-Expressing Neurons Mediate Palatable Food Consumption and Reward. *Neuron* **102**, 1037-1052.e7 (2019).

49. Douglass, A. M. *et al.* Central amygdala circuits modulate food consumption through a positive-valence mechanism. *Nat. Neurosci.*

REFERENCES

20, 1384 (2017).

50. Valdivia, S., Patrone, A., Reynaldo, M. & Perello, M. Acute high fat diet consumption activates the mesolimbic circuit and requires orexin signaling in a mouse model. *PLoS One* **9**, (2014).

51. Wu, Q. *et al.* The temporal pattern of cfos activation in hypothalamic, cortical, and brainstem nuclei in response to fasting and refeeding in male mice. *Endocrinology* **155**, 840–853 (2014).

52. Zséli, G. *et al.* Neuronal connections of the central amygdala nucleus with refeeding-activated brain areas in rats. *Brain Struct Funct* **223**, (2018).

53. Petrovich, G. D., Ross, C. A., Mody, P., Holland, P. C. & Gallagher, M. Central, but not basolateral, amygdala is critical for control of feeding by aversive learned cues. *J. Neurosci.* **29**, 15205–15212 (2009).

54. Cai, H., Haubensak, W., Anthony, T. E. & Anderson, D. J. Central amygdala PKC-δ+ neurons mediate the influence of multiple anorexigenic signals. *Nat. Neurosci.* **17**, 1–11 (2014).

55. Kokane, S. S. & Perrotti, L. I. Sex Differences and the Role of Estradiol in Mesolimbic Reward Circuits and Vulnerability to Cocaine and Opiate Addiction. *Front. Behav. Neurosci.* **14**, 1–21 (2020).

56. Becker, J. B. & Chartoff, E. Sex differences in neural mechanisms mediating reward and addiction. *Neuropsychopharmacology* (2018). doi:10.1038/s41386-018-0125-6

57. Lynch, W. J., Roth, M. E., Mickelberg, J. L. & Carroll, M. E. Role of estrogen in the acquisition of intravenously self-administered cocaine in female rats. *Pharmacol. Biochem. Behav.* **68**, 641–646 (2001).

58. Becker, J. B. & Hu, M. Sex differences in drug abuse. *Front. Neuroendocrinol.* **29**, 36–47 (2008).

59. Hu, M., Crombag, H. S., Robinson, T. E. & Becker, J. B. Biological Basis of Sex Differences in the Propensity to Self-administer Cocaine. *Neuropsychopharmacology* **29**, 81–85 (2004).

60. Calipari, E. S. *et al.* Dopaminergic dynamics underlying sex-specific cocaine reward. *Nat. Commun.* **8**, 1–15 (2017).

61. Structure, A. R. *et al.* nutrients Neuroimaging of Sex / Gender Differences in Obesity : 1–23 (2020).

62. Nestler, E. J. Molecular basis of long-term plasticity underlying addiction. *Nat. Rev. Neurosci.* **2**, 119–128 (2001).

63. Anderson, S. M. *et al.* CaMKII: A biochemical bridge linking accumbens dopamine and glutamate systems in cocaine seeking. *Nat. Neurosci.* **11**, 344–353 (2008).

64. Chao, S. Z., Ariano, M. A., Peterson, D. A. & Wolf, M. E. D1 dopamine receptor stimulation increases GluR1 surface expression in nucleus accumbens neurons. 704–712 (2002).

65. Keinänen, K. *et al.* A family of AMPA-selective glutamate receptors. *Science* **249**, 556–60 (1990).

66. Sommer, B. *et al.* Flip and flop: a cell-specific functional switch in glutamate-operated channels of the CNS. *Science* **249**, 1580–5 (1990).

67. Hollmann, M. & Heinemann, S. Cloned glutamate receptors. *Annu. Rev. Neurosci.* **17**, 31–108 (1994).

68. Farb, C. R. & LeDoux, J. E. NMDA and AMPA receptors in the lateral nucleus of the amygdala are postsynaptic to auditory thalamic afferents. *Synapse* **27**, 106–121 (1997).

69. Radley, J. J. *et al.* Distribution of NMDA and AMPA receptor subunits at thalamo-amygdaloid dendritic spines. *Brain Res.* **1134**, 87–94 (2007).

70. Malinow, R. & Malenka, R. C. AMPA receptor trafficking and synaptic plasticity. *Annu. Rev. Neurosci.* **25**, 103–126 (2002).

71. Rumpel, S., LeDoux, J., Zador, A. & Malinow, R. Postsynaptic receptor trafficking underlying a form of associative learning. *Science (80-.)*. **308**, 83–88 (2005).

72. Hu, H. *et al.* Emotion Enhances Learning via Norepinephrine Regulation of AMPA-Receptor Trafficking. *Cell* **131**, 160–173 (2007).

73. Moore, R. Y. & Bloom, F. E. Central catecholamine neuron systems: anatomy and physiology of the dopamine systems. *Annu. Rev. Neurosci.* **2**, 113–68 (1979).

REFERENCES

74. Jedynak, J. *et al.* Cocaine and amphetamine induce overlapping but distinct patterns of AMPAR plasticity in nucleus accumbens medium spiny neurons. *Neuropsychopharmacology* **41**, 464–476 (2016).
75. Ungless, M. A., Whistler, J. L. & Malenka, R. C. Single cocaine exposure in vivo induces long-term potentiation in dopamine neurons. **411**, 583–587 (2001).
76. Beier, K. T. *et al.* Rabies screen reveals GPe control of cocaine-triggered plasticity. *Nat. Publ. Gr.* **549**, 345–350 (2017).
77. Tom, R. L., Ahuja, A., Maniates, H., Freeland, C. M. & Robinson, M. J. F. Optogenetic activation of the central amygdala generates addiction-like preference for reward. *Eur. J. Neurosci.* **50**, 2086–2100 (2019).
78. O'Dell, L. E., Sussman, A. N., Meyer, K. L. & Neisewander, J. L. Behavioral effects of psychomotor stimulant infusions into amygdaloid nuclei. *Neuropsychopharmacology* **20**, 591–602 (1999).
79. Chevrette, J., Stellar, J. R., Hesse, G. W. & Markou, A. Both the shell of the nucleus accumbens and the central nucleus of the amygdala support amphetamine self-administration in rats. **71**, 501–507 (2002).
80. United Nations Office on Drugs and Crime. *World drug report.* (2019).
81. Barch, D. M. & Carter, C. S. Amphetamine improves cognitive function in medicated individuals with schizophrenia and in healthy volunteers. **77**, 43–58 (2005).
82. Wit, H. De, Ph, D., Enggasser, J. L., Richards, J. B. & Ph, D. Acute Administration of d -Amphetamine Decreases Impulsivity in Healthy Volunteers. (2002).
83. Saunders, C. *et al.* Amphetamine-induced loss of human dopamine transporter activity : An internalization-dependent and cocaine-sensitive mechanism. **97**, (2000).
84. White, F. J. & Kalivas, P. W. Neuroadaptations involved in amphetamine and cocaine addiction. (1998).
85. Kahlig, K. M. *et al.* Regulation of Dopamine Transporter Trafficking by Intracellular Amphetamine. **70**, 542–548 (2006).
86. Sah, P., Faber, E. S. L., Lopez de Armentia, M. & Power, J. The Amygdaloid Complex : Anatomy and Physiology. *Physiol. Rev.* **83**, 803–834 (2003).
87. Cassell, M. D., Freedman, L. J. & Shi, C. The intrinsic organization of the central extended amygdala. *Ann. N. Y. Acad. Sci.* **877**, 217–241 (1999).
88. Mcgregor, A. & Roberts, D. C. S. Dopaminergic antagonism within the nucleus accumbens or the amygdala produces differential effects on intravenous cocaine self-administration under fixed and progressive ratio schedules of reinforcement. **624**, 245–252 (1993).
89. Cornish, J. L., Hunt, G. E., Robins, L. & McGregor, I. S. Regional c-Fos and FosB/δFosB expression associated with chronic methamphetamine self-administration and methamphetamine-seeking behavior in rats. *Neuroscience* **206**, 100–114 (2012).
90. Hiroi, N. & White, N. M. The lateral nucleus of the amygdala mediates expression of the amphetamine-produced conditioned place preference. *J. Neurosci.* **11**, 2107–2116 (1991).
91. Pogorelov, V. M., Lanthorn, T. H. & Savelieva, K. V. Use of a platform in an automated open-field to enhance assessment of anxiety-like behaviors in mice. **162**, 222–228 (2007).
92. Biala, G. & Kruk, M. Effects of co-administration of bupropion and nicotine or D -amphetamine on the elevated plus maze test in mice Animals. 493–502 (2009). doi:10.1211/jpp/61.04.0012
93. Struntz, K. H. & Siegel, J. A. Effects of methamphetamine exposure on anxiety-like behavior in the open field test, corticosterone, and hippocampal tyrosine hydroxylase in adolescent and adult mice. *Behav. Brain Res.* **348**, 211–218 (2018).
94. Walker, D. L. & Davis, M. Role of the extended amygdala in short-duration versus sustained fear: A tribute to Dr. Lennart Heimer. *Brain Struct. Funct.* **213**, 29–42 (2008).
95. Fox, A. S., Oler, J. A., Tromp, D. P. M., Fudge, J. L. & Kalin, N. H. Extending the amygdala in theories of threat processing. *Trends Neurosci.* **38**, 319–329 (2015).
96. Kahlig, K. M. & Galli, A. Regulation of dopamine transporter function and plasma membrane expression by dopamine, amphetamine, and cocaine. *Eur. J. Pharmacol.* **479**, 153–158 (2003).

REFERENCES

97. Sulzer, D., Sonders, M. S., Poulsen, N. W. & Galli, A. Mechanisms of neurotransmitter release by amphetamines: A review. *Prog. Neurobiol.* **75**, 406–433 (2005).
98. Murray, A. J. *et al.* Parvalbumin-positive CA1 interneurons are required for spatial working but not for reference memory. *Nat. Neurosci.* **14**, 297–299 (2011).
99. Giovannelli, J. *et al.* A central amygdala-globus pallidus circuit conveys unconditioned stimulus-related information and controls fear learning. *J. Neurosci.* **40**, 9043–9054 (2020).
100. Lu, L. *et al.* Central amygdala ERK signaling pathway is critical to incubation of cocaine craving. **8**, 212–219 (2005).
101. Lu, L., Uejima, J. L., Gray, S. M., Bossert, J. M. & Shaham, Y. Systemic and Central Amygdala Injections of the mGluR 2 / 3 Agonist LY379268 Attenuate the Expression of Incubation of Cocaine Craving. (2007). doi:10.1016/j.biopsych.2006.04.011
102. Li, X., Zeric, T., Kambhampati, S., Bossert, J. M. & Shaham, Y. The Central Amygdala Nucleus is Critical for Incubation of Methamphetamine Craving. **40**, 1297–1306 (2015).
103. Venniro, M. *et al.* The Anterior Insular Cortex -Central Amygdala Glutamatergic Pathway Is Critical to Relapse after Contingency Management. *Neuron* **96**, 414-427.e8 (2017).
104. Venniro, M. *et al.* Volitional social interaction prevents drug addiction in rat models. *Nat. Neurosci.* 1520–1529 (2018). doi:10.1038/s41593-018-0246-6
105. Lutter, M. & Nestler, E. J. Homeostatic and hedonic signals interact in the regulation of food intake. *J. Nutr.* **139**, 629–632 (2009).
106. Saper, C. B., Chou, T. C. & Elmquist, J. K. The Need to Feed: Homeostatic and Hedonic Control of Eating. *Neuron* **36**, 199–211 (2002).
107. Morton, G. J., Meek, T. H. & Schwartz, M. W. Neurobiology of food intake in health and disease. *Nat. Rev. Neurosci.* **15**, 367–378 (2014).
108. Betley, J. N., Cao, Z. F. H., Ritola, K. D. & Sternson, S. M. Parallel, redundant circuit organization for homeostatic control of feeding behavior. *Cell* **155**, 1337–1350 (2013).
109. Zhang-Molina, C., Schmit, M. B. & Cai, H. Neural Circuit Mechanism Underlying the Feeding Controlled by Insula-Central Amygdala Pathway. *iScience* **23**, 101033 (2020).
110. Hirabayashi, T., Nakamachi, T. & Shioda, S. Discovery of PACAP and its receptors in the brain. *J. Headache Pain* **19**, 1–8 (2018).
111. Vaudry, D. *et al.* Pituitary adenylate cyclase-activating polypeptide and its receptors: 20 Years after the discovery. *Pharmacol. Rev.* **61**, 283–357 (2009).
112. Iigaya, K., Minoura, Y., Onimaru, H., Kotani, S. & Izumizaki, M. Effects of Feeding-Related Peptides on Neuronal Oscillation in the Ventromedial Hypothalamus. *J. Clin. Med.* **8**, 292 (2019).
113. Hurley, M. M., Robble, M. R., Callan, G., Choi, S. J. & Wheeler, R. A. Pituitary adenylate cyclase-activating polypeptide (PACAP) acts in the nucleus accumbens to reduce hedonic drive. *Int J Obes* **43**, 928–932 (2019).
114. Iemolo, A., Ferragud, A., Cottone, P. & Sabino, V. Pituitary adenylate cyclase-activating peptide in the central amygdala causes anorexia and body weight loss via the melanocortin and the TrkB systems. *Neuropsychopharmacology* **40**, 1846–1855 (2015).
115. Sanford, C. A. *et al.* A Central Amygdala CRF Circuit Facilitates Learning about Weak Threats. *Neuron* **93**, 164–178 (2017).
116. Hunt, S., Sun, Y., Kucukdereli, H., Klein, R. & Sah, P. Intrinsic circuits in the lateral central amygdala. *eNeuro* **4**, 1–18 (2017).
117. Jia, H. G., Zhang, G. Y. & Wan, Q. A GABAergic projection from the central nucleus of the amygdala to the parabrachial nucleus: An ultrastructural study of anterograde tracing in combination with post-embedding immunocytochemistry in the rat. *Neurosci. Lett.* **382**, 153–157 (2005).
118. Raver, C. *et al.* An amygdalo-parabrachial pathway regulates pain perception and chronic pain. *bioRxiv* **40**, 3424–3442 (2020).
119. Tokita, K., Inoue, T. & Boughter, J. D. Afferent connections of the parabrachial nucleus in C57BL/6J mice. *Neuroscience* **161**, 475–488 (2009).
120. Lundy, R. F. & Norgren, R. Pontine gustatory activity is altered by electrical stimulation in the central nucleus of the amygdala. *J.*

REFERENCES

- Neurophysiol.* **85**, 770–783 (2001).
121. Lundy, R. F. & Norgren, R. Activity in the Hypothalamus, Amygdala, and Cortex Generates Bilateral and Convergent Modulation of Pontine Gustatory Neurons. *J. Neurophysiol.* **91**, 1143–1157 (2004).
 122. Magableh, A. & Lundy, R. Somatostatin and corticotrophin releasing hormone cell types are a major source of descending input from the forebrain to the parabrachial nucleus in mice. *Chem. Senses* **39**, 673–682 (2014).
 123. Panguluri, S., Saggi, S. & Lundy, R. Comparison of somatostatin and corticotrophin-releasing hormone immunoreactivity in forebrain neurons projecting to taste-responsive and non-responsive regions of the parabrachial nucleus in rat. *Brain Res.* **1298**, 57–69 (2009).
 124. Bartonjo, J. J. & Lundy, R. F. Distinct Populations of Amygdala Somatostatin-Expressing Neurons Project to the Nucleus of the Solitary Tract and Parabrachial Nucleus. *Chem. Senses* **45**, 687–698 (2020).
 125. McEwen, B. S. Neurobiological and Systemic Effects of Chronic Stress. *Chronic Stress* **1**, (2017).
 126. Reue, K. Sex differences in obesity: X chromosome dosage as a risk factor for increased food intake, adiposity and co-morbidities. *Physiol. Behav.* **176**, 174–182 (2017).
 127. Sample, C. H. & Davidson, T. L. Considering sex differences in the cognitive controls of feeding. *Physiol. Behav.* **187**, 97–107 (2018).
 128. Berridge, C. W. Noradrenergic Modulation of Arousal. *Brain Res Rev* **58**, 1–17 (2009).
 129. Fuxe, K. Evidence for the existence of monoamine neurons in the central nervous system. *Zeitschrift für Zellforsch. und Mikroskopisch* **596**, 573–596 (1965).
 130. Tanaka, M., Yoshida, M., Emoto, H. & Ishii, H. Noradrenaline systems in the hypothalamus, amygdala and locus coeruleus are involved in the provocation of anxiety: Basic studies. *Eur. J. Pharmacol.* **405**, 397–406 (2000).
 131. McGaugh, J. L. & Roozendaal, B. Role of adrenal stress hormones in forming lasting memories in the brain. *Curr. Opin. Neurobiol.* **12**, 205–210 (2002).
 132. Hall, R. A. B-Adrenergic Receptors and Their Interacting Proteins. *Semin. Cell Dev. Biol.* **15**, 281–288 (2004).
 133. Hollmann, M. & Heinemann, S. Cloned Glutamate Receptors. *Annu. Rev. Neurosci.* **17**, 31–108 (1994).
 134. Sanchis-Segura, C. Involvement of the AMPA Receptor GluR-C Subunit in Alcohol-Seeking Behavior and Relapse. *J. Neurosci.* **26**, 1231–1238 (2006).
 135. Delaney, A. J., Crane, J. W. & Sah, P. Noradrenaline Modulates Transmission at a Central Synapse by a Presynaptic Mechanism. *Neuron* **56**, 880–892 (2007).
 136. Renner, M. C. *et al.* Synaptic plasticity through activation of GluA3-containing AMPA-receptors. *Elife* **6**, 1–22 (2017).
 137. Holze, F. *et al.* Distinct acute effects of LSD, MDMA, and d-amphetamine in healthy subjects. *Neuropsychopharmacology* **45**, 462–471 (2020).
 138. Wong, S. A. *et al.* OPPOSING EFFECTS OF ACUTE AND CHRONIC D -AMPHETAMINE ON DECISION-MAKING IN RATS. *Neuroscience* **345**, 218–228 (2017).
 139. Schuweiler, D. R., Athens, J. M., Thompson, J. M., Vazhayil, S. T. & Garris, P. A. Effects of an acute therapeutic or rewarding dose of amphetamine on acquisition of Pavlovian autoshaping and ventral striatal dopamine signaling. *Behav. Brain Res.* **336**, 191–203 (2018).
 140. Mattay, V. S. *et al.* Effects of Dextroamphetamine on Cognitive Performance and Cortical Activation. **275**, 268–275 (2000).
 141. Loos, M. *et al.* Inhibitory control and response latency differences between C57BL/6J and DBA/2J mice in a Go/No-Go and 5-choice serial reaction time task and strain-specific responsivity to amphetamine. *Behav. Brain Res.* **214**, 216–224 (2010).
 142. Jedynak, J. *et al.* Cocaine and Amphetamine Induce Overlapping but Distinct Patterns of AMPAR Plasticity in Nucleus Accumbens Medium Spiny Neurons. 464–476 (2016). doi:10.1038/npp.2015.168
 143. Lüscher, C. & Malenka, R. C. Drug-Evoked Synaptic Plasticity in Addiction : From Molecular Changes to Circuit Remodeling. *Neuron* **69**, (2011).

REFERENCES

144. Robinson, T. E. & Kolb, B. Structural plasticity associated with exposure to drugs of abuse. *Neuropharmacology* **47**, 33–46 (2004).
145. Venniro, M. *et al.* Abstinence-dependent dissociable central amygdala microcircuits control drug craving. **117**, 1–9 (2020).
146. Roura-Martínez, D. *et al.* Central nucleus of the amygdala as a common substrate of the incubation of drug and natural reinforcer seeking. *Addict. Biol.* **25**, 1–12 (2020).
147. Sibley, D. R., Monsma, J. F. & Shen, Y. Molecular neurobiology of dopaminergic receptors. *Int Rev Neurobiol* **35**, 391–415 (1993).
148. Weiss, S., Sebben, M., Garcia-Sainz, J. A. & Bockaert, J. D2-Dopamine receptor-mediated inhibition of cyclic AMP formation in striatal neurons in primary culture. *Mol. Pharmacol.* **27**, 595–599 (1985).
149. Pape, H. & McCormick, D. Noradrenaline and serotonin selectively modulate thalamic burst firing by enhancing a hyperpolarization-activated cation current. *Nature* **340**, 715–718 (1989).
150. Self, D. W. *et al.* Involvement of cAMP-dependent protein kinase in the nucleus accumbens in cocaine self-administration and relapse of cocaine-seeking behavior. *J. Neurosci.* **18**, 1848–1859 (1998).
151. Gilpin, N. W., Herman, M. A. & Roberto, M. Review The Central Amygdala as an Integrative Hub for Anxiety and Alcohol Use Disorders. *Biol. Psychiatry* **77**, 859–869 (2015).
152. Funk, D. *et al.* Role of central amygdala neuronal ensembles in incubation of nicotine craving. *J. Neurosci.* **36**, 8612–8623 (2016).
153. Li, Y. Q. *et al.* Central amygdala extracellular signal-regulated kinase signaling pathway is critical to incubation of opiate craving. *J. Neurosci.* **28**, 13248–13257 (2008).
154. Gutierrez-Castellanos, N. *et al.* Motor Learning Requires Purkinje Cell Synaptic Potentiation through Activation of AMPA-Receptor Subunit GluA3. *Neuron* **93**, 409–424 (2017).
155. Baxter, M. G. & Murray, E. A. The amygdala and reward. *Nat. Rev. Neurosci.* **3**, 563–573 (2002).
156. Wheeler, D. S. & Holland, P. C. Effects of reward timing information on cue associability are mediated by amygdala central nucleus. *Behav. Neurosci.* **125**, 46–53 (2011).