



UvA-DARE (Digital Academic Repository)

A supersymmetric model for lattice fermions

Huijse, L.

[Link to publication](#)

Citation for published version (APA):

Huijse, L. (2010). A supersymmetric model for lattice fermions

General rights

It is not permitted to download or to forward/distribute the text or part of it without the consent of the author(s) and/or copyright holder(s), other than for strictly personal, individual use, unless the work is under an open content license (like Creative Commons).

Disclaimer/Complaints regulations

If you believe that digital publication of certain material infringes any of your rights or (privacy) interests, please let the Library know, stating your reasons. In case of a legitimate complaint, the Library will make the material inaccessible and/or remove it from the website. Please Ask the Library: <http://uba.uva.nl/en/contact>, or a letter to: Library of the University of Amsterdam, Secretariat, Singel 425, 1012 WP Amsterdam, The Netherlands. You will be contacted as soon as possible.

Contents

| | | |
|----------|--|-----------|
| 1 | Introduction | 1 |
| 1.1 | Strongly interacting electron systems | 1 |
| 1.2 | The Hubbard model | 1 |
| 1.3 | Hard-core spinless fermions | 2 |
| 1.4 | Supersymmetric models for lattice fermions | 3 |
| 1.5 | This thesis | 5 |
| 1.6 | Outline | 5 |
| 2 | A supersymmetric model for lattice fermions | 7 |
| 2.1 | The model | 7 |
| 2.1.1 | Supersymmetry | 7 |
| 2.1.2 | Witten index | 8 |
| 2.1.3 | Lattice fermions | 8 |
| 2.1.4 | Example: 6-site chain | 9 |
| 2.2 | Relation to independence complex and (co)homology theory | 11 |
| 2.2.1 | Independence complex | 12 |
| 2.2.2 | Cohomology and homology theory | 12 |
| 2.2.3 | The 'tic-tac-toe' lemma | 13 |
| 2.2.4 | Examples: 6-site periodic and 4-site open chain | 14 |
| 3 | Superconformal field theory | 15 |
| 3.1 | Continuum theory | 15 |
| 3.2 | Conformal field theory | 15 |
| 3.3 | $\mathcal{N} = 2$ Superconformal field theory | 16 |
| 3.4 | Minimal series | 18 |
| 3.5 | Superpartners and Witten index | 18 |
| 3.6 | Spectral flow | 20 |
| 4 | The supersymmetric model on the one dimensional chain | 21 |
| 4.1 | Introduction | 21 |
| 4.2 | Hamiltonian | 21 |
| 4.3 | Witten index | 21 |
| 4.3.1 | Transfer matrix | 22 |
| 4.3.2 | Ground state momenta | 23 |
| 4.4 | Cohomology | 24 |
| 4.5 | Bethe Ansatz solution in continuum limit | 25 |
| 4.6 | Relation to other models | 25 |

| | | |
|----------|---|------------|
| 4.6.1 | A family of supersymmetric models | 26 |
| 4.6.2 | The XXZ Heisenberg spin chain | 26 |
| 4.6.3 | A supersymmetric matrix model | 27 |
| 4.7 | Free boson with $\mathcal{N} = (2, 2)$ supersymmetry | 28 |
| 4.7.1 | Spectrum | 29 |
| 4.7.2 | Lattice operators: fermion number and momentum | 32 |
| 4.7.3 | Highest weight state and descendants | 34 |
| 4.7.4 | Partition sum | 36 |
| 4.7.5 | Fermi velocity | 38 |
| 4.7.6 | Chain of length $L = \pm 1 \pmod{3}$ | 38 |
| 4.7.7 | Finite size spectra | 39 |
| 4.8 | Spectral flow | 40 |
| 4.8.1 | Spectral flow in finite size spectra | 45 |
| 4.9 | Open boundary conditions | 47 |
| 4.9.1 | Continuum theory | 47 |
| 4.9.2 | One-point functions | 51 |
| 4.10 | Entanglement entropy | 56 |
| 5 | The supersymmetric model on two dimensional lattices | 59 |
| 5.1 | Superfrustration | 59 |
| 5.2 | Exact results for the cohomology of Q on two-dimensional lattices | 60 |
| 5.2.1 | Martini lattice | 61 |
| 5.2.2 | Octagon-square lattice | 62 |
| 5.2.3 | Graphs with extra sites on the links | 63 |
| 5.3 | Triangular and hexagonal lattice | 64 |
| 5.3.1 | Numerical results for Witten index | 64 |
| 5.3.2 | Bounds on the size and dimension of the homology of Q | 65 |
| 5.4 | Square lattice | 68 |
| 6 | Ground states of the square lattice related to rhombus tilings | 73 |
| 6.1 | Introduction | 73 |
| 6.2 | Outline of the proof | 74 |
| 6.3 | The cohomology of Q on the chain | 74 |
| 6.4 | Part I: Tilted rectangles and cylinders | 76 |
| 6.5 | Part II: The torus | 78 |
| 6.5.1 | A special case: S_2 consisting of 1 chain | 79 |
| 6.5.2 | The general case: S_2 consisting of p chains | 86 |
| 6.6 | Counting formula for tilings | 106 |
| 7 | The supersymmetric model on 2 and 3 leg ladders | 111 |
| 7.1 | Ladder models as a first step towards 2D systems | 111 |
| 7.2 | Ground states and tilings | 111 |
| 7.2.1 | Kagome ladder | 112 |
| 7.2.2 | Ladder realizations of the square lattice | 114 |
| 7.3 | Spectral flow for ladder realizations of the square lattice | 117 |
| 7.4 | Zig-zag ladder | 120 |
| 7.4.1 | Exact ground states at and near quarter filling | 122 |

| | | |
|----------|---|------------|
| 7.4.2 | Entanglement entropy | 123 |
| 7.4.3 | Charge order at quarter and one fifth filling | 124 |
| 7.4.4 | Flat band | 127 |
| 7.4.5 | Mapping to spin chain | 127 |
| 7.5 | Square ladder | 129 |
| 7.5.1 | First guess for the continuum theory | 129 |
| 7.5.2 | Other $c = 3/2$ theories | 136 |
| 8 | Discussion and outlook | 139 |
| 8.1 | Quantum criticality | 139 |
| 8.2 | Ground states and tilings | 140 |
| 8.2.1 | Edge modes in the square lattice | 140 |
| 8.2.2 | Octagon-square lattice | 141 |
| 8.2.3 | Bulk criticality | 142 |
| 8.3 | Extensions of the supersymmetric model | 142 |
| 8.4 | Superfrustration and black holes | 143 |
| | Bibliography | 145 |
| | Summary | 151 |
| | Samenvatting | 153 |
| | Dankwoord | 157 |