



UvA-DARE (Digital Academic Repository)

Magnetotransport studies of the single and bilayer two dimensional electron gas in the quantum Hall regime

Galistu, G.M.

Publication date
2010

[Link to publication](#)

Citation for published version (APA):

Galistu, G. M. (2010). *Magnetotransport studies of the single and bilayer two dimensional electron gas in the quantum Hall regime*. [Thesis, fully internal, Universiteit van Amsterdam].

General rights

It is not permitted to download or to forward/distribute the text or part of it without the consent of the author(s) and/or copyright holder(s), other than for strictly personal, individual use, unless the work is under an open content license (like Creative Commons).

Disclaimer/Complaints regulations

If you believe that digital publication of certain material infringes any of your rights or (privacy) interests, please let the Library know, stating your reasons. In case of a legitimate complaint, the Library will make the material inaccessible and/or remove it from the website. Please Ask the Library: <https://uba.uva.nl/en/contact>, or a letter to: Library of the University of Amsterdam, Secretariat, Singel 425, 1012 WP Amsterdam, The Netherlands. You will be contacted as soon as possible.

Contents

1. Introduction	1
1.1 The classical Hall effect	1
1.2 The quantum Hall effect	2
1.3 Landau quantization	4
1.4 Plateau-insulator transition	5
1.5 Outline of this thesis	7
1.6 References	9
2. Theoretical concepts	11
3. Experimental aspects	17
3.1. Introduction	17
3.2. Measuring techniques	18
3.2.1. AC measuring	18
3.2.2. DC measuring	21
3.2.3. AC versus DC	24
3.3. Capacitive coupling	27
3.4. Shape of the Hall bar	29
3.5. Conclusions	31
3.6. References	32
4. Critical behavior	33
4.1. Introduction	33
4.1.1. The ‘H.P. Wei’ school of thought	34
4.1.2. The ‘phenomenological’ school of thought	34
4.1.3. The PI transition	35
4.1.4. Numerical value of κ	36
4.1.5. Confronting controversies	36
4.1.6. Outline	38
4.2. InGaAs/GaAs quantum well with tunable barrier density: PP transition	38
4.2.1. Determining inhomogeneities	40
4.3. The PI transition	45
4.4. Simulating the PI transition	48
4.5. Conclusions	51
4.6. References	52
5. Irrelevant critical behavior	55
5.1. Introduction	55
5.2. Dealing with sample inhomogeneities and contact misalignment	56
5.3. DC results for three electron densities of the 2DEG	60
5.4. Flow diagrams	70
5.5. Conclusions	72
5.6. References	74

6. Magnetotransport and optical properties of GaAs/InGaAs/GaAs quantum wells with a thin central AlAs barrier	75
6.1. Introduction	75
6.2. First series of samples	77
6.2.1. Sample structure (1)	77
6.2.2. Transport properties	77
6.2.3. Photoluminescence	81
6.2.4. Subband structure and wavefunction calculations	83
6.2.5. Comparison of transport measurements, photoluminescence and calculations	85
6.3. Second series of samples	87
6.3.1. Sample structure (2)	87
6.3.2. Transport data and band structure calculations	88
6.4. Conclusions	94
6.5. References	96
7. Effect of tilted magnetic field on $\text{In}_x\text{Ga}_{1-x}\text{As}/\text{GaAs}$ bilayer quantum well with large Landé g-factor	97
7.1. Introduction	97
7.2. Theoretical background	98
7.3. Experimental aspects	102
7.4. Double quantum wells	104
7.5. Comparison of the double quantum well and the single quantum well	108
7.6. Unique aspects of the double quantum well revised	112
7.7. An unexpected peculiarity	115
7.8. Conclusions	116
7.9. References	118
Summary	119
Samenvatting	122
List of publications	126
Acknowledgements	127