



## UvA-DARE (Digital Academic Repository)

### Coherent X-ray scattering of charge order dynamics and phase separation in titanates

Shi, B.

**Publication date**

2017

**Document Version**

Other version

**License**

Other

[Link to publication](#)

**Citation for published version (APA):**

Shi, B. (2017). *Coherent X-ray scattering of charge order dynamics and phase separation in titanates*. [Thesis, fully internal, Universiteit van Amsterdam].


**General rights**

It is not permitted to download or to forward/distribute the text or part of it without the consent of the author(s) and/or copyright holder(s), other than for strictly personal, individual use, unless the work is under an open content license (like Creative Commons).

**Disclaimer/Complaints regulations**

If you believe that digital publication of certain material infringes any of your rights or (privacy) interests, please let the Library know, stating your reasons. In case of a legitimate complaint, the Library will make the material inaccessible and/or remove it from the website. Please Ask the Library: <https://uba.uva.nl/en/contact>, or a letter to: Library of the University of Amsterdam, Secretariat, Singel 425, 1012 WP Amsterdam, The Netherlands. You will be contacted as soon as possible.

Coherent X-ray Scattering of  
**Charge Order Dynamics and Phase  
Separation in Titanates**



Charge Order Dynamics and Phase Separation in Titanates

Bo Shi

电荷序动力学  
相干光散射  
钛氧化物  
相分离

*phase separation*

*titanates*

*coherent light scattering*

*charge order dynamics*

Coherent X-ray Scattering of

# Charge Order Dynamics and Phase Separation in Titanates

ACADEMISCH PROEFSCHRIFT

ter verkrijging van de graad van doctor  
aan de Universiteit van Amsterdam  
op gezag van de Rector Magnificus  
prof. dr. ir. K.I.J. Maex

ten overstaan van een door het College voor Promoties ingestelde commissie,  
in het openbaar te verdedigen in de Agnietenkapel  
op dinsdag 07 Februari 2017, te 12:00 uur

door

**Bo Shi**

geboren te Nei Mongol, China


**Promotiecommissie:**

Promotor:	Prof. dr. M.S. Golden	Universiteit van Amsterdam
Copromotor:	Dr. J.B. Goedkoop	Universiteit van Amsterdam
Overige Leden:	Dr. C. Schüßler-Langeheine	Helmholtz-Zentrum Berlin
	Prof. dr. H.A. Dürr	Universiteit van Amsterdam
	Prof. dr. F.M.F. de Groot	Universiteit Utrecht
	Prof. dr. C. Gutt	Universität Siegen
	Dr. A. de Visser	Universiteit van Amsterdam
Faculteit:	Faculteit der Natuurwetenschappen, Wiskunde en Informatica	



UNIVERSITY OF AMSTERDAM

The work described in this thesis was performed in the Quantum Matter group, part of the Van der Waals-Zeeman Institute, at the Institute of Physics at the University of Amsterdam, Science Park 904, 1098 XH Amsterdam. This work is part of the research programme of the Stichting voor Fundamenteel Onderzoek der Materie (FOM), which is part of the Netherlands Organisation for Scientific Research (NWO).



# Table of contents

<b>1</b>	<b>Introduction</b>	<b>1</b>
<b>2</b>	<b>3d Transition Metal Oxides</b>	<b>5</b>
2.1	Colossal magnetoresistant manganites . . . . .	5
2.2	Phase separation scenario . . . . .	6
2.3	Charge ordering . . . . .	8
2.4	Crystal structure of cubic perovskites . . . . .	8
2.5	Electronic structure . . . . .	10
2.6	Doping dependence . . . . .	11
2.7	The titanates . . . . .	11
2.7.1	Filling control in doped titanates . . . . .	12
2.7.2	Crystal structure deformation and charge ordering . . . . .	13
2.7.3	Bandwidth control in doped titanates . . . . .	16
<b>3</b>	<b>Coherent X-ray Scattering: Techniques, Principles and Instrumentation</b>	<b>19</b>
3.1	X-ray correlation spectroscopy . . . . .	19
3.2	Coherence . . . . .	21
3.2.1	Longitudinal coherence length . . . . .	21
3.2.2	Transverse coherence length . . . . .	22
3.3	X-ray free-electron laser and self-amplified spontaneous emission . . . . .	23
3.4	Speckle methodology . . . . .	25
3.4.1	Phasor sum . . . . .	25
3.4.2	Probability density function of the speckle amplitude . . . . .	26
3.4.3	From amplitude to intensity . . . . .	26
3.4.4	Speckle contrast . . . . .	27
3.4.5	Low intensity statistics . . . . .	27
3.4.6	Time-correlation function . . . . .	28
3.4.7	Contrast reduction for dynamical speckle . . . . .	30

3.4.8	Pixel effect on contrast . . . . .	31
3.5	Instrumentation . . . . .	32
3.5.1	Vacuum diffraction chamber for soft X-ray scattering . . . . .	32
3.5.2	Coherent setup . . . . .	34
3.5.3	Vacuum diffractometer at the hard X-ray beamline P10 at Petra-III . . . . .	36
3.5.4	LCLS and the X-ray correlation spectroscopy station . . . . .	38
<b>4</b>	<b>Searching for Dynamics of the Charge Order in Titanates</b>	<b>41</b>
4.1	Soft X-ray coherent scattering . . . . .	42
4.1.1	Soft X-ray coherent speckle patterns . . . . .	43
4.1.2	Formation of speckle patterns in phase separated crystals . . . . .	45
4.1.3	Correlation lengths probed by the speckle pattern . . . . .	47
4.1.4	Contrast and stability of the speckle patterns . . . . .	48
4.2	Hard X-ray coherent scattering . . . . .	48
4.2.1	Frame-averaged hard X-ray speckle images at thermal equilibrium . . . . .	50
4.2.2	Equilibrium dynamics . . . . .	51
4.2.3	Non-equilibrium dynamics . . . . .	53
4.3	A first XFEL-based, coherent scattering experiment . . . . .	57
4.3.1	(022) Coherent diffraction patterns . . . . .	59
4.3.2	Comparison of Pixis and Timepix detector . . . . .	62
4.3.3	Search for fluctuations in the (022) speckle data from the LCLS . . . . .	64
4.3.4	Contrast reduction due to statistical averaging . . . . .	64
4.3.5	q-dependent contrast analysis . . . . .	65
4.4	Conclusion and outlook: speckle experiments . . . . .	67
<b>5</b>	<b>Structural Investigation of the Phase Separation in Titanates</b>	<b>71</b>
5.1	Evolution of the (011) and (022) reflections as a function of temperature . . . . .	72
5.2	Intensity ratios . . . . .	77
5.3	2D detector rocking scans of the mixed phase system . . . . .	78
5.4	Mapping the phase separation in $\text{Er}_{0.6}\text{Ca}_{0.4}\text{TiO}_3$ with $\mu\text{XRD}$ . . . . .	85
5.4.1	Experimental details of $\mu\text{XRD}$ . . . . .	85
5.4.2	$\mu\text{XRD}$ results and discussion . . . . .	86
5.4.3	Intensity probability density function . . . . .	95
5.4.4	Ensemble-averaged coherent diffraction patterns . . . . .	97
5.4.5	Modeling of the contrast in the microdiffraction maps . . . . .	100
5.4.6	Nature of the stripes . . . . .	102
5.5	Conclusion . . . . .	106

<b>References</b>	<b>111</b>
<b>Appendix A Diffraction geometry and crystallographic orientation</b>	<b>117</b>
<b>Appendix B The Timepix Detector</b>	<b>123</b>
B.1 Charge sharing . . . . .	127
B.2 Cluster analysis . . . . .	128
<b>Appendix C Characterization of the coherent properties of the XCS beam line</b>	<b>131</b>
C.1 Electron bunch and types of operation . . . . .	131
C.2 Determination of the longitudinal coherence length from the statistics of the monochromatic X-ray pulse energy . . . . .	135
C.3 Determination of speckle modes from single shot photon count statistics . .	135
<b>Summary</b>	<b>141</b>
<b>Samenvatting</b>	<b>143</b>
<b>Acknowledgments</b>	<b>145</b>