



UvA-DARE (Digital Academic Repository)

INTEGRAL sees continuing activity from SAX J1747.0-2853, but not from SAX J1750.8-2900

Kuulkers, E.; Chenevez, J.; Bozzo, E.; Alfonso-Garzon, J.; Beckmann, V.; Bird, T.; Brandt, S.; Courvoisier, T.; Del Santo, M.; Domingo, A.; Ebisawa, K.; Jonker, P.; Kretschmar, P.; Markwardt, C.; Oosterbroek, T.; Paizis, A.; Pottschmidt, K.; Sanchez-Fernandez, C.; Wijnands, R.

Publication date

2011

Document Version

Final published version

Published in

The astronomer's telegram

License

Unspecified

[Link to publication](#)

Citation for published version (APA):

Kuulkers, E., Chenevez, J., Bozzo, E., Alfonso-Garzon, J., Beckmann, V., Bird, T., Brandt, S., Courvoisier, T., Del Santo, M., Domingo, A., Ebisawa, K., Jonker, P., Kretschmar, P., Markwardt, C., Oosterbroek, T., Paizis, A., Pottschmidt, K., Sanchez-Fernandez, C., & Wijnands, R. (2011). INTEGRAL sees continuing activity from SAX J1747.0-2853, but not from SAX J1750.8-2900. *The astronomer's telegram*, 3172. <https://www.astronomerstelegam.org/?read=3172>

General rights

It is not permitted to download or to forward/distribute the text or part of it without the consent of the author(s) and/or copyright holder(s), other than for strictly personal, individual use, unless the work is under an open content license (like Creative Commons).

Disclaimer/Complaints regulations

If you believe that digital publication of certain material infringes any of your rights or (privacy) interests, please let the Library know, stating your reasons. In case of a legitimate complaint, the Library will make the material inaccessible and/or remove it from the website. Please Ask the Library: <https://uba.uva.nl/en/contact>, or a letter to: Library@the-university-of-amsterdam.nl, Secretariat, Singel 425, 1012 CA Amsterdam, The Netherlands. You will be contacted as soon as possible.

Outside
 GCN
 IAUCs
 ATel on Twitter

Patreon

The Astronomer's Telegram

Post | Search | Policies
 Credential | Feeds | Email

15 Aug 2022; 07:58 UT

This space for free for your conference.



**MIAPP workshop on
 Interacting Supernovae**
 6 February - 3 March 2023
 Garching, Germany

Thanks to Patrons, The Astronomer's Telegram is free to read, free to publish and always will be. Thank you.

[[Previous](#) | [Next](#) | [ADS](#)]

INTEGRAL sees continuing activity from SAX J1747.0-2853, but not from SAX J1750.8-2900

ATel #3172; *E. Kuulkers (ESA/ESAC, Spain), J. Chenevez (DTU Space, Denmark), E. Bozzo (ISDC, Switzerland), J. Alfonso-Garzon (LAEX-CAB/INTA-CSIC, Spain), V. Beckmann (APC, France), T. Bird (Southampton, UK), S. Brandt (DTU Space, Denmark), Th. Courvoisier (ISDC, Switzerland), M. Del Santo (INAF/IASF-Roma, Italy), A. Domingo (LAEX-CAB/INTA-CSIC, Spain), K. Ebisawa (ISAS, Japan), P. Jonker (SRON, The Netherlands), P. Kretschmar (ESA/ESAC, Spain), C. Markwardt (GSFC, USA), T. Oosterbroek (ESA/ESTEC, The Netherlands), A. Paizis (INAF-IASF, Italy), K. Pottschmidt (UMBC/NASA GSFC, USA), C. Sanchez-Fernandez (ESA/ESAC, Spain), and R. Wijnands (UvA, The Netherlands)*

on 17 Feb 2011; 08:57 UT

Credential Certification: Erik Kuulkers (ekuulker@rssd.esa.int)

Subjects: X-ray, Binary, Neutron Star, Transient, Variables

Referred to by ATel #: [3181](#), [3183](#), [3930](#), [12576](#)

[Tweet](#)

The INTEGRAL Galactic bulge monitoring program (see ATel #[438](#)) observations obtained between 2011 Feb 13 11:30 and 15:11 UT show continuing soft X-ray activity from SAX J1747.0-2853 (ATels #[3123](#), #[3163](#)).

The JEM-X instrument detects strong flaring activity between 80 and 700 mCrab (3-25 keV). The average JEM-X spectrum is well described (reduced chi-squared is 1.1 for 11 degrees of freedom) by an absorbed black body plus power law (fixing the interstellar absorption, N_H , to $9e22 \text{ cm}^{-2}$, Natalucci et al. 2004, A&A 416, 699): $kT = 1.6 \pm 0.1$ keV and black-body luminosity of $(3.8 \pm 0.3)e37 \text{ erg/s}$ (at a distance of 9 kpc, Natalucci et al. 2000, ApJ, 543, L73), power-law index = 3.0 ± 0.1 with power-law normalization of 9 ± 2 photons/keV/cm²/s at 1 keV. The total unabsorbed 3-25 keV flux is $7.4e-9 \text{ erg/cm}^2/\text{s}$.

Although at the position of SAX J1747.0-2853 we do not detect any emission with IBIS/ISGR1, the analysis is complicated in this region because of the nearby 'blended' source 1E1743.1-2852 (see also ATel #[3170](#)). We, therefore, regard the emission seen in this region to be due to SAX J1747.0-2853, as it is the only active source as seen by the Swift/XRT (Atel #[3163](#)) and JEM-X. We find a flux of 15 ± 2 mCrab, which is

Related

- [15368](#) [AstroSat/SXT observation of the outburst of SAX J1747.0-2853](#)
- [15347](#) [Swift confirms outburst of SAX J1747.0-2853 \(AKA MAXI J1746-287\)](#)
- [15346](#) [MAXI/GSC detection of a new X-ray outburst from the direction of the galactic center](#)
- [12580](#) [NICER observations of the ongoing X-ray outburst from SAX J1747.0-2853](#)
- [12578](#) [INTEGRAL identified with SAX J1747.0-2853 a source of the X-ray outburst in the Galactic center region detected by MAXI](#)
- [12576](#) [MAXI/GSC detection of an ongoing X-ray outburst from SAX J1747.0-2853 or a new X-ray transient MAXI J1746-290](#)
- [12048](#) [INTEGRAL detects a new outburst from the NS LMXB SAX J1750.8-2900](#)
- [10115](#) [MAXI/GSC detection of peculiar soft X-ray enhancement probably from SLX 1735-269](#)
- [9115](#) [Chandra detection of increased X-ray activity from SAX J1747.0-2853](#)
- [8751](#) [Swift/BAT hard X-ray monitoring: A New Outburst of Black Hole Transient H1743-322](#)
- [8189](#) [Swift/XRT imaging finds no new transient near MAXI reported burst position](#)
- [8058](#) [INTEGRAL finds renewed X-ray activity of the Neutron star X-ray transient SAX J1750.8-2900](#)
- [7096](#) [INTEGRAL detection of the on-going outbursts from 1RXS J180408.9-342058 and GRO J1750-27](#)
- [7020](#) [Chandra position of IGR J17454-2919 and discovery of a possible NIR counterpart](#)
- [6602](#) [INTEGRAL/JEM-X sees enhanced activity in the Galactic center region: SAX J1747.0-2853 and IGR J17454-2919](#)
- [6574](#) [Hard X-ray spectral and timing properties of IGR J17454-2919 consistent with a black hole in the hard state](#)
- [6530](#) [IGR J17454-2919: a new X-ray transient found by INTEGRAL/JEM-X close to the Galactic Center](#)
- [5319](#) [MAXI/GSC detection of a new X-ray outburst from RX J1709.5-2639\(=XTE J1709-267\)](#)

consistent with the steep JEM-X spectrum.

SAX J1747.0-2853 is also burst active; we detected a type I X-ray burst starting near UT 13 Feb 13:34 which lasted at least 2 min, and had a net-peak flux of about 700 mCrab (3-25 keV).

The high, soft flux and strong flaring is the first of its kind seen in the Galactic bulge monitoring program, since its start in February 2005 (ATel #438). The behaviour is, however, comparable to that seen in March 2004 with INTEGRAL (ATel #256, see also Tarana et al. 2008, *PoS(Integral08)045*), when the source was also bright and soft.

We note that SAX J1750.8-2900, reported to be active a few days earlier (ATel #3170), is not seen in our observations, with a 3 sigma upper limit of 11 mCrab in JEMX1 (3-10 keV) and 8 mCrab in ISGRI (20-40 keV).

We thank the ISDC for providing us the results of their quick look analysis, on which this ATel is partly based.

INTEGRAL Galactic Bulge Monitoring Program

5241	MAXI/GSC detection of a renewed outburst from the black hole candidate H 1743-322
5041	MAXI/GSC detection of an X-ray outburst probably from SAX J1747.0-2853 and Swift followup observation of the Galactic center region
4840	Transient X-ray burster KS 1741-293 active again
4622	MAXI/GSC detection of a possible superburst from SLX 1735-269
3930	INTEGRAL Bulge monitoring program detects several active transients with JEM-X
3842	MAXI/GSC detects a quasi-regular outburst and a possible soft state transition in H 1743-322
3830	MAXI/GSC detection of an outburst from a black hole candidate 4U 1630-472
3760	MAXI/GSC detection of a superburst from the neutron star SAX J1828.5-1037
3625	MAXI and RXTE-ASM detect superburst candidate for 4U 1820-30
3280	Broad band energy spectrum and a low frequency QPO from H1743-322 in the hard state revealed by INTEGRAL and Swift observations
3277	RXTE Observes H1743-322 in Outburst
3267	INTEGRAL spots the very beginning of the current H1743-322 outburst
3263	IGR J17464-3213 (= H1743-322) is active again
3217	SAX J1747.0-2853: 'normal' thermonuclear bursts resumed
3183	First superburst observed by INTEGRAL, from SAX J1747.0-2853
3181	Swift/XRT confirms the INTEGRAL detection of a faint outburst from SAX J1750.8-2900
3172	INTEGRAL sees continuing activity from SAX J1747.0-2853, but not from SAX J1750.8-2900
3170	INTEGRAL/IBIS observations of the Galactic center region at the epoch of the short Fermi/LAT flare
3163	Swift/XRT detects SAX J1747.0-2853 (=MAXI J1745-288) in outburst
3162	Fermi LAT detection of an outburst from the Galactic center region
3123	MAXI/GSC detects an X-ray outburst from the Galactic center region, GRO J1744-28/MAXI J1745-288
2857	RXTE observes a transition to the low-hard state in H1743-322
2797	State transition in H 1743-322
2792	H 1743-322 approaching state transition
2788	RXTE pointed observations of H 1743-322
2781	Swift XRT observation of the black hole candidate H 1743-322
2774	MAXI/GSC detects a re-brightening from the black hole candidate H 1743-322
2729	MAXI/GSC detects an X-ray outburst of RX J1709.5-2639 (XTE J1709-267)
2425	MAXI/GSC detects an increase in X-ray flux from

	4U 1711-34
2235	INTEGRAL sees transient activity in the Galactic Bulge: XTE J1751-305 and GRS 1741.9-2853 in outburst
1951	Swift and INTEGRAL observations of SAX J1747.0-2853
1945	Recent PCA Measurements of SAX J1747.0-2853 and GX 339-4
1944	INTEGRAL detects an X-ray burst from SAX J1747.0-2853 with no detectable persistent emission
1340	A long burst from SLX 1735-269 detected by INTEGRAL
1233	Swift XRT observation of SAX J1747.0-2853
1228	A new outburst of the recurrent neutron star transient SAX J1747.0-2853
892	Renewed activity of the very faint X-ray transient CXOGC J174535.5-290124 and continued activity of the neutron-star X-ray transient SAX J1747.0-2853
874	New INTEGRAL source, IGR J17354-3255, and continuation of the INTEGRAL Galactic Bulge monitoring program
734	Three active neutron star X-ray transients: SAX J1747.0-2853, XTE J1739-285 and GRS 1747-312
642	On the (hard) X-ray activity of SAX J1747.0-2853 as seen with INTEGRAL
641	Swift Observation of SAX J1747.0-2853
638	Further Chandra observations of SAX J1747.0-2853 and the region around Sgr A*
637	Renewed activity of the neutron star X-ray transient SAX J1747.0-2853
567	New Outburst of A1744-36 = XTE J1748-361
539	HETE-2 detection of Superburst from SLX 1735-269
483	Probable superbursts in 4U 0614+091 and 4U 1608-522
482	Superburst in 4U1608-52
342	New X-ray transient IGR J17507-2856 discovered with INTEGRAL
262	Optical counterpart of XTE J1709-267
256	INTEGRAL detection of the X-ray outburst of SAX J1747.0-2853
255	RXTE PCA Detections of Transient Activity of X-ray Bursters in the Galactic Center Region
248	The LMXRB GX354-0 is flaring in the hard X-rays
244	R-band Observations of 2S 1711-339 in 1998 During Outburst
238	Correction to ATEL #233 (2S 1711-339) and addendum to ATEL #205 (A1744-36)
233	First Detection of the X-ray Burster 2S 1711-339 in Quiescence and a Suggested Optical Counterpart.

[[Telegram Index](#)]

R. E. Rutledge, Editor-in-Chief

rrutledge@astronomerstelegram.org

Derek Fox, Editor

dfox@astronomerstelegam.org