



UvA-DARE (Digital Academic Repository)

New X-ray transient outburst in Terzan 5

Altamirano, D.; Degenaar, N.D.; Heinke, C.O.; Homan, J.; Pooley, D.; Sivakoff, G.R.; Wijnands, R.

Publication date

2011

Document Version

Final published version

Published in

The astronomer's telegram

License

Unspecified

[Link to publication](#)

Citation for published version (APA):

Altamirano, D., Degenaar, N. D., Heinke, C. O., Homan, J., Pooley, D., Sivakoff, G. R., & Wijnands, R. (2011). New X-ray transient outburst in Terzan 5. *The astronomer's telegram*, 3714. <https://www.astronomerstelegam.org/?read=3714>

General rights

It is not permitted to download or to forward/distribute the text or part of it without the consent of the author(s) and/or copyright holder(s), other than for strictly personal, individual use, unless the work is under an open content license (like Creative Commons).

Disclaimer/Complaints regulations

If you believe that digital publication of certain material infringes any of your rights or (privacy) interests, please let the Library know, stating your reasons. In case of a legitimate complaint, the Library will make the material inaccessible and/or remove it from the website. Please Ask the Library: <https://uba.uva.nl/en/contact>, or a letter to: Library of the University of Amsterdam, Secretariat, Singel 425, 1012 WP Amsterdam, The Netherlands. You will be contacted as soon as possible.

Outside

GCN
IAUCs
ATel on Twitter

Patreon

The Astronomer's Telegram

Post | Search | Policies
Credential | Feeds | Email

15 Aug 2022; 12:39 UT

This space for free for your conference.

MIAPP workshop on
Interacting Supernovae
6 February - 3 March 2023
Garching, GermanyNe/O
Si
→

Thanks to Patrons, The Astronomer's Telegram is free to read, free to publish and always will be. Thank you.

[[Previous](#) | [Next](#) | [ADS](#)]

New X-ray transient outburst in Terzan 5

ATel #3714; *D. Altamirano (U. Amsterdam), N. Degenaar (U. Amsterdam), C. O. Heinke (U. Alberta), J. Homan (MIT), D. Pooley (Sam Houston State U.), G. R. Sivakoff (U. Alberta), R. Wijnands (U. Amsterdam)*

on 26 Oct 2011; 15:51 UT

Distributed as an Instant Email Notice Transients

Credential Certification: *Craig Heinke (cheinke@virginia.edu)*

Subjects: X-ray, Request for Observations, Globular Cluster, Transient

Referred to by ATel #: [3718](#), [3720](#), [3729](#), [3743](#)

Tweet

We have been monitoring the globular cluster Terzan 5 with weekly RXTE observations. Our observation from 4:57 to 5:28 UT on Oct. 26, 2011 found an RXTE PCA intensity of 0.008(2) Crab, vs. typical quiescent intensity of 0.002(1) Crab (2-16 keV). No indications of pulsations are visible yet, but the countrate is only 43 cts/s/PCU including background. Swift/BAT daily-averaged flux measurements (<http://swift.gsfc.nasa.gov/docs/swift/results/transients/weak/EXO1745-248/>) confirm the flux increase, reaching 0.0058(8) cts/cm²/s (15-50 keV), vs. typical quiescent flux of +/-0.001 cts/cm²/s.

This could be a new outburst of EXO 1745-248 (Markwardt & Swank 2000, IAUC # [7454](#); Wijnands et al. 2005, ApJ, 618, 883), or of IGR J17480-2446 (Atel #[2919](#), #[2922](#), #[2929](#), #[2933](#), #[2937](#), #[2946](#), #[2952](#), #[2974](#)), or of one of the numerous other quiescent X-ray binaries in Terzan 5 (Heinke et al. 2006, ApJ, 651, 1098). Identifying which X-ray binary is undergoing outburst is critical for understanding the outburst behavior of X-ray binaries, and for studying the cooling of their crusts after outbursts (e.g. Degenaar & Wijnands 2011, MNRAS, 414, L50). Swift, RXTE and Chandra observations have been requested to identify the source's position and measure its X-ray characteristics. We encourage rapid observations with X-ray and radio instruments (due to the high N_H and cluster environment, optical/IR observations are very difficult).

Related

- 9072 Outburst from low-mass X-ray binary GRS 1747-312 in Terzan 6
- 4915 Confirmation of GRS 1747-312 as the active transient in Terzan 6
- 4883 INTEGRAL/JEM-X detection of a possible new outburst from GRS 1747-312
- 4524 Re-brightening of MAXI J0556-332, a transient NS X-ray binary, detected by MAXI/GSC
- 4302 Chandra Identification of the 2012 Transient in Terzan 5
- 4264 The new X-ray transient Swift J174805.3-244637 in Terzan 5 is a neutron star LMXB
- 4249 Brightening and hardening of new X-ray transient in globular cluster Terzan 5
- 4242 A new X-ray transient in the globular cluster Terzan 5
- 3924 A Candidate Optical Counterpart of IGR J17480-2446 in Terzan 5 identified with the Hubble Space Telescope
- 3892 Sub-arcsecond position of the the transient 11-Hz X-ray pulsar in the Globular Cluster Terzan 5 derived from a Moon occultation observed by RXTE
- 3743 Chandra Identification of the 2011 Transient in Terzan 5: Same as the 2000 Transient
- 3729 MAXI detection of a super-burst from EXO 1745-248 in Terzan 5
- 3723 Improved Swift-XRT position of the transient source in Terzan 5
- 3720 Swift and RXTE follow up observations of the transient currently active in the globular cluster Terzan 5
- 3718 INTEGRAL non detection of renewed activity from Terzan 5
- 3714 New X-ray transient outburst in Terzan 5**
- 3650 MAXI J0556-332 is a transient neutron-star Z source
- 3349 Discovery of a strong emission line at 0.5 keV in MAXI J0556-332 with the RGS on XMM-Newton
- 3264 A possible IR counterpart to the transient X-ray pulsar IGR J17480-2446 in Terzan 5
- 3225 Discovery of 10 mHz quasi-periodic oscillations likely from IGR J17091-3624
- 3119 Radio detection of MAXI J0556-332 with the ATCA
- 3116 Optical observations of MAXI J0556-332 and an indication

	of a probable neutron star primary
3112	Changes in the timing properties of MAXI J0556-332
3110	Eclipse-like Absorption in MAXI J0556-332
3106	RXTE Observes MAXI J0556-332
3102	MAXI/GSC detects a new X-ray transient MAXI J0556-332
3044	Terzan 5 transient IGR J17480-2446: return of thermonuclear bursts or were they always there?
3000	Type-II bursts from the new Terzan 5 transient: a GRO J1744-28 analogue?
2974	Chandra Identification of the Transient in Terzan 5: Not the 2000 Transient.
2958	Discovery of mHz QPOs and burst rate evolution in the active Terzan 5 neutron star transient
2952	D. Altamirano (Amsterdam), J. Homan (MIT), M. Linares (MIT), A. Patruno (Amsterdam), Y. Yang (Amsterdam), A. Watts (Amsterdam), M. Kalamkar (Amsterdam), P. Casella (Southampton), M. Armas-Padilla (Amsterdam), Y. Cavecchi (Amsterdam), N. Degenaar (Amsterdam), D. Russell (Amsterdam), R. Kaur (Amsterdam), M. van der Klis (Amsterdam), N. Rea (CSIC-IEEC), R. Wijnands (Amsterdam)
2946	A Refined Orbital Solution and the Transient Pulsar in Terzan 5 is Not Eclipsing
2940	INTEGRAL and RXTE spectral analysis of IGR J17480-2446, the new transient in Terzan 5.
2939	A preliminary orbital solution for the transient eclipsing pulsar in Terzan 5
2937	Eclipsing X-ray Burster in Terzan 5: Improved Swift Localization
2935	Discovery of kilohertz quasi-periodic oscillations from EXO 1745-248
2933	The Eclipsing X-ray Burster in Terzan 5 is Probably Not the 2000 Transient
2932	Discovery of 11 Hz burst oscillations from the 11 Hz Eclipsing Pulsar in Terzan 5
2929	EXO 1745-248 is an 11 Hz Eclipsing Pulsar
2924	Further INTEGRAL observations of the transient X-ray burster EXO 1745-248
2922	Swift follow-up observations of EXO 1745-248
2920	Swift-XRT location of the ongoing Terzan 5 outburst
2919	A hard X-ray transient in the direction of Terzan 5 detected by INTEGRAL
2139	New transient LMXB in the globular cluster NGC 6440

[Telegram Index]

R. E. Rutledge, Editor-in-Chief

rrutledge@astronomerstelegam.org

Derek Fox, Editor

dfox@astronomerstelegam.org