



UvA-DARE (Digital Academic Repository)

Stochasticity in signal transduction pathways

Vidal Rodriguez, J.

Publication date
2009

[Link to publication](#)

Citation for published version (APA):

Vidal Rodriguez, J. (2009). *Stochasticity in signal transduction pathways*. [Thesis, fully internal, Universiteit van Amsterdam].

General rights

It is not permitted to download or to forward/distribute the text or part of it without the consent of the author(s) and/or copyright holder(s), other than for strictly personal, individual use, unless the work is under an open content license (like Creative Commons).

Disclaimer/Complaints regulations

If you believe that digital publication of certain material infringes any of your rights or (privacy) interests, please let the Library know, stating your reasons. In case of a legitimate complaint, the Library will make the material inaccessible and/or remove it from the website. Please Ask the Library: <https://uba.uva.nl/en/contact>, or a letter to: Library of the University of Amsterdam, Secretariat, Singel 425, 1012 WP Amsterdam, The Netherlands. You will be contacted as soon as possible.

References

- Acar, M., Becskel, A., and van Oudenaarden, A. (2005). Enhancement of cellular memory by reducing stochastic transitions. *Nature*, 435:228–232.
- Acar, M., Mettetal, J. T., and van Oudenaarden, A. (2008). Stochastic switching as a survival strategy in fluctuating environments. *Nat Genet*, 40(4):471–5.
- Agmon, N. and Szabo, A. (1990). Theory of reversible diffusion-influenced reactions. *J. Chem. Phys.*, 92(9):5270–5284.
- Aiso, T. and Ohki, R. (2003). Instability of sensory histidine kinase mrnas in escherichia coli. *Genes Cells*, 8(2):179–87.
- Ander, M., Beltrao, P., Ventura, B. D., Ferkinghoff-Borg, J., Foglierini, M. K., Lemerle, I., Tomás-Oliveira, I., and Serrano, L. (2004). Smartcell, a framework to simulate cellular processes that combine stochastic approximation with diffusion and localization: analysis of simple networks. *Systems Biology*, 1(1):129–138.
- Andrews, S. and Bray, D. (2004). Stochastic simulation of chemical reactions with spatial resolution and single molecule detail. *Physical Biology*, 1(3):137–151.
- Arkin, A., Ross, J., and McAdams, H. H. (1998). Stochastic kinetic analysis of developmental pathway bifurcation in phage lambda-infected escherichia coli cells. *Genetics*, 149:1633–1648.
- Baras, F. and Mansour, M. M. (1996). Reaction-diffusion master equation: A comparison with microscopic simulations. *Phys. Rev. E*, 54(6):6139–6148.
- Barkai, N. and Leibler, S. (2000). Biological rhythms: Circadian clocks limited by noise. *Nature*, 403:267–268.
- Becskei, A., Haufmann, B. B., and van Oudenaarden, A. (2005). Contributions of low molecule number and chromosomal positioning to stochastic gene expression. *Nature, Genetics*, pages 937–944.
- Bekker, M., de Mattos, M. J. T., and Hellingwerf, K. J. (2006). The role of two-component regulation systems in the physiology of the bacterial cell. *Science progress*, 89(Pt 3-4):213–42.
- Berg, H. C. and Purcell, E. M. (1977). Physics of chemoreception. *Biophysical Journal*, 20(2):193–219.

REFERENCES

- Bernstein, D. (2005). Simulating mesoscopic reaction-diffusion systems using the Gillespie algorithm. *Phys. Rev. E*, 71:41103.
- Blom, J. and Peletier, M. (2002). The importance of being cigar-shaped. Technical Report MAS-R0228.
- Blom, J. G. and Peletier, M. A. (2000). Diffusive gradients in the pts system. Technical Report MAS-R0020.
- Boon, J., Dab, D., Kapral, R., and Lawniczak, A. (1996). Lattice gas automata for reactive systems. *Physics Reports*, 273(2):55–147.
- Bormann, G. (2001). (*Unpublished*) *Analysis and Implementation of a MC method for Reaction-Diffusion in Biophysical Realistic Compartmentalized Neuromodel*. PhD thesis.
- Cai, L., Friedman, N., and Xie, X. S. (2006). Stochastic protein expression in individual cells at the single molecule level. *Nature*.
- Cashin, P., Goldsack, L., Hall, D., and O’Toole, R. (2006). Contrasting signal transduction mechanisms in bacterial and eukaryotic gene transcription. *FEMS Microbiol Lett*, 261(2):155–64.
- Chandrasekhar, S. (1943). Stochastic problems in physics and astronomy. *Reviews of Modern Physics*, 15(1):1–89.
- Chang, C. and Stewart, R. C. (1998). The two-component system: regulation of diverse signaling pathways in prokaryotes and eukaryotes. *Plant Physiol*, 117(3):723–31.
- Chatterjee, A., Vlachos, D. G., and Katsoulakis, M. A. (2005). Binomial distribution based tau-leap accelerated stochastic simulation. *The Journal of Chemical Physics*, 122(2):024112.
- Chopard, B. and Droz, M. (1991). Cellular automata model for the diffusion equation. *J. Stat. Phys.*, 64(3/4):859–892.
- Chopard, B., Frachebourg, L., and Droz, M. (1994). Multiparticle lattice gas automata for reaction diffusion systems. *International Journal of Modern Physics C*, 5(1):47–63.
- Deich, J., Judd, E., McAdams, H., and Moerner, W. (2004). Visualization of the movement of single histidine kinase molecules in live caulobacter cells. *Proceedings of the National Academy of Sciences*.
- Dobrzyński, M. and Bruggeman, F. J. (2009). Elongation dynamics shape bursty transcription and translation. *Proc Natl Acad Sci USA*, 106(8):2583–8.
- Dobrzyński, M., Rodríguez, J., Kaandorp, J., and Blom, J. (2007). Computational methods for diffusion-influenced biochemical reactions. *Bioinformatics*, 23(15):1959–1977.
- Dobrzyński, M., Rodríguez, J. V., and Bruggeman, F. (2009). Prokaryotic signaling has been optimized for quick but robust response. *Submitted*.

- Dobrovinski, K. and Howard, M. (2005). Stochastic model for soj relocation dynamics in bacillus subtilis. *Proc. Natl. Acad. Sci.*, 102(28):9808–9813.
- Echevera, C., Tucci, K., and Kapral, R. (2007). Diffusion and reaction in crowded environments. *J. Phys.: Condens. Matter*, 19:065146–065158.
- Elf, J., Doncic, A., and Ehrenberg, M. (2003). Mesoscopic reaction-diffusion in intracellular signaling. *Proceedings of SPIE*.
- Elf, J., Li, G., and Xie, X. S. (2007). Probing transcription factor dynamics at the single-molecule level in a living cell. *Science*.
- Elowitz, M. B., Surette, M. G., Wolf, P. E., Stock, J. B., and Leibler, S. (1999). Protein mobility in the cytoplasm of escherichia coli. *J Bacteriol*, 181(1):197–203.
- Engblom, S., Ferm, L., and Lötstedt, P. (2009). Simulation of stochastic reaction-diffusion processes on unstructured meshes. *SIAM Journal on Scientific Computing*, 31(3):1774–1797.
- Ermentrout, G. B. and Edelstein-Keshet, L. (1993). Cellular automata approaches to biological modeling. *J Theor Biol*, 160(1):97–133.
- Fange, D. and Elf, J. (2006). Noise-induced min phenotypes in e. coli. *PLoS Comput Biol*.
- Fedoroff, N. and Fontana, W. (2002). Small numbers of big molecules. *Science*, 297:1129–1131.
- Francke, C., Postma, P. W., Westerhoff, H. V. V., Blom, J. G., and Peletier, M. A. (2003). Why the phosphotransferase system of escherichia coli escapes diffusion limitation. *Biophysical*, 85:612–622.
- Francke, C., Westerhoff, H. V. V., Blom, J., and Peletier, M. A. (2002). Flux control of the bacterial phosphoenolpyruvate:glucose phosphotransferase system and the effect of diffusion. *Molecular Biology Reports*, 29:21–26.
- Galperin, M. (2004). Bacterial signal transduction network in a genomic perspective. *Environmental Microbiology*.
- Galperin, M. Y. (2006). Structural classification of bacterial response regulators: diversity of output domains and domain combinations. *J Bacteriol*, 188(12):4169–82.
- Gardiner, C. (1983). *Handbook of Stochastic Methods for Physics, Chemistry and the Natural Sciences*.
- Gibson, M. A. and Bruck, J. (2000). Efficient exact stochastic simulation of chemical systems with many species and many channels. *J. Phys. Chem.*, 104:1876–1889.
- Gillespie, D. (1977). Exact stochastic simulation of coupled chemical reactions. *J. Phys. Chem.*, 81(25):2340 – 2361.
- Gillespie, D. and Petzold, L. (2003). Improved leap-size selection for accelerated stochastic simulation. *The Journal of Chemical Physics*, 119:8229.
- Gillespie, D. T. (1992a). Markov processes: an introduction for physical scientists. page 565.

REFERENCES

- Gillespie, D. T. (1992b). A rigorous derivation of the chemical master equation. *Physica A*, 188:404–425.
- Golding, I. and Cox, E. C. (2006). Physical nature of bacterial cytoplasm. *Phys. Rev. Lett.*, 96(9):098102.
- Golding, I., Paulsson, J., Zawilski, S. M., and Cox, E. C. (2005). Real-time kinetics of gene activity in individual bacteria. *Cell*, 123(6):1025–36.
- Gonze, D., Halloy, J., and Goldbeter, A. (2002). Robustness of circadian rhythms with respect to molecular noise. *Proc. Natl. Acad. Sci.*, 99(2):673–678.
- Hartl, D. L. and Jones, E. W. (2005). *Genetics: Analysis of Genes and Genomes*.
- Hattne, J., Fange, D., and Elf, J. (2005). Stochastic reaction-diffusion simulation with mesord. *Bioinformatics*.
- Hoch, J. A. (2000). Two-component and phosphorelay signal transduction. *Curr. Opin. Microbiol.*, 3(2):165–170.
- Holcman, D. and Schuss, Z. (2004). Escape through a small opening: Receptor trafficking in a synaptic membrane. *J. Stat. Phys.*, 117(5/6):975–1014.
- Holcman, D. and Schuss, Z. (2008). Diffusion escape through a cluster of small absorbing windows. *J Phys A-Math Theor*, 41(15):155001.
- Howard, M. and Rutenberg, A. D. (2003). Pattern formation inside bacteria: fluctuations due to the low copy number of proteins. *Phys. Rev. Lett.*, 90(12):128102.
- Iber, D. (2006). A quantitative study of the benefits of co-regulation using the spoIIA operon as an example. *Molecular Systems Biology*, 2:43.
- il Lim, K. and Yin, J. (2005). Localization of receptors in lipid rafts can inhibit signal transduction. *Biotechnology and Bioengineering*, 90(6):694–702.
- Inouye, M. and Dutta, R. (2003). Histidine kinases in signal transduction. page 520.
- Ishida, K. (1964). Stochastic model for bimolecular reaction. *J. Chem. Phys.*, 41(8):2472–2478.
- Ishijima, A. and Yanagida, T. (2001). Single molecule nanobioscience. *Trends Biochem Sci*, 26(7):438–44.
- Jachimowski, C. J., McQuarrie, D. A., and RUSSELL, M. E. (1964). A stochastic approach to enzyme-substrate reactions. *Biochemistry*, 3:1732–6.
- Jørgensen, F. and Kurland, C. G. (1990). Processivity errors of gene expression in escherichia coli. *Journal of Molecular Biology*, 215(4):511–21.
- Kell, D. and Welch, G. (1991). No turning back: reductionism and biological complexity. *Times Higher Educational Supplement*, page 15.
- Kentner, D. and Sourjik, V. (2006). Spatial organization of the bacterial chemotaxis system. *Curr Opin Microbiol*, 9(6):619–24.

- Keseler, I. M., Collado-Vides, J., Gama-Castro, S., Ingraham, J., Paley, S., Paulsen, I. T., Peralta-Gil, M., and Karp, P. D. (2005). Ecocyc: a comprehensive database resource for escherichia coli. *Nucleic Acids Research*, 33(Database issue):D334–7.
- Kholodenko, B. (2006). Cell-signalling dynamics in time and space. 7:165–176. *Nature Reviews Molecular Cell Biology*.
- Kholodenko, B. N. (2003). Four-dimensional organization of protein kinase signaling cascades: the roles of diffusion, endocytosis and molecular motors. *The Journal of Experimental Biology*, 206:2073–2082.
- Kholodenko, B. N., Hoek, J. B., and Westerhoff, H. V. V. (2000). Why cytoplasmic signalling proteins should be recruited to cell membranes. *Trends in Cell Biology*, 10:173–178.
- Kim, P.-J., Lee, D.-Y., Kim, T. Y., Lee, K. H., Jeong, H., Lee, S. Y., and Park, S. (2007). Metabolite essentiality elucidates robustness of escherichia coli metabolism. *Proc Natl Acad Sci USA*, 104(34):13638–42.
- Kim, S.-H., Wang, W., and Kim, K. K. (2002). Dynamic and clustering model of bacterial chemotaxis receptors: structural basis for signaling and high sensitivity. *Proc Natl Acad Sci USA*, 99(18):11611–5.
- Kitano, H. (2002). Systems biology: A brief overview. *Science*, 295:1662–1664.
- Kitano, H. (2004). Biological robustness. *Nat Rev Genet*, 5(11):826–37.
- Kofoed, E. C. and Parkinson, J. S. (1991). Tandem translation starts in the chea locus of escherichia coli. *J Bacteriol*, 173(6):2116–9.
- Kollmann, M., Løvdok, L., Bartholomé, K., Timmer, J., and Sourjik, V. (2005). Design principles of a bacterial signalling network. *Nature*, 438(7067):504–7.
- Koretke, K. K., Lupas, A. N., Warren, P. V., Rosenberg, M., and Brown, J. R. (2000). Evolution of two-component signal transduction. *Mol Biol Evol*, 17(12):1956–70.
- Korobkova, E., Emonet, T., Vilar, J. M. G., Shimizu, T. S., and Cluzel, P. (2004). From molecular noise to behavioural variability in a single bacterium. *Nature*, 428(6982):574–578. 10.1038/nature02404.
- Krishna, S., Banerjee, B., Ramakrishnan, T., and Shivashankar, G. (2005). Stochastic simulations of the origins and implications of long-tailed distributions in gene expression. *Proc. Natl. Acad. Sci.*, 102(13):4771–4776.
- Kues, T., Peters, R., and Kubitscheck, U. (2001). Visualization and tracking of single protein molecules in the cell nucleus. *Biophysical Journal*, 80(6):2954–67.
- Li, M. and Hazelbauer, G. L. (2004). Cellular stoichiometry of the components of the chemotaxis signaling complex. *J Bacteriol*, 186(12):3687–94.
- Lipkow, K., Andrews, S. S., and Bray, D. (2005). Simulated diffusion of phosphorylated chey through the cytoplasm of escherichia coli. *J Bacteriol*, 187(1):45–53.
- Loew, L. and Schaff, J. (2001). The virtual cell: a software environment for computational cell biology. *TRENDS in Biotechnology*, 19(10):401–406.

REFERENCES

- Lu, T., Shen, T., Zong, C., Hasty, J., and Wolynes, P. G. (2006). Statistics of cellular signal transduction as a race to the nucleus by multiple random walkers in compartment/phosphorylation space. *Proc Natl Acad Sci USA*, 103(45):16752–7.
- Manley, J. L. (1978). Synthesis and degradation of termination and premature-termination fragments of beta-galactosidase in vitro and in vivo. *Journal of Molecular Biology*, 125(4):407–32.
- Marquez-Lago, T. T. and Burrage, K. (2007). Binomial tau-leap spatial stochastic simulation algorithm for applications in chemical kinetics. *The Journal of Chemical Physics*, 127(10):104101.
- Marshall, R. A., Aitken, C. E., Dorywalska, M., and Puglisi, J. D. (2008). Translation at the single-molecule level. *Annual Review of Biochemistry*, 77:177–203.
- Mascher, T., Helmann, J. D., and Uden, G. (2006). Stimulus perception in bacterial signal-transducing histidine kinases. *Microbiol Mol Biol Rev*, 70(4):910–38.
- McAdams, H. and Arkin, A. (1997). Stochastic mechanisms in gene expression. *Proc Natl Acad Sci USA*, 94:814–819.
- McQuarrie, D. A., jachimowski, C. J., and Russel, M. E. (1964). Kinetics of small systems. ii. *JCP*, 40(14):2914–2921.
- Mellman, I. and Misteli, T. (2003). Computational cell biology. *The Journal of Cell Biology*, 161(3):463–4.
- Mitarai, N., Sneppen, K., and Pedersen, S. (2008). Ribosome collisions and translation efficiency: optimization by codon usage and mrna destabilization. *Journal of Molecular Biology*, 382(1):236–45.
- Mizuno, T., Wurtzel, E. T., and Inouye, M. (1982). Osmoregulation of gene expression. ii. dna sequence of the envz gene of the ompb operon of escherichia coli and characterization of its gene product. *J Biol Chem*, 257(22):13692–8.
- Morishita, Y., Kobayashi, T. J., and Aihara, K. (2006). An optimal number of molecules for signal amplification and discrimination in a chemical cascade. *Biophysical Journal*, 91(6):2072–81.
- Morton-Firth, C. and Bray, D. (1998). Predicting temporal fluctuations in an intracellular signaling pathway. *J. Theor. biol.*, 192:117–128.
- Nagar, A. and Pradhan, P. (2003). First passage time distribution in random walks with absorbing boundaries. *Physica A*, 320:141–148.
- Nicolau, D. V., Hancock, J. F., and Burrage, K. (2007). Sources of anomalous diffusion on cell membranes: a monte carlo study. *Biophysical Journal*, 92(6):1975–87.
- Nixon, B. T., Ronson, C. W., and Ausubel, F. M. (1986). Two-component regulatory systems responsive to environmental stimuli share strongly conserved domains with the nitrogen assimilation regulatory genes ntrb and ntrc. *Proc Natl Acad Sci USA*, 83(20):7850–4.
- Noble, D. (2002). The rise of computational biology. *Nat Rev Mol Cell Biol*, 3(6):459–63.

- Oppenheim, D. S. and Yanofsky, C. (1980). Translational coupling during expression of the tryptophan operon of *escherichia coli*. *Genetics*, 95(4):785–95.
- Ozbudak, E. M., Thattai, M., Kurtser, I., Grossman, A. D., and van Oudenaarden, A. (2002). Regulation of noise in the expression of a single gene. *Nat Genet*, 31(1):69–73.
- Paulsson, B. (2000). The challenges of in silico biology. *Nat Biotechnol*, 18(11):1147–50.
- Paulsson, J. (2004). Summing up the noise in gene networks. *Nature*, 427(29):415–418.
- Pernestig, A.-K., Georgellis, D., Romeo, T., Suzuki, K., Tomenius, H., Normark, S., and Meleforts, O. (2003). The *escherichia coli* *bara-uvry* two-component system is needed for efficient switching between glycolytic and gluconeogenic carbon sources. *J Bacteriol*, 185(3):843–53.
- Press, W. H., Teukolsky, S. A., Vetterling, W. T., and Flannery, B. P. (2007). *Numerical Recipes: The Art of Scientific Computing*.
- Rathinam, M., Petzold, L., Cao, Y., and Gillespie, D. (2003). Stiffness in stochastic chemically reacting systems: The implicit tau-leaping method. *The Journal of Chemical Physics*.
- Redner, S. (2001). *A Guide to First-Passage Processes*.
- Rice, S. A. (1985). *Diffusion-Limited Reactions*, volume 25.
- Ridgway, D., Broderick, G., and Ellison, M. J. (2006). Accommodating space, time and randomness in network simulation. *Curr Opin Biotechnol*, 17(5):493–8.
- Rodrigue, A., Quentin, Y., Lazdunski, A., and Méjean, V. (2000). Cell signalling by oligosaccharides. two-component systems in *pseudomonas aeruginosa*: why so many? *Trends in Microbiology*.
- Rodríguez, J. V., Kaandorp, J. A., Dobrzynski, M., and Blom, J. G. (2006). Spatial stochastic modelling of the phosphoenolpyruvate-dependent phosphotransferase (pts) pathway in *escherichia coli*. *Bioinformatics*, 22(15):1895–1901.
- Rohwer, J., Meadow, N., Roseman, S., Westerhoff, H. V. V., and Postma, P. (2000). Understanding glucose transport by the bacterial phosphoenolpyruvate:glycose phosphotransferase system on the basis of kinetic measurements in vitro. *J. Biol. Chem.*, 275(45):34909–34921.
- Sako, Y., Minoghchi, S., and Yanagida, T. (2000). Single-molecule imaging of *egfr* signalling on the surface of living cells. *Nat Cell Biol*, 2(3):168–72.
- Schuss, Z., Singer, A., and Holcman, D. (2007). The narrow escape problem for diffusion in cellular microdomains. *Proc. Natl. Acad. Sci.*, 104(41):16098–16103.
- Shimizu, T. (2002). *The Spatial Organization of Cell Signalling Pathways - A Computer-Based Study*. PhD thesis.
- Shimizu, T., Aksenov, S., and Bray, D. (2003). A spatially extended stochastic model of the bacterial chemotaxis signalling pathway. *J. Mol. Biol.*, 329(2):291 – 309.
- Simon, M. I., Crane, B. R., and Crane, A. (2007). *Two-component signaling systems*, volume v. 422-423.

REFERENCES

- Slepchenko, B. M., Schaff, J. C., Carson, J. H., and Loew, L. M. (2002). Computational cell biology: Spatiotemporal simulation of cellular events. *Annu. Rev. Biophys. Biomol. Struct.*, 31:423–441.
- Sourjik, V. (2004). Receptor clustering and signal processing in e. coli chemotaxis. *Trends in Microbiology*, 12(12):569–76.
- Spirin, A. S. (1999). Ribosomes. page 416.
- Springer, M. D. (1979). *The Algebra of Random Variables*.
- Stephenson, K., Yamaguchi, Y., and Hoch, J. A. (2000). The mechanism of action of inhibitors of bacterial two-component signal transduction systems. *J Biol Chem*, 275(49):38900–4.
- Stock, A. M., Robinson, V. L., and Goudreau, P. N. (2000). Two-component signal transduction. *Annual Review of Biochemistry*, 69:183–215.
- Stock, J. B., Ninfa, A. J., and Stock, A. M. (1989). Protein phosphorylation and regulation of adaptive responses in bacteria. *Microbiological Reviews*, 53(4):450–90.
- Stocker, R., Seymour, J. R., Samadani, A., Hunt, D. E., and Polz, M. F. (2008). Rapid chemotactic response enables marine bacteria to exploit ephemeral microscale nutrient patches. *Proc Natl Acad Sci USA*, 105(11):4209–14.
- Stryer (1987). *Biochemistry*.
- Stundzia, A. and Lumsden, C. (1996). Stochastic simulation of coupled reaction-diffusion processes. *J. Comput. Phys.*
- Szallasi, Z., Stelling, J., and Periwal, V. (2006). System modeling in cellular biology: from concepts to nuts and bolts.
- Tafia, A. and Holcman, D. (2007). Dwell time of brownian molecule in a microdomain with traps and a small hole on the boundary. *J. Chem. Phys.*, 126:234107.
- Takahashi, K., Arjunan, S. N. V., and Tomita, M. (2005). Space in systems biology of signaling pathways – towards intracellular molecular crowding in silico. *FEBS Letters*, pages 1783–1788.
- Takahashi, K., Kaizu, K., Hu, B., and Tomita, M. (2004). A multi-algorithm, multi-timescale method for cell simulation. *Bioinformatics*, 20(4):538–546.
- Takahashi, K., Yugi, K., Hashimoto, K., and Yamada, Y. (2002). Computational challenges in cell simulation: A software engineering approach. *IEEE INTELLIGENT SYSTEMS*.
- Throup, J. P., Koretke, K. K., Bryant, A. P., Ingraham, K. A., Chalker, A. F., Ge, Y., Marra, A., Wallis, N. G., Brown, J. R., Holmes, D. J., Rosenberg, M., and Burnham, M. K. (2000). A genomic analysis of two-component signal transduction in streptococcus pneumoniae. *Molecular Microbiology*, 35(3):566–76.
- Ulrich, L., Koonin, E., and Zhulin, I. (2005). One-component systems dominate signal transduction in prokaryotes. *Trends in Microbiology*.

- Ulrich, L. E. and Zhulin, I. B. (2007). Mist: a microbial signal transduction database. *Nucleic Acids Research*, 35(Database issue):D386–90.
- van Zon, J. S., Morelli, M. J., Tănase-Nicola, S., and ten Wolde, P. R. (2006). Diffusion of transcription factors can drastically enhance the noise in gene expression. *Biophysical Journal*, 91(12):4350–67.
- van Zon, J. S. and ten Rein, P. R. (2005). Green’s-function reaction dynamics: A particle-based approach for simulating biochemical networks in time and space. *J. Chem. Phys.*, 123:234910.
- van Zon, J. S. and ten Wolde, P. R. (2005). Simulating biochemical networks at the particle level and in time and space: Green’s function reaction dynamics. *Phys. Rev. Lett.*, 94:128103.
- Wachsmuth, M., Waldeck, W., and Langowski, J. (2000). Anomalous diffusion of fluorescent probes inside living cell nuclei investigated by spatially-resolved fluorescence correlation spectroscopy. *Journal of Molecular Biology*, 298(4):677–89.
- Weimar, J. (2001). Simulating reaction-diffusion cellular automata with jcasim. pages 217–226.
- Weimar, J. (2002). Cellular automata approaches to enzymatic reaction networks. pages 294–303.
- Weimar, J. and Boon, J. (1994). Class of cellular automata for reaction-diffusion systems. *PRE*, 49:1749–1752.
- Weimar, J. R. (1997). Cellular automata for reaction-diffusion systems. *Parallel Computing*, 23(11):1699–1715.
- Weiss, G. (1994). *Aspects and applications of the random walk*.
- West, A. H. and Stock, A. M. (2001). Histidine kinases and response regulator proteins in two-component signaling systems. *Trends Biochem Sci*, 26(6):369–76.
- Westerhoff, H. V. V. and Palsson, B. O. (2004). The evolution of molecular biology into systems biology. *Nat Biotechnol*, 22(10):1249–1252.
- Wolanin, P. M., Thomason, P. A., and Stock, J. B. (2002). Histidine protein kinases: key signal transducers outside the animal kingdom. *Genome Biol*, 3(10):REVIEWS3013.
- Xu, Z. and Cai, X. (2008). Unbiased tau-leap methods for stochastic simulation of chemically reacting systems. *The Journal of Chemical Physics*, 128(15):154112.
- Yoo, J.-H. and RajBhandary, U. L. (2008). Requirements for translation re-initiation in escherichia coli: roles of initiator trna and initiation factors if2 and if3. *Molecular Microbiology*, 67(5):1012–26.
- Young, R. and Bremer, H. (1976). Polypeptide-chain-elongation rate in escherichia coli b/r as a function of growth rate. *Biochem J*, 160(2):185–94.
- Yu, J., Xiao, J., Ren, X., Lao, K., and Xie, X. S. (2006). Probing gene expression in live cells, one protein molecule at a time. *Science*, 311:1600–1603.
- Yuste, S. B. and Lindenberg, K. (1996). Order statistics for first passage times in one-dimensional diffusion processes. *J. Stat. Phys.*, 85(3/4):601–612.