



UvA-DARE (Digital Academic Repository)

End-user support for access to heterogeneous linked data

Hildebrand, M.

[Link to publication](#)

Citation for published version (APA):

Hildebrand, M. (2010). End-user support for access to heterogeneous linked data

General rights

It is not permitted to download or to forward/distribute the text or part of it without the consent of the author(s) and/or copyright holder(s), other than for strictly personal, individual use, unless the work is under an open content license (like Creative Commons).

Disclaimer/Complaints regulations

If you believe that digital publication of certain material infringes any of your rights or (privacy) interests, please let the Library know, stating your reasons. In case of a legitimate complaint, the Library will make the material inaccessible and/or remove it from the website. Please Ask the Library: <http://uba.uva.nl/en/contact>, or a letter to: Library of the University of Amsterdam, Secretariat, Singel 425, 1012 WP Amsterdam, The Netherlands. You will be contacted as soon as possible.

References

- Allemang, D. and J. Hendler (2008). *Semantic Web for the Working Ontologist: Effective Modeling in RDFS and OWL*. Burlington, MA: Morgan Kaufmann.
- Amin, A., L. Hardman, J. van Ossenbruggen, and A. van Nispen (2008). Understanding cultural heritage experts' information seeking tasks. In *JCDL '08: Proceedings of the Joint Conference of Digital Library*, New York, NY, USA. ACM Press.
- Amin, A., M. Hildebrand, J. van Ossenbruggen, V. Evers, and L. Hardman (2009, April 6-9). Organizing suggestions in autocompletion interfaces. In *31st European Conference on Information Retrieval*, Toulouse, France. to be published, based on techreport: <http://ftp.cwi.nl/CWIreports/INS/INS-E0901.pdf>.
- Anyanwu, K., A. Maduko, and A. Sheth (2005). SemRank: Ranking Complex Relationship Search Results on the Semantic Web. In *Proceedings of the 14th international conference on World Wide Web*, Chiba, Japn, pp. 117–127. ACM Press.
- Aroyo, L., N. Stash, Y. Wang, P. Gorgels, and L. Rutledge (2007, November). Chip demonstrator: Semantics-driven recommendations and museum tour generation. In *The Semantic Web - ISWC 2007*.
- Auer, S., S. Dietzold, and T. Riechert (2006). OntoWiki -A Tool for Social, Semantic Collaboration. In *Proceedings of the Fifth International Semantic Web Conference ISWC 2006*, Athens, GA, USA.
- Baeza-Yates, R. A. and B. A. Ribeiro-Neto (1999). *Modern Information Retrieval*. ACM Press / Addison-Wesley.
- Bast, H. and I. Weber (2007). The CompleteSearch Engine: Interactive, Efficient, and towards IR&DB Integration. In *CIDR 2007, Third Biennial Conference on Innovative Data Systems Research*, Asilomar, CA, USA, pp. 88–95.

- Berlin, F. U. (2007). Search DBpedia.org. <http://dbpedia.org/search/>.
- Berners-Lee, T., Y. Chen, L. Chilton, D. Connolly, R. Dhanaraj, J. Hollenbach, A. Lerer, and D. Sheets (2006). Tabulator: Exploring and Analyzing linked data on the Semantic Web. In *The 3rd International Semantic Web User Interaction Workshop (SWUI06)*, Athens, Georgia, USA.
- Bernstein, A., E. Kaufmann, C. Kaiser, and C. Kiefer (2006). Ginseng: A Guided Input Natural Language Search Engine for Querying Ontologies. In *Jena User Conference*, Bristol, UK.
- Binding, C. and D. Tudhope (2004a). KOS at your Service: Programmatic Access to Knowledge Organisation Systems. *Journal of Digital Information* 4(4).
- Binding, C. and D. Tudhope (2004b). KOS at your service: Programmatic access to knowledge organisation systems. *J. Digit. Inf.* 4(4).
- Bizer, C. and T. Gauß (2007). Disco - Hyperdata Browser. <http://sites.wiwiss.fu-berlin.de/suhl/bizer/ng4j/disco/>.
- Bizer, C., R. Lee, and E. Pietriga (2005, November 6–10,). Fresnel — A Browser-Independent Presentation Vocabulary for RDF. In *Proceedings of the Second International Workshop on Interaction Design and the Semantic Web*, Galway, Ireland.
- Bonino, D., F. Corno, L. Farinetti, and A. Bosca (2004, December). Ontology Driven Semantic Search. *WSEAS Transaction on Information Science and Application* 1(6), 1597–1605.
- Broekstra, J., A. Kampman, and F. van Harmelen (2002). Sesame: A Generic Architecture for Storing and Querying RDF and RDF Schema. In I. Horrocks and J. Hendler (Eds.), *The Semantic Web - ISWC 2002*, Number 2342 in Lecture Notes in Computer Science, Berlin Heidelberg, pp. 54–68. Springer.
- Celino, I., E. D. Valle, D. Cerizza, and A. Turati (2006). Squiggle: a Semantic Search Engine for indexing and retrieval of multimedia content. In *Proceedings of the First International Workshop on Semantic-enhanced Multimedia Presentation Systems (SEMPS 2006)*, Athens, Greece, pp. 20–34.
- Cheng, G., W. Ge, H. Wu, and Y. Qu (2008). Searching semantic web objects based on class hierarchies. In *WWW 2008 Workshop on Linked Data on the Web*.
- Clark, K. G., L. Feigenbaum, and E. Torres (2007, 18 June). Serializing sparql query results in json. W3C Working Group Note.
- Davies, J. and R. Weeks (2004). QuizRDF: Search Technology for the Semantic Web. In *Proceedings of the Proceedings of the 37th Annual Hawaii International Conference on System Sciences (HICSS'04) - Track 4 - Volume 4*.

- de Boer, V., M. van Someren, and B. J. Wielinga (2007). A redundancy-based method for the extraction of relation instances from the web. *Int. J. Hum.-Comput. Stud.* 65(9), 816–831.
- DERI (2005-2007). SWSE. <http://www.swse.org/>.
- Ding, L., T. Finin, A. Joshi, R. Pan, R. S. Cost, Y. Peng, P. Reddivari, V. C. Doshi, , and J. Sachs (2004). Swoogle: A Search and Metadata Engine for the Semantic Web. In *Proceedings of the Thirteenth ACM Conference on Information and Knowledge Management*, Washington, D.C., USA, pp. 652–659.
- Ding, L., R. Pan, T. Finin, A. Joshi, Y. Peng, and P. Kolari (2005, November 6–10,). Finding and Ranking Knowledge on the Semantic Web. See Gil, Motta, Benjamins, and Musen (2005), pp. 156–170.
- Duke, A., T. Glover, and J. Davies (2007). Squirrel: An Advanced Semantic Search and Browse Facility. In *Proceedings of the European Semantic Web Conference ESWC 2007*, Innsbruck, Austria.
- Fluit, C., M. Sabou, and F. van Harmelen (2003a). Supporting User Tasks through Visualisation of Light-weight Ontologies. In S. Staab and R. Studer (Eds.), *Handbook on Ontologies in Information Systems*, pp. 415–434. Springer-Verlag.
- Fluit, C., M. Sabou, and F. van Harmelen (2003b). *Visualizing the Semantic Web: XML-based Internet and Information Visualization*, Chapter Ontology-based Information Visualization, pp. 36–48. Springer-Verlag.
- Geroimenko, V. and C. Chen (2003). *Visualizing the Semantic Web — XML-based Internet and Information Visualization*. Springer-Verlag.
- Gil, Y., E. Motta, V. R. Benjamins, and M. A. Musen (Eds.) (2005, November 6–10,). *4th International Semantic Web Conference, ISWC 2005*, Lecture Notes in Computer Science, Galway, Ireland. Springer.
- Group, X. (2005-2006). Falcon-S. <http://www.falcons.com.cn/>.
- Guha, R., R. McCool, and E. Miller (2003). Semantic Search. In *Proceedings of the 12th international conference on World Wide Web*, Budapest, Hungary, pp. 700–709.
- Hearst, M. A. (2006). Clustering versus faceted categories for information exploration. *Commun. ACM* 49(4), 59–61.
- Heflin, J. and J. Hendler (2000). Searching the Web with SHOE. In *Artificial Intelligence for Web Search. Papers from the AAAI Workshop*, Menlo Park, CA, pp. 35–40.
- Hendler, J. (2010). Web 3.0: The dawn of semantic search. *Computer* 43(1), 77–80.

- Hildebrand, M. and J. van Ossenbruggen (2009, February). Configuring semantic web interfaces by data mapping. In *Workshop on Visual Interfaces to the Social and the Semantic Web, IUI'09*.
- Hildebrand, M., J. van Ossenbruggen, A. Amin, L. Aroyo, J. Wielemaker, and L. Hardman (2007, November). The design space of a configurable autocompletion component. Technical Report INS-E0708, CWI.
- Hildebrand, M., J. van Ossenbruggen, and L. Hardman (2006, November). /facet: A Browser for Heterogeneous Semantic Web Repositories. In *The Semantic Web - ISWC 2006*, pp. 272–285.
- Hildebrand, M., J. van Ossenbruggen, and L. Hardman (2007, July). An analysis of search-based user interaction on the Semantic Web. Technical Report INS-E0706, CWI.
- Hildebrand, M., J. van Ossenbruggen, and L. Hardman (2010). *Multimedia Semantics: Metadata, Analysis and Interaction*, Chapter The role of explicit semantics in search and browsing. Wiley. To be published.
- Hildebrand, M., J. R. van Ossenbruggen, L. Hardman, and G. Jacobs (2009, October). Supporting Subject Matter Annotation Using Heterogeneous Theasauri, A User Study In Web Data Reuse. *International Journal of Human-Computer Studies* 67(10), 888 – 903.
- Hogan, A., A. Harth, and S. Decker (2006). ReConRank: A Scalable Ranking Method for Semantic Web Data with Context. In *2nd Workshop on Scalable Semantic Web Knowledge Base Systems*.
- Hollink, L., G. Schreiber, J. Wielemaker, and B. Wielinga (2003). Semantic annotation of image collections. In *Second International Conference for Knowledge Capture (KCAP2003) Workshop on Knowledge Markup and Semantic Annotation*, pp. 0–3.
- Hollink, L., G. Schreiber, and B. Wielinga (2007). Patterns of semantic relations to improve image content search. *Journal of Web Semantics* 5(3), 195–203.
- Huynh, D., D. Karger, and R. Miller (2007). Exhibit: Lightweight structured data publishing. In *16th International World Wide Web Conference*, Banff, Alberta, Canada. ACM.
- Huynh, D., S. Mazzocchi, and D. R. Karger (2005, November 6–10.). Piggy Bank: Experience the Semantic Web Inside Your Web Browser. See Gil, Motta, Benjamins, and Musen (2005), pp. 413–430.
- Hyvönen, E., M. Junnila, S. Kettula, E. Mäkelä, S. Saarela, M. Salminen, A. Syreeni, A. Valo, and K. Viljanen (2005, October). MuseumFinland — Finnish museums on the semantic web. *Journal of Web Semantics* 3(2-3), 224–241.

- Hyvönen, E. and E. Mäkelä (2006). Semantic Autocompletion. In *Proceedings of the 1st Asian Semantic Web Conference (ASWC 2006)*, Beijing, pp. 739–751.
- Hyvönen, E., K. Viljanen, J. Tuominen, and K. Seppälä (2008, June 1-5). Building a national semantic web ontology and ontology service infrastructure—the finnonto approach. In *Proceedings of the European Semantic Web Conference ESWC 2008*, pp. 95–109. Springer.
- Joho, H., C. Coverson, M. Sanderson, and M. Beaulieu (2002). Hierarchical presentation of expansion terms. In *SAC '02: Proceedings of the 2002 ACM symposium on Applied computing*, New York, NY, USA, pp. 645–649. ACM.
- Kiryakov, A., B. Popov, I. Terziev, D. Manov, and D. Ognyanoff (2004, December). Semantic Annotation, Indexing, and Retrieval. *Journal of Web Semantics* 2(1), 49–79.
- Kleinberg, J. M. (1999). Authoritative sources in a hyperlinked environment. *Journal of the ACM* 46(5), 604–632.
- Kobilarov, G., T. Scott, Y. Raimond, S. Oliver, C. Sizemore, M. Smethurst, C. Bizer, and R. Lee (2009). Media meets semantic web - how the bbc uses dbpedia and linked data to make connections. In L. Aroyo, P. Traverso, F. Ciravegna, P. Cimiano, T. Heath, E. Hyvönen, R. Mizoguchi, E. Oren, M. Sabou, and E. P. B. Simperl (Eds.), *ESWC*, Volume 5554 of *Lecture Notes in Computer Science*, pp. 723–737. Springer.
- Koenemann, J. and N. J. Belkin (1996). A case for interaction: a study of interactive information retrieval behavior and effectiveness. In *CHI '96: Proceedings of the SIGCHI conference on Human factors in computing systems*, New York, NY, USA, pp. 205–212. ACM.
- Lei, Y., V. Uren, and E. Motta (2006). SemSearch: A Search Engine for the Semantic Web. In *15th International Conference on Knowledge Engineering and Knowledge Management: Managing Knowledge in a World of Networks (EKAW 2006)*, Podebrady, Czech Republic.
- Lopez, V., M. Pasin, and E. Motta (2005). AquaLog: An Ontology-portable Question Answering System for the Semantic Web. In *Proceedings of the European Semantic Web Conference ESWC 2005*, Crete, Greece, pp. 546–562.
- Magennis, M. and C. J. van Rijsbergen (1997). The potential and actual effectiveness of interactive query expansion. In *SIGIR '97: Proceedings of the 20th annual international ACM SIGIR conference on Research and development in information retrieval*, New York, NY, USA, pp. 324–332. ACM.
- Mäkelä, E., K. Viljanen, O. Alm, J. Tuominen, O. Valkeapää, T. Kauppinen, J. Kurki, R. Sinkkilä, T. Käsälä, R. Lindroos, O. Suominen, T. Ruotsalo,

- and E. Hyvönen (2007, November 11). Enabling the semantic web with ready-to-use web widgets. In *Proceedings of the First Industrial Results of Semantic Technologies Workshop, ISWC2007*.
- m.c. schraefel and D. Karger (2006). The Pathetic Fallacy of RDF. In *The 3rd International Semantic Web User Interaction Workshop (SWUI06)*.
- m.c. schraefel, D. A. Smith, A. Owens, A. Russell, C. Harris, and M. L. Wilson (2005). The evolving mSpace platform: leveraging the Semantic Web on the Trail of the Memex. In *Proceedings of Hypertext 2005*, Salzburg, pp. 174–183.
- Meij, E., M. Bron, L. Hollink, B. Huurnink, and M. de Rijke (2009, October). Learning semantic query suggestions. In *8th International Semantic Web Conference (ISWC 2009)*.
- Metaweb (2007). Freebase. <http://www.freebase.com/>.
- Mika, P. (2005, October). Flink: Semantic Web Technology for the Extraction and Analysis of Social Networks. *Journal of Web Semantics* 3(2-3), 211–223.
- Mika, P. (2006). OpenAcademia. <http://www.openacademia.org/>.
- Miles, A. and S. Bechhofer (2009, August 18). Skos simple knowledge organization system reference. W3C Recommendation.
- Oren, E., R. Delbru, and S. Decker (2006). Extending Faceted Navigation for RDF Data. In *5th International Semantic Web Conference*, Athens, GA, USA, pp. 559–572.
- Page, L., S. Brin, R. Motwani, and T. Winograd (1998). The PageRank Citation Ranking: Bringing Order to the Web. Technical report, Stanford Digital Library Technologies Project.
- Paulson, L. D. (2005). Building Rich Web Applications with Ajax. *IEEE Computer* 38(10), 14–17.
- Pietriga, E., C. Bizer, D. R. Karger, and R. Lee (2006). Fresnel: A browser-independent presentation vocabulary for RDF. In I. F. Cruz, S. Decker, D. Allemang, C. Preist, D. Schwabe, P. Mika, M. Uschold, and L. Aroyo (Eds.), *International Semantic Web Conference*, Volume 4273 of *Lecture Notes in Computer Science*, pp. 158–171. Springer.
- Porter, M. F. (1980). An algorithm for suffix stripping. *Program* 14(3), 130–137.
- Quan, D. and D. R. Karger (2004, May 17-22,). How to Make a Semantic Web Browser. In *The Thirteenth International World Wide Web Conference*, New York City. IW3C2: ACM Press.
- Raimond, Y. and M. Sandler (2008). A web of musical information. In *Proceedings of the International Conference on Music Information Retrieval 2008*, pp. 263–268.

- Rocha, C., D. Schwabe, and M. de Aragao (2004). A hybrid approach for searching in the semantic web. In *Proceedings of the 13th International World Wide Web Conference*, New York, NY, USA, pp. 374–383.
- Ruthven, I. (2003). Re-examining the potential effectiveness of interactive query expansion. In *SIGIR '03: Proceedings of the 26th annual international ACM SIGIR conference on Research and development in informaion retrieval*, New York, NY, USA, pp. 213–220. ACM.
- Rutledge, L., J. van Ossenbruggen, and L. Hardman (2005, May). Making RDF Presentable – Integrated Global and Local Semantic Web Browsing. In *The Fourteenth International World Wide Web Conference*, Chiba, Japan, pp. 199–206. IW3C2: ACM Press.
- Schreiber, G., A. Amin, L. Aroyo, M. van Assem, V. de Boer, L. Hardman, M. Hildebrand, B. Omelayenko, J. van Ossenbruggen, A. Tordai, J. Wielemaker, and B. J. Wielinga (2008). Semantic annotation and search of cultural-heritage collections: The multimedial e-culture demonstrator. *J. Web Sem.* 6(4), 243–249.
- Schreiber, G., A. Amin, M. van Assem, V. de Boer, L. Hardman, M. Hildebrand, L. Hollink, Z. Huang, J. van Kersen, M. de Niet, B. Omelayenjkko, J. van Ossenbruggen, R. Siebes, J. Taekema, J. Wielemaker, and B. Wielinga (2006, November). MultimediaN E-Culture Demonstrator. In *The Semantic Web - ISWC 2006*, pp. 951–958.
- Shaw, R., R. Troncy, and L. Hardman (2009). Lode: Linking open descriptions of events. In A. Gómez-Pérez, Y. Yu, and Y. Ding (Eds.), *ASWC*, Volume 5926 of *Lecture Notes in Computer Science*, pp. 153–167. Springer.
- SIMILE (2003-2005). Longwell RDF Browser. <http://simile.mit.edu/longwell/>.
- Sinkkilä, R., E. Mäkelä, E. Hyvönen, and T. Kauppinen (2008). Combining context navigation with semantic autocompletion to solve problems in concept selection. In K. Belhajjame, M. d’Aquin, P. Haase, and P. Missier (Eds.), *SeMMA*, Volume 346 of *CEUR Workshop Proceedings*, pp. 61–68. CEUR-WS.org.
- Suominen, O., K. Viljanen, and E. Hyvönen (2007a). User-centric Faceted Search for Semantic Portals. In *Proceedings of the European Semantic Web Conference ESWC 2007*, Innsbruck, Austria.
- Suominen, O., K. Viljanen, and E. Hyvönen (2007b, June 4-5). User-centric faceted search for semantic portals. In *Proceedings of the European Semantic Web Conference ESWC 2007*, Innsbruck, Austria. Springer.
- Sure, Y. and V. Iosif (2000). First results of a Semantic Web Technologies Evaluation. In *Proceedings of the Common Industry Program*, University of California, Irvine.

- Tordai, A., B. Omelayenko, and G. Schreiber (2007). Thesaurus and metadata alignment for a semantic e-culture application. In *K-CAP '07: Proceedings of the 4th international conference on Knowledge capture*, New York, NY, USA, pp. 199–200. ACM.
- Tordai, A., J. R. van Ossenbruggen, and G. Schreiber (2009, September). Combining Vocabulary Alignment Techniques. In *Proceedings of The Fifth International Conference on Knowledge Capture* (first ed.). IAAA.
- Trant, J. (2006). Understanding searches of a contemporary art museum catalogue: A preliminary study. <http://tinyurl.com/yl5l1tk>.
- TRECVID organizers (2007, April 18). Guidelines for the TRECVID 2007 Evaluation. <http://www-nlpir.nist.gov/projects/tv2007/tv2007.html>.
- Troncy, R. (2008, November). Bringing the iptc news architecture into the semantic web. In A. P. Sheth, S. Staab, M. Dean, M. Paolucci, D. Maynard, T. W. Finin, and K. Thirunarayan (Eds.), *International Semantic Web Conference*, Volume 5318 of *Lecture Notes in Computer Science*, Berlin Heidelberg, pp. 483–498. Springer.
- Tummarello, G., C. Morbidoni, and M. Nucci (2006). Enabling Semantic Web communities with DBin: an overview. In *Proceedings of the Fifth International Semantic Web Conference ISWC 2006*, Athens, GA, USA.
- Tummarello, G., E. Oren, and R. Delbru (2007, November). Sindice.com: Weaving the open linked data. In *Proceedings of the 6th International Semantic Web Conference and 2nd Asian Semantic Web Conference (ISWC/ASWC2007)*, Busan, South Korea, Berlin, Heidelberg, pp. 547–560.
- Uschold, M. (2003, September). Where are the semantics in the semantic web? *AI Magazine* 24(3), 25–36.
- van Assem, M., A. Gangemi, and G. Schreiber (2006, May). Conversion of WordNet to a standard RDF/OWL representation. In *Proceedings of the Fifth International Conference on Language Resources and Evaluation (LREC'06)*, Genoa, Italy.
- van Assem, M., M. R. Menken, G. Schreiber, J. Wielemaker, and B. Wielinga (2004, November). A Method for Converting Thesauri to RDF/OWL. In *Proceedings of the Third International Semantic Web Conference (ISWC'04)*, Number 3298 in *Lecture Notes in Computer Science*, Hiroshima, Japan, pp. 17–31. Springer.
- W3C (1999, February 22,). Resource Description Framework (RDF) Model and Syntax Specification. W3C Recommendations are available at <http://www.w3.org/TR>.
- W3C (2004, 10 February). Web Ontology Language (OWL) - Overview. W3C Recommendation.