



UvA-DARE (Digital Academic Repository)

Using structural equation modeling to investigate change in health-related quality of life

Verdam, M.G.E.

Publication date

2017

Document Version

Other version

License

Other

[Link to publication](#)

Citation for published version (APA):

Verdam, M. G. E. (2017). *Using structural equation modeling to investigate change in health-related quality of life*.

General rights

It is not permitted to download or to forward/distribute the text or part of it without the consent of the author(s) and/or copyright holder(s), other than for strictly personal, individual use, unless the work is under an open content license (like Creative Commons).

Disclaimer/Complaints regulations

If you believe that digital publication of certain material infringes any of your rights or (privacy) interests, please let the Library know, stating your reasons. In case of a legitimate complaint, the Library will make the material inaccessible and/or remove it from the website. Please Ask the Library: <https://uba.uva.nl/en/contact>, or a letter to: Library of the University of Amsterdam, Secretariat, Singel 425, 1012 WP Amsterdam, The Netherlands. You will be contacted as soon as possible.

References

- Aaronson, N. K. (1991). Methodologic issues in assessing the quality of life of cancer patients. *Cancer*, 67 (S3), 844-850.
- Aaronson, N. K., Ahmedzai, S., Bergman, B., Bullinger, M., Cull, A., Duez, N. J., ... Takeda, F. (1993). The European organization for research and treatment of cancer QLQ-C30: A quality-of-life instrument for use in international clinical trials in oncology. *Journal of the National Cancer Institute*, 85, 365-376.
- Aaronson, N. K., Muller, M, Cohen, P. D. A., Essink-Bot, M.-L., Fekkes, M., Sanderman, R., ... Verrips, E. (1998). Translation, validation, and norming of the Dutch language version of the SF-36 health survey in community and chronic disease populations. *Journal of Clinical Epidemiology*, 51, 1055-1068.
- Ahmed, S., Bourbeau, J., Maltais, F., & Mansour, A. (2009). The Oort structural equation modeling approach detected a response shift after a COPD self-management program not detected by the Schmitt technique. *Journal of Clinical Epidemiology*, 62, 1165-1172.
- Ahmed, S., Mayo, N. E., Wood-Dauphinee, S., Hanley, J. A., & Cohen, S. R. (2005). The structural equation modeling technique did not show a response shift, contrary to the results of the then test and the individualized approaches. *Journal of Clinical Epidemiology*, 58, 1125-1133.
- Ahmed, S., Sawatzky, R., Levesque, J.-F., Ehrmann-Feldman, D., & Schwartz, C. E. (2014). Minimal evidence of response shift in the absence of a catalyst. *Quality of Life Research*, 23, 2421-2430.
- Allison, P. J., Locker, D., & Feine, J. S. (1997). Quality of life: A dynamic construct. *Social Science & Medicine*, 45, 221-230.
- Asparouhov, T., & Muthén, B. (2006). Robust chi square difference testing with mean and variance adjusted test statistics. *Mplus Web Notes: No. 10*. Retrieved from <https://www.statmodel.com/download/webnotes/webnote10.pdf>
- Barclay-Goddard, R., Epstein, J. D., & Mayo, N. E. (2009). Response shift: A brief overview and proposed research priorities. *Quality of Life Research*, 18, 335-346.
- Barofsky, I. (2012). Can quality or quality-of-life be defined? *Quality of Life Research*, 21, 625-631.
- Benson, J., & Fleishman, J. A. (1994). The robustness of maximum likelihood and distribution-free estimators to non-normality in confirmatory factor analysis. *Quality & Quantity*, 28, 117-136.
- Bentler, P. M. (1982). Linear systems with multiple levels and types of latent variables. In K. G. Jöreskog, & H. O. A. Wold (Eds.), *Systems under indirect observation: Causality, structure, prediction* (pp. 101-130). Amsterdam: North-Holland.

- Bentler, P. M. (1990). Comparative fit indexes in structural models. *Psychological Bulletin*, *107*, 238-246.
- Bentler, P. M., & Chou, C-P, C. (1987). Practical issues in structural modeling. *Sociological Methods and Research*, *16*, 78-117.
- Bloem, E. F. (2010). *Understanding changes in quality of life in cancer patients: A cognitive interview approach* (Doctoral dissertation, Academic Medical Centre, University of Amsterdam, The Netherlands). Retrieved from <http://dare.uva.nl/document/2/81646>
- Boker, S., Neale, M., Maes, H., Wilde, M., Spiegel, M., Brick, T., ... Fox, J. (2011). OpenMx: An open source extended structural equation modeling framework. *Psychometrika*, *76*, 306-317.
- Bollen, K. A. (1989). *Structural equations with latent variables*. New York: Wiley.
- Boomsma, A., & Hoogland, J. J. (2001). The robustness of LISREL modeling revisited. In R. Cudeck, S. Du Toit & D. Sorbom (Eds.), *Structural equation modeling: Present and future*. (pp. 139-168). Lincolnwood, IL: Scientific Software Inc.
- Borsboom, G. J. J. M., Korfage, I. J., Essink-Bot, M., & Duivenvoorden, H. J. (2007). The structural equation modeling technique did not show a response shift, contrary to the results of the then test and the individualized approaches. *Journal of Clinical Epidemiology*, *60*, 426-427.
- Borsboom, D., Mellenberg, G. J., & van Heerden, J. (2003). The theoretical status of latent variables. *Psychological Review*, *110*, 203-219.
- Bowling, A. (1997). *Measuring health: A review of quality of life measurement scales* (2nd ed.). Buckingham: Open University Press.
- Browne, M. W. (1984). Asymptotically distribution-free methods for the analysis of covariance structures. *British Journal of Mathematical and Statistical Psychology*, *37*, 62-83.
- Browne, M. W., & Cudeck, R. (1989). Single sample cross-validation indices for covariance structures. *Multivariate Behavioral Research*, *24*, 445-455
- Browne, M. W., & Cudeck, R. (1992). Alternative ways of assessing model fit. *Sociological Methods Research*, *21*, 230-258.
- Bryant, F. B., & Satorra, A. (2012). Principles and practice of scaled difference chi-square testing. *Structural Equation Modeling*, *19*, 372-398.
- Bullinger, M. (2002). Assessing health related quality of life in medicine: An overview of concepts, methods and applications in international research. *Restorative Neurology and Neuroscience*, *20*, 93-101.
- Bullock, H. E., Harlow, L., L., & Mulaik, S. (1994). Causation issues in structural equation modeling research. *Structural Equation Modeling*, *1*, 253-267.

- Byrne, B. M., Shavelson, R. J., & Muthén, B. (1989). Testing for the equivalence of factor covariance and mean structures: The issue of partial measurement invariance. *Psychological Bulletin, 105*, 456-466.
- Cameron, I. M., Lawton, K., & Reid, I. C. (2009). Appropriateness of antidepressant prescribing: An observational study in a Scottish primary-care setting. *British Journal of General Practice, 59*, 644-649.
- Cameron, I. M., Scott, N. W., Adler, M., & Reid, I. C. (2014). A comparison of three methods of assessing differential item functioning (DIF) in the Hospital Anxiety Depression Scale: Ordinal logistic regression, Rasch analysis and the Mantel chi-square procedure. *Quality of Life Research, 23*, 2883-2888.
- Cappelleri, J. C., & Bushmakin, A. G. (2014). Interpretation of patient-reported outcomes. *Statistical Methods in Medical Research, 23*, 460-483.
- Cella, D., Chassany, O., Fairclough, D., Hahn, E., Hays, R., & Wong, G. (2003). A guide for clinicians to compare the accuracy and precision of health-related quality of life data relative to other clinical measures. *Clinical Therapeutics, 25*, D7-D8.
- Cella, D., Eton, D. T., Fairclough, D. L., Bonomi, P., Heyes, A. E., Silberman, C., ... Johnson, D. H. (2002). What is clinically meaningful change on the functional assessment of cancer therapy-lung (FACT-L) questionnaire? Results from eastern cooperative oncology group (ECOG) study 5592. *Journal of Clinical Epidemiology, 55*, 285-295.
- Cheung, G. W., & Rensvold, R. B. (1999). Testing factorial invariance across groups: A reconceptualization and proposed new method. *Journal of Management, 25*, 1-27.
- Cheung, G. W., & Rensvold, R. B. (2002). Evaluating goodness-of-fit indexes for testing measurement invariance. *Structural Equation Modeling, 9*, 233-255.
- Christofferson, A. (1975). Factor analysis of dichotomized variables. *Psychometrika, 40*, 5-32.
- Coe, R. (2002). *It's the effect size, stupid: What effect size is and why it is important*. Paper presented at the Annual Conference of the British Educational Research Association, University of Exeter, Exeter, England. Retrieved from www.leeds.ac.uk/educol/documents/00002182.htm
- Cohen, J. (1988). *Statistical power analysis for the behavioral sciences* (2nd ed.). Erlbaum: Hillsdale, NJ.
- Cohen, P., Cohen, J., Teresi, J., Marchi, M., & Velez, C. N. (1990). Problems in the measurement of latent variables in structural equation causal models. *Applied Psychological Measurement, 14*, 183-196.
- Copay, A. G., Subach, B. R., Glassman, S. D., Polly, D. W., Schuler, T. (2007). Understanding the minimum clinically important difference: A review of concepts and methods. *The Spine Journal, 7*, 541-546.

- Costa, D. S. J. (2015). Reflective, causal, and composite indicators of quality of life: A conceptual or an empirical distinction? *Quality of Life Research, 24*, 2057-2065.
- Cronbach, L. J. (1951). Coefficient alpha and the internal structure of tests. *Psychometrika, 16*, 297-334.
- Crosby, R. D., Kolotkin, R. L., Williams, G. R. (2003). Defining clinically meaningful change in health-related quality of life. *Journal of Clinical Epidemiology, 56*, 395-407.
- Curran, P. J., West, S. G., & Finch, J. F. (1996). The robustness of test statistics to nonnormality and specification error in confirmatory factor analysis. *Psychological Methods, 1*, 16-29.
- Dempster, A. P., Laird, N. M., & Rubin, D. B. (1977). Maximum likelihood from incomplete data via the EM algorithm. *Journal of the Royal Statistical Society (Series B), 39*, 1-38.
- Deshon, R. P. (2004). Measures are not invariant across groups without error variance homogeneity. *Psychology Science, 46*, 137-149.
- Diener, E. (1984). Subjective well-being. *Psychological Bulletin, 3*, 542-575.
- Dolan, C. V. (1994). Factor analysis of variables with 2, 3, 5 and 7 response categories: A comparison of categorical variable estimators using simulated data. *British Journal of Mathematical and Statistical Psychology, 47*, 309-326.
- Donaldson, G. W. (2005). Structural equation models for quality of life response shift: Promises and pitfalls. *Quality of Life Research, 14*, 2345-2351.
- Dudgeon, P. (2003). *NIESEM: A computer program for calculating noncentral interval estimates (and power analysis) for structural equation modeling*. Melbourne: University of Melbourne, Department of Psychology.
- Durlak, J. A. (2009). How to select, calculate, and interpret effect sizes. *Journal of Pediatric Psychology, 34*, 917-928.
- Eton, D. T., Cella, D., Yost, K. J., Yount, S. E., Peterman, A. H., Neuberger, D. S., ... Wood, W. C. (2004). A combination of distribution- and anchor-based approaches determined minimally important differences (MIDs) for four endpoints in a breast cancer scale. *Journal of Clinical Epidemiology, 57*, 898-910.
- Fayers, P. M., & Hand, D. J. (1997). Factor analysis, causal indicators and quality of life. *Quality of Life Research, 6*, 139-150.
- Fayers, P. M., Hand, D. J., Bjordal, K., & Groenvold, M. (1997). Causal indicators in quality of life. *Quality of Life Research, 6*, 393-406.
- Fayers, P., & Hays, R. (2005). *Assessing quality of life in clinical trials* (2nd ed.) Oxford: Oxford University Press.

- Fayers, P., & Machin, D. (2016). *Quality of life. The assessment, analysis and reporting of patient-reported outcomes* (3rd ed.) West Sussex, England: John Wiley & Sons Ltd.
- Ferrans, C. E. (2005). Definitions and conceptual models of quality of life. In J. Lipscomb, C. C., Gotay, & C. Snyder (Eds), *Outcomes assessment in cancer*. Cambridge, England: Cambridge University Press.
- Ferrans, C. E. (2007). Differences in what quality-of-life instruments measure. *Journal of the National Cancer Institute Monographs*, 37, 22-26.
- Flora, D., & Curran, P. (2004). An empirical evaluation of alternative methods of estimation for confirmatory factor analysis with ordinal data. *Psychological Methods*, 9, 466-491.
- Forero, C. G., Maydeu-Olivares, A., & Gallardo-Pujol, D. (2009). Factor analysis with ordinal indicators: A Monte Carlo study comparing DWLS and ULS estimation. *Structural Equation Modeling*, 16, 625-641.
- Gerhard, C., Klein, A. G., Schermelleh-Engel, K., Moosbrugger, H., Gåde, J., & Brandt, H. (2015). On the performance of likelihood-based difference tests in nonlinear structural equation modeling. *Structural Equation Modeling*, 22, 276-287.
- Giesler, R. B., & Williams, S. D. (1998). Opportunities and challenges: Assessing quality of life in clinical trials. *Journal of the National Cancer Institute*, 90, 1398-1499.
- Gill, T. M., & Feinstein, A. R. (1994). A critical appraisal of the quality of quality-of-life measurements. *Journal of the American Medical Association*, 272, 619-626.
- Golembiewski, R. T., Billingsley, K., & Yeager, S. (1976). Measuring change and persistence in human affairs: Types of change generated by OD designs. *Journal of Applied Behavioral Science*, 12, 133-157.
- Grissom, R. J. (1994). Probability of the superior outcome of one treatment over another. *Journal of Applied Psychology*, 79, 314-316.
- Guilleux, A., Blanchin, M., Vanier, A., Guillemin, F., Falissard, B., Schwartz, C. E., Hardouin, J.-B., Sébille, V. (2015). Response shift algorithm in item response theory (ROSALI) for response shift detection with missing data in longitudinal patient-reported outcome studies. *Quality of Life Research*, 24, 553-564.
- Guyatt, G. H., Feeny, D. H., & Patrick, D. L. (1993). Measuring health-related quality of life. *Annals of Internal Medicine*, 118, 622-629.
- Guyatt, G. H., Osoba, D., Wu, A. W., Wyrwich, K. W., Norman, G. R., & The Clinical Significance Consensus Meeting Group (2002). Methods to explain the clinical significance of health status measures. *Mayo Clinic Proceedings*, 77, 371-383.

- de Haes, J. C. J. M., de Duijter, J. H., Tempelaar, R., & Pennink, B. J. (1992). The distinction between affect and cognition in the quality of life of cancer patients-sensitivity and stability. *Quality of Life Research, 1*, 315-322.
- de Haes, J. C. J. M., Olschewski, M., Fayers P., Visser, M. R. M., Cull, A., Hopwood, P., & Sanderman, R. (1996). Measuring the quality of life of cancer patients with the Rotterdam Symptom Checklist (RSCL): A manual. *Northern Centre for Healthcare Research*.
- Editorial (1995). Quality of life and clinical trials. *The Lancet, 346*, 1-2.
- Hamaker, E. L., Dolan, C. V., Molenaar, P. C. M. (2005). Statistical modeling of the individual: Rational and application of multivariate stationary time series analysis. *Multivariate Behavioral Research, 40*, 207-233.
- Hojat, M., & Xu, G. (2004). A visitor's guide to effect sizes: Statistical significance versus practical (clinical) importance of research findings. *Advances in Health Sciences Education, 9*, 241-249.
- Howard, G. S., Ralph, K. M., Gulanick, N. A., Maxwell, S. E., Nance, S. W., & Gerber, S. K. (1979). Internal invalidity in pretest-posttest self-report evaluations and reevaluation of retrospective pretests. *Applied Psychological Measurement, 3*, 1-23.
- Hu, L., & Bentler, P. M. (1999). Cutoff criteria for fit indexes in covariance structure analysis: Conventional criteria versus new alternatives. *Structural Equation Modeling, 6*, 1-55.
- Hunt, S. M. (1997). The problem of quality of life. *Quality of Life Research, 6*, 205-212.
- Hyland, M. E., Kenyon, C. A. P., & Jacobs, P. A. (1994). Sensitivity of quality of life domains and constructs to longitudinal change in a clinical trial comparing salmeterol with placebo in asthmatics. *Quality of Life Research, 3*, 121-126.
- Jackson, D. L. (2003). Revisiting sample size and number of parameter estimates: Some support for the N:q hypothesis. *Structural Equation Modeling, 10*, 128-141.
- Jayadevappa, R., Malkowicz, S. B., Wittink, M., Wein, A. J., & Chhatre, S. (2012). Comparison of distribution- and anchor-based approaches to infer change in health-related quality of life of prostate cancer survivors. *Health Research and Educational Trust, 47*, 1902-1925.
- Jöreskog, K. G. (1990). New developments in LISREL: Analysis of ordinal variables using polychoric correlations and weighted least squares. *Quality and Quantity, 24*, 387-404.
- Jöreskog, K. G. (1994). On the estimation of polychoric correlations and their asymptotic covariance matrix. *Psychometrika, 59*, 381-389.
- Jöreskog, K. G. (2002). *Structural equation modeling with ordinal variables using LISREL*. Retrieved from <http://www.ssicentral.com/lisrel/techdocs/ordinal.pdf>.

- Jöreskog, K. G., & Sorbom, D. (1996). *LISREL 8 users'guide* (2nd ed.). Chicago, IL: Scientific software international, Inc..
- Karnofsky D. A., & Burchenal, J. H. (1949). The clinical evaluation of chemotherapeutic agents in cancer. In: MacLeod (Eds.), *Evaluation of Chemotherapeutic Agents* (pp. 191-205). New York: Columbia University.
- Kazis, L. E., Anderson, J. J., & Meenan, R. F. (1989). Effect sizes for interpreting changes in health status. *Medical Care*, 27, S178-S189.
- Kievit, W., Hendriks, J., Stalmeier, P. F. M., van de Laar, M. A. F. J., Van Riel, P. L. C. M., & Adang, E. M. (2010). The relationship between change in subjective outcome and change in disease: A potential paradox. *Quality of Life Research*, 19, 985-994.
- Kline, R. B. (2011). *Principles and practices of structural equation modeling* (3rd ed.). New York: The Guilford Press.
- Kline, R. B. (2015). *Principles and practice of structural equation modeling* (4th ed.). New York: The Guilford Press.
- Kraemer, H. C., & Kupfer, D. J. (2006). Size of treatment effects and their importance to clinical research and practice. *Biological Psychiatry*, 59, 990-996.
- Lantos, J. D. (1998). Some moral and political pitfalls in measuring quality of life. In D. Drotar (Ed.), *Measuring health-related quality of life in children and adolescents: Implications for research and practice* (pp. 53-60). Mahwah, NJ: Erlbaum.
- Laupacis, A., Sackett, D. L., & Roberts, R. S. (1988). An assessment of clinically useful measures of the consequences of treatment. *New England Journal of Medicine*, 318, 1728-1733.
- Liang, M. H., Fossel, A. H., & Larson, M. G. (1990). Comparisons of five health status instruments for orthopedic evaluation. *Medical Care*, 28, 632-642.
- Lord, F. M., & Novick, M. R. (1968). *Statistical theories of mental test scores*. Reading, MA: Addison-Wesley Publishing Company.
- van der Linden, Y. M., Lok, J. J., Steenland, E., Martijn, H., van Houwelingen, H., Marijnen, C. A. M., & Leer, J. W. (2004). Single fraction radiotherapy is efficacious: A further analysis of the Dutch bone metastasis study controlling for the influence of retreatment. *International Journal of Radiation Oncology Biology Physics*, 59, 528-537.
- van der Linden, Steenland, E., H., van Houwelingen, Post, W. J., Oei, B., H., Marijnen, C. A. M., & Leer, J. W. (2006). Patients with a favourable prognosis are equally palliated with single and multiple fraction radiotherapy: Results on survival in the Dutch bone metastasis study. *Radiotherapy and Oncology*, 78, 245-253.

- Lubke, G. H., & Dolan, C. V. (2003). Can unequal residual variances across groups mask differences in residual means in the common factor model? *Structural Equation Modeling, 10*, 175-192.
- MacCallum, R. (1986). Specification searches in covariance structure modeling. *Psychological Bulletin, 100*, 107-120.
- Marsh, H. W., Hau, K.-T., & Wen, Z. (2004). In search of golden rules: Comment on hypothesis-testing approaches to setting cutoff values for fit indexes and dangers in overgeneralizing Hu and Bentler's (1999) findings. *Structural Equation Modeling, 11*, 320-341.
- Mayo, N. E., Moriello, C., Asano, M., van der Spuy, S., & Finch, L. (2011). The extent to which common health-related quality of life indices capture constructs beyond symptoms and function. *Quality of Life Research, 20*, 621-627.
- McGraw, K. O., & Wong, S. P. (1992). A common language effect size statistic. *Psychological Bulletin, 111*, 361-365.
- McSweeney, A. J., Creer, T. L. (1995). Health-related quality-of-life assessment in medical care. *Disease-a-Month, 41*, 6-71.
- Mellenbergh, G. J. (1989). Item bias and item response theory. *International Journal of Educational Research, 13*, 127-142.
- Meredith, W. (1993). Measurement invariance, factor analysis and factorial invariance. *Psychometrika, 58*, 525-543.
- Meredith, W., & Millsap, R. E. (1992). On the misuse of manifest variables in the detection of measurement bias. *Psychometrika, 57*, 289-311.
- Meredith, W., & Teresi, J. A. (2006). An essay on measurement and factorial invariance. *Medical Care, 44*, S69-S77.
- Middel, E., & van Sonderen, E. (2002). Statistical significant change versus relevant or important change in (quasi) experimental design: Some conceptual and methodological problems in estimating magnitude of intervention-related change in health service research. *International Journal of Integrated Care, 2*, 1-18.
- Millsap, R. E. (2010). Testing measurement invariance using item response theory in longitudinal data: An introduction. *Child Development Perspectives, 4*, 5-9.
- Millsap, R. E., & Everson, H. T. (1993). Methodology review: Statistical approaches for assessing measurement bias. *Applied Psychological Measurement, 17*, 297-334.
- Millsap, R. E., & Meredith, W. (2004). *Factorial invariance: Historical trends and new developments*. Paper presented at the Factor Analysis at 100 Conference, Chapel Hill, NC. Retrieved from <http://www.fa100.info/millsap.pdf>

- Millsap R. E., Yun-Tein, J. (2004). Assessing factorial invariance in ordered-categorical measures. *Multivariate Behavioral Research*, 39, 479-515.
- Molenaar, P. C. M. (2004). A manifesto on psychology as idiographic science: Bringing the person back into scientific psychology, this time forever. *Measurement*, 2, 201-218.
- Mor, V., & Guadagnoli, G. (1988). Quality of life measurement: A psychometric tower of babel. *Journal of Clinical Epidemiology*, 41, 1055-1058.
- Muthén, B. O. (1978). Contributions to factor analysis of dichotomized variables. *Psychometrika*, 43, 551-560.
- Muthén, B. O. (1983). Latent variable structural equation modeling with categorical data. *Journal of Econometrics*, 22, 48-65.
- Muthén, B. O. (1984). A general structural equation model with dichotomous, ordered categorical, and continuous latent variables indicators. *Psychometrika*, 49, 115-132.
- Muthén, L.K., & Muthén, B. O. (1998). *Mplus User's Guide* (6th Ed.). Los Angeles, CA: Muthén & Muthén.
- Muthén, B. O., & Kaplan, D. (1985). A comparison of some methodologies for the factor analysis of nonnormal Likert variables. *British Journal of Mathematical and Statistical Psychology*, 38, 171-189.
- Muthén, B. O., & Kaplan, D. (1992). A comparison of some methodologies for the factor-analysis of non-normal Likert variables: A note on the size of the model. *British Journal of Mathematical and Statistical Psychology*, 45, 19-30.
- Neale, M. C., Boker, S. M., Xie, G., Maes, H. H. (1999). *Mx: Statistical Modeling* (5th ed.). Richmond, VA: Department of Psychiatry.
- Neale, M. C., Boker, S. M., Xie, G., & Maes, H. H. (2003). *Mx: Statistical Modeling* (6th Ed.). Richmond, VA 23298: Department of Psychiatry.
- Nolte, S., Elsworth, G. R., Sinclair, A. J., & Osborne, R. H. (2009). Tests of measurement invariance failed to support the application of the "then-test". *Journal of Clinical Epidemiology*, 62, 1173-1180.
- Nolte, S., Elsworth, G. R., Sinclair, A. J., Osborn, R. H. (2012). The inclusion of 'then-test' questions in post-test questionnaires alters post-test responses: A randomized study of bias in health program evaluation. *Quality of Life Research*, 21, 487-494.
- Norman, G. R., Wyrwich, K. W., & Patrick, D. L. (2007). The mathematical relationship among different forms of responsiveness coefficients. *Quality of Life Research*, 16, 815-822.
- Olejnik, S., & Algina, J. (2000). Measures of effect size for comparative studies: Applications, interpretations, and limitations. *Contemporary Educational Psychology*, 25, 241-286.

- Olsson, U. H. (1979). On the robustness of factor analysis against crude classification of the observations. *Multivariate Behavioral Research, 14*, 485-500.
- Oort, F. J. (2001). Three-mode models for multivariate longitudinal data. *British Journal of Mathematical and Statistical Psychology, 54*, 49-78.
- Oort, F. J. (2004). Types of change in self-report data: Definition, interpretation and operationalization (pp. 1-21). In C. van Dijkum, J. Blasius, H. Kleijer, & B. van Hilten (Eds.) *Proceedings of the Sixth International Conference on Logic and Methodology: Recent Developments and Applications in Social Research Methodology*.
- Oort, F. J. (2005). Using structural equation modeling to detect response shift and true change. *Quality of Life Research, 14*, 587-598.
- Oort, F. J., Visser, M. R. M., & Sprangers, M. A. G. (2005). An application of structural equation modeling to detect response shifts and true change in quality of life data from cancer patients undergoing invasive surgery. *Quality of Life Research, 14*, 599-609.
- Oort, F. J., Visser, M. R. M., & Sprangers, M. A. G. (2009). Formal definitions of measurement bias and explanation bias clarify measurement and conceptual perspectives on response shift. *Journal of Clinical Epidemiology, 62*, 1126-1137.
- Osoba, D. (1999) What has been learned from measuring health-related quality of life in clinical oncology. *European Journal of Cancer, 35*, 1565-1570.
- Osoba, D. (2011). Health-related quality of life and cancer clinical trials. *Therapeutic Advances in Medical Oncology, 3*, 57-71.
- Preston, N. J., Fayers, P., Walters, S. J., Pilling, M., Grande, G. E., Short, V., ... Todd, C. J. (2013). Recommendations for managing missing data, attrition and response shift in palliative and end-of-life care research: Part of the MORECare research method guidance on statistical issues. *Palliative Medicine, 27*, 899-907.
- Prutkin, J. M., & Feinstein, A. R. (2002). Quality-of-life measurements: Origin and pathogenesis. *Yale Journal of Biology and Medicine, 75*, 79-93.
- Revicki, D., Hays, R. D., Cella, D., & Sloan, J. (2008). Recommended methods for determining responsiveness and minimally important differences for patient-reported outcomes. *Journal of Clinical Epidemiology, 61*, 102-109.
- Rosenthal, R., & Rubin, D. B. (1982). A simple, general purpose display of magnitude of experimental effect. *Journal of Educational Psychology, 74*, 166-169.
- Rosseel, Y. (2012). Lavaan: An R package for structural equation modeling. *Journal of Statistical Software, 48*, 1-36.

- Rosseel, Y. (2016). *The Lavaan tutorial*. Retrieved from <http://lavaan.ugent.be/tutorial/tutorial.pdf>
- Satorra, A., & Bentler, P. M. (1988). Scaling corrections for chi-square statistics in covariance structure analysis. *Proceedings of the Business and Economic Statistics Section of the American Statistical Association*, 308-313.
- Satorra, A., & P. M. Bentler (2001). A scaled difference chi-square test statistic for moment structure analysis. *Psychometrika*, 66, 507-514.
- Schermelleh-Engel, K., Moosbrugger, H., & Müller, H. (2003). Evaluating the fit of structural equation models: Tests of significance and descriptive goodness-of-fit measures. *Methods of Psychological Research Online*, 8, 23-74.
- Schulz, K. F., Altman, D. G., Moher, D., & the CONSORT Group (2010). CONSORT 2010 statement: updated guidelines for reporting parallel group randomized trials. *Annals of Internal Medicine*, 152, 726-732.
- Schumacker, R. E., & Lomax, R. G. (2016). *A beginner's guide to structural equation modeling* (4th ed.). Routledge, New York, NY.
- Schwartz, C. E., Bode, R., Repucci, N., Becker, J., Sprangers, M. A. G., & Fayers, P. M. (2006). The clinical significance of adaptation to changing health: A meta-analysis of response shift. *Quality of Life Research*, 15, 1533-1550.
- Schwartz, C. E., & Rapkin, B. D. (2004). Reconsidering the psychometrics of quality of life assessment in light of response shift and appraisal. *Health and Quality of Life Outcomes*, 2: 16.
- Schwartz, C. E., & Sprangers, M. A. G. (1999). Methodological approaches for assessing response shift in longitudinal health-related quality-of-life research. *Social Science and Medicine*, 48, 1531-1548.
- Schwartz, C. E., Sprangers, M. A. G., Oort, F. J., Ahmed, S., Bode, R., Li, Y., & Vollmer, T. (2011). Response shift in patients with multiple sclerosis: An application of three statistical techniques. *Quality of Life Research*, 20, 1561–1572.
- Sedgwick, P (2015). Measuring the benefit of treatment: Number needed to treat. *The British Medical Journal*, 350: h2206.
- Sloan, J. A., Cella, D., & Hays, R. D. (2005). Clinical significance of patient-reported data: Another step toward consensus. *Journal of Clinical Epidemiology*, 58, 1217-1219.
- Smets, E. M. A., Garssen, B., Bonke B., & De Haes, J. C. J. M. (1995). The multidimensional fatigue inventory (MFI): Psychometric qualities of an instrument to assess fatigue. *Journal of Psychosomatic Research*, 39, 315-325.

- Smith, K. W., Avis, N. E., & Assmann, S. F. (1999). Distinguishing between quality of life and health status in quality of life research: A meta-analysis. *Quality of Life Research*, 8, 447-459.
- Sprangers, M. A. G., Moynihan, T., Patrick, D. L., Revicki, D. A., & The Clinical Significance Consensus Meeting Group (2002). Assessing meaningful change in quality of life over time: A users' guide for clinicians. *Mayo Clinic Proceedings*, 77, 561-571.
- Sprangers, M. A. G., & Schwartz, C. E. (1999). Integrating response shift into health-related quality of life research: A theoretical model. *Social Science and Medicine*, 48, 1507-1515.
- Steenland, E., Leer, J., van Houwelingen, H., Post, W. J., van den Hout, W. B., Kievit, J., ... Rutten, E. (1999). The effect of a single fraction compared to multiple fractions on painful bone metastases: A global analysis of the Dutch Bone Metastasis Study. *Radiotherapy and Oncology*, 52, 101-109.
- Steiger, J. H. (1990). Structural model evaluation and modification: An interval estimation approach. *Multivariate Behavioral Research*, 25, 173-180.
- Steiger, J. H., & Lind, J. C. (1980). *Statistically based tests for the number of common factors*. Paper presented at the annual meeting of the Psychometric Society, Iowa City, IA.
- Takane, Y., & De Leeuw, J. (1987). On the relationship between item response theory and factor analysis of discretized variables. *Psychometrika*, 52, 393-408.
- Taminiau-Bloem, E. F., Schwartz, C. E., van Zuuren, F. J., Koeneman, M. A., Visser, M. R. M., Tishelman, C., ... Sprangers, M. A. G. (2016). Using a retrospective pretest instead of conventional pretest is replacing biases: A qualitative study of cognitive processes underlying responses to the thentest items. *Quality of Life Research*, 25, 1327-1337.
- Taminiau-Bloem, E. F., van Zuuren, F. J., Koeneman, M. A., Rapkin, B. D., Visser, M. R. M., ... Sprangers, M. A. G. (2010). A 'short walk' is longer before therapy than afterwards: A qualitative study questioning the baseline and follow-up design. *Health and Quality of Life Outcomes*, 8, 69.
- Tennant, A. (1995). Quality of life – a measure too far? *Annals of the Rheumatic Diseases*, 54, 439-440.
- The EuroQol Group (1990). EuroQol: A new facility for the measurement of health-related quality of life. *Health Policy*, 16, 199-206.
- Tisak, J., & Meredith, W. (1990). Longitudinal factor analysis (pp. 125-150). In A. von Eye (Eds). *Statistical methods in longitudinal research: Volume 1. Principles and structuring change*. San Diego, CA: Academic Press.
- Ubel, P. A., Peeters, Y., & Smith, D. (2010). Abandoning the language of “response shift”: A plea for conceptual clarity in distinguishing scale recalibration from true changes in quality of life. *Quality of Life Research*, 19, 465-471.

- Vandenberg, R. J., & Lance, C. E. (2000). A review and synthesis of the measurement invariance literature: Suggestions, practices, and recommendations for organizational research. *Organizational Research Methods*, 3, 4-70.
- Vanier, A., Sébille, V., Blanchin, M., Guilleux, A., & Hardouin, J.-B. (2015). Overall performance of Oort's procedure for response shift detection at item level: A pilot simulation study. *Quality of Life Research*, 24, 1799-1807.
- Verdam, M. G. E., Oort, F. J., Visser, M. R. M., & Sprangers, M. A. G. (2012). Response shift detection through then-test and structural equation modeling: Decomposing observed change and testing tacit assumptions. *Netherlands Journal of Psychology*, 67, 58-67.
- Verdam, M. G. E., & Oort, F. J. (2015a). Measurement bias detection with Kronecker product restricted models for multivariate longitudinal data when the number of measurement occasions is large. *Frontiers in Psychology*, 5, 1022.
- Verdam, M. G. E., & Oort, F. J. (2015b). *The analysis of multivariate longitudinal data: An instructive explanation of the longitudinal three-mode model*. Manuscript submitted for publication.
- Verdam, M. G. E., Oort, F. J., Van der Linden, Y. M., & Sprangers, M. A. G. (2015). Taking into account the impact of attrition on the assessment of response shift and true change: A multigroup structural equation modeling approach. *Quality of Life Research*, 24, 541-551.
- Verdam, M. G. E., Oort, F. J., & Sprangers, M. A. G. (2016). Using structural equation modeling to detect response shifts and true change in discrete variables: An application to the items of the SF-36. *Quality of Life Research*, 25, 1361-1383.
- Visser, M. R. M., Oort, F. J., & Sprangers, M. A. G. (2005). Methods to detect response shift in quality of life data: A convergent validity study. *Quality of Life Research*, 14, 629-639.
- Visser, M. R. M., Oort, F. J., van Lanschot, J. J. B., van der Velden, J., Kloek, J. J., Gouma, D. J., ... Sprangers, M. A. G. (2013). The role of recalibration response shift in explaining bodily pain in cancer patients undergoing invasive surgery: An empirical investigation of the Sprangers and Schwartz model. *Psycho-Oncology*, 22, 515-522.
- Ware, J. E., Snow, K. K., Kosinski, M., & Gandek, B. (1993). *SF-36 health survey: Manual and interpretation guide*. Boston, MA: The Health Institute, New England Medical Center.
- Wilson, I. B., & Cleary, P. D. (1995). Linking clinical variables with health-related quality of life: A conceptual model of patient outcomes. *Journal of the American Medical Association*, 273, 59-65.
- World Health Organization (2002). *Towards a common language for functioning, disability and health: The international classification of functioning, disability and health (ICF)*. World Health Organization. Geneva, Switzerland.

- Wu, A. D., Li, Z., & Zumbo, B. D. (2007). Decoding the meaning of factorial invariance and updating the practice of multi-group confirmatory factor analysis: A demonstration with TIMSS data. *Practical Assessment, Research & Evaluation, 12*, 1-26.
- Wyrwich, K. W., Bullinger, M., Aaronson, N., Hays, R. D., Patrick, D. L., Symonds, T., & The Clinical Significance Consensus Meeting Group (2005). Estimating clinically significant differences in quality of life outcomes. *Quality of Life Research, 14*, 285-295.
- Yang-Wallentin, F., Jöreskog, K., & Luo, H. (2010). Confirmatory factor analysis of ordinal variables with misspecified models. *Structural Equation Modeling, 17*, 392-423.
- Zigmond, A. S., & Snaith, R. P. (1983). The Hospital Anxiety and Depression Scale. *Acta Psychiatrica Scandinavica, 67*, 361-370.