



UvA-DARE (Digital Academic Repository)

The neutron star transient XTE J1701-407 has returned to quiescence after a 3-year long outburst

Degenaar, N.; Wijnands, R.; Altamirano, D.; Cackett, E.; Linares, M.; Homan, J.; Fridriksson, J.

Publication date

2011

Document Version

Final published version

Published in

The astronomer's telegram

License

Unspecified

[Link to publication](#)

Citation for published version (APA):

Degenaar, N., Wijnands, R., Altamirano, D., Cackett, E., Linares, M., Homan, J., & Fridriksson, J. (2011). The neutron star transient XTE J1701-407 has returned to quiescence after a 3-year long outburst. *The astronomer's telegram*, 3604. <https://www.astronomerstelegram.org/?read=3604>

General rights

It is not permitted to download or to forward/distribute the text or part of it without the consent of the author(s) and/or copyright holder(s), other than for strictly personal, individual use, unless the work is under an open content license (like Creative Commons).

Disclaimer/Complaints regulations

If you believe that digital publication of certain material infringes any of your rights or (privacy) interests, please let the Library know, stating your reasons. In case of a legitimate complaint, the Library will make the material inaccessible and/or remove it from the website. Please Ask the Library: <https://uba.uva.nl/en/contact>, or a letter to: Library of the University of Amsterdam, Secretariat, Singel 425, 1012 WP Amsterdam, The Netherlands. You will be contacted as soon as possible.

UvA-DARE is a service provided by the library of the University of Amsterdam (<https://dare.uva.nl>)

ATel On

Patreon
Mastodon
Twitter

The Astronomer's Telegram

Post | Search | Policies
Credential | Feeds | Email

8 Dec 2022; 10:24 UT

This space for free for your conference.

MIAPP workshop on
Interacting Supernovae
6 February - 3 March 2023
Garching, GermanyNe/O Si
→

Thanks to Patrons, The Astronomer's Telegram is free to read, free to publish and always will be. Thank you.

[\[Previous | Next | ADS \]](#)

The neutron star transient XTE J1701-407 has returned to quiescence after a 3-year long outburst

ATel #3604; *N. Degenaar, R. Wijnands, D. Altamirano (University of Amsterdam), E. Cackett (Cambridge), M. Linares, J. Homan and J. Fridriksson (MIT)*

on 29 Aug 2011; 17:24 UT

Credential Certification: *Nathalie Degenaar (degenaar@uva.nl)*

Subjects: X-ray, Binary, Neutron Star, Transient

Referred to by ATel #: [3654](#), [13564](#)[Tweet](#)

The neutron star low-mass X-ray binary and long thermonuclear burst source XTE J1701-407 (ATel #1618) has been active ever since its discovery in 2008 June (ATel #1569), displaying a typical 2-10 keV luminosity of $\sim 5E36$ erg/s (assuming a distance $D=5.0$ kpc; ATel #2814). However, routine monitoring of the Galactic bulge with the PCA aboard RXTE (Swank & Markwardt 2001, ASP conference series 251, 94) indicates that the outburst has now ceased: the source intensity has remained below the detection limit of the PCA since 2011 August 9 (see the link provided below).

We have performed follow-up observations with the Swift/XRT to investigate the current state of XTE J1701-407. The source is clearly detected during a 2.0-ks pointing carried out on 2011 August 23, with an average (PC mode) count rate of $\sim 3.9E-2$ c/s. The XRT spectrum can be fit with a simple absorbed powerlaw with a hydrogen column density of $\sim (3+/-2)E22$ cm⁻² and a photon index of $\sim 2.4+/-1.5$. The resulting 0.5-10 keV luminosity is $\sim 4E34$ erg/s (for $D=5$ kpc).

XTE J1701-407 is not detected during our second Swift/XRT observation that was performed on 2011 August 27 for 1.9 ks. Applying the small number prescription of Gehrels 1986 (ApJ 303, 336), we infer a 95% confidence upper limit on the source count rate of $\sim 5.5E-3$ c/s (PC mode). Using pimms with the spectral shape found for the first Swift observation (an absorbed powerlaw with $nH=3E22$ cm⁻² and an index of 2.4), we estimate an upper limit on the 0.5-10 keV luminosity of $\sim 4E33$ erg/s ($D=5$ kpc). This is a factor ~ 10 lower than the 0.5-10 keV luminosity measured with Swift 4 days earlier. If we instead assume a blackbody spectral shape with $kT=0.2-0.3$ keV, the Swift non-detection implies an upper limit on the 0.5-10 keV thermal luminosity of $\sim (0.6-2)E34$ erg/s ($D=5$ kpc).

Related

- 13623 The X-ray transient 4U 1630-47 transitioned from the hard to soft spectral state
- 13592 Radio detection of 4U1630-47 during March 2020 outburst with MeerKAT
- 13572 Swift-BAT detection of bursts from XTE J1701-407
- 13564 INTEGRAL/GPS detections of a new outburst from 4U 1630-47 and XTE J1701-407
- 12617 MAXI/GSC detection of a bright X-ray burst from XTE J1701-407
- 11771 NICER Observation of Strong Wind Absorption in the Soft Outburst of 4U 1630-47
- 11722 A new outburst of 4U 1630-472 and its very soft X-ray spectra
- 9515 AstroSat/LAXPC observed 4U 1630-472 on very first day of a new outburst
- 9462 Initial Swift observations of the Aug 2016 outburst of the Black Hole Candidate 4U 1630-47
- 9427 MAXI/GSC detection of a new X-ray outburst of 4U 1630-472
- 6991 MAXI/GSC detection of a new outburst from 4U 1630-472
- 3830 MAXI/GSC detection of an outburst from a black hole candidate 4U 1630-472
- 3654 X-ray re-brightening detected from the neutron star transient XTE J1701-407
- 3604 The neutron star transient XTE J1701-407 has returned to quiescence after a 3-year long outburst
- 2814 A photospheric radius-expansion burst observed from XTE J1701-407 by INTEGRAL: an update on distance
- 2370 ATCA non detection of 4U 1630-47 in outburst
- 2363 MAXI/GSC detection of an increase in X-ray intensity from 4U 1630-47
- 1813 Transition of H 1743-322 to the HIMS/SIMS confirmed and preliminary spectral fit results
- 1795 A Chandra Position for the Neutron Star X-ray Transient XTE J1701-407
- 1791 XTE J1701-407 INTEGRAL and Swift observations
- 1777 Swift detects increased activity of the neutron star transient SAX J1750.8-2900
- 1775 SuperAGILE detects an X-ray

Our Swift observations confirm the decrease in intensity seen in the RXTE/PCA bulge scans and strongly suggest that XTE J1701-407 has returned to quiescence after a long outburst that persisted for ~3 years. Further X-ray observations are planned to monitor the source.

RXTE/PCA bulge scan lightcurve of XTE_J1701-407

| | |
|------|---|
| 1726 | Renewed optical and X-ray activity in IGR J00291+5934 |
| 1662 | SAX J1750.8-2900 is returning to quiescence |
| 1635 | Discovery of kilohertz QPOs in XTE J1701-407 |
| 1630 | Search for the infrared counterpart to XTE J1701-407 |
| 1621 | Improved X-ray position for XTE J1701-407 |
| 1618 | The cooling tail of a long X-ray burst from XTE J1701-407 |
| 1616 | Swift Detects Likely X-ray Burst from XTE J1701-407 |
| 1572 | Swift/XRT follow-up observation of the new X-ray source XTE J1701-407 |
| 1569 | New Source Discovered by RXTE PCA Scans: XTE J1701-407 |
| 1110 | Optical measurements of HETE J1900.1-2455 with the Large Binocular Telescope |
| 1106 | Increased flux of HETE J1900.1-2455 detected with both Swift/XRT and RXTE/PCA |
| 1098 | Swift/XRT non-detection of HETE J1900.1-2455 |

[[Telegram Index](#)]

R. E. Rutledge, Editor-in-Chief

rrutledge@astronomerstelegram.org

Derek Fox, Editor

dfox@astronomerstelegram.org